


TSconfig Pages and Users by extManager

Configure the TSconfig for your pages and users with the mouse! tsconf offers the eight most commonly used properties like page tree uids, activated extended view, activated clipboard, activated admin panel and cache management for editors among others. Add your own icons to the page tree.



Version: 6.2.0, 2015-10-06

Extension Key: tsconf

Language: en

Keywords: forAdmins, forDevelopers, forBeginners, forAdvanced

Copyright 2011-2015, Dirk Wildt - Die Netzmacher, <<http://wildt.at.die-netzmacher.de>>

This document is published under the Open Content License available from <http://www.opencontent.org/opl.shtml>
The content of this document is related to TYPO3 a GNU/GPL CMS/Framework available from www.typo3.org

Table of Contents

TConfig Pages and Users by extManager	1	Your Configuration File	10
Screen Shot	3	Extension Manager	11
Extension Manager	3	Further Information	12
Page tree	4	Feature Requests and Suggestions	12
Introduction	6	Bugtracker	12
What does it do?	6	SVN Repository	12
Install	7	Credits	12
Configure pageTS	7	Thanks to Andreas Kießling from pluspol interactive in Leipzig / Germany, who developed the feature enhanced pagetree context menu.	12
Configure userTS	7	Professional support	12
Page tree icons	8	Other extensions published by Die Netzmacher	13
Own Page Tree Icons	9	Change log	14
Sample	9		

Screen Shot

Extension Manager




Illustration 1: Configure the userTScnfig and pageTScnfig with the extension manager

Page tree

Additional Items in the context menu




Illustration 2: Enhanced context menu

Icons in the page tree




Illustration 3: Page tree with some icons provided by tsconf

Available icons




Illustration 4: 66 icons are available for the TYPO3 page tree

You can add your own icons. See "Own Page Tree Icons" on page 9 below.

Introduction

What does it do?

This extension offers some TS default configurations for pages and users. It offers page tree icons too.

You can enable and disable 12 configuration options:

All backend users should

- have an AdminPanel by default
- be able to clean the TYPO3 general cache
- be able to clean the TYPO3 system cache (from TYPO3 version 6.2)
- will see a page tree with uids
- have activated [Extended view], [Display thumbnails] and [Show clipboard] in all forms of the module "file list"
- will see include static templates with place upto 40 items and enhanced width

Images

- Enhance the maximum limit of the image property columns (imagecols) from 7 to 12.
- Enable the cutting of images.

All pages should display

- a reduced menu in the modul web pages: without the items Quick Edit and Page Information
- forms for pages without the fields alias and content from pid
- forms for content with four headers only and a proper translation
- have activated [Extended view] and [Show clipboard] in all forms of the module "web list"

The extension offers page tree icons for the groups

- application
- device
- dialog
- emblem
- flag
- folder
- game
- jQuery
- library
- system
- TYPO3

Last but not least you can add own icons.

The extension enhances the pagetree context menu with the items

- exclude form search
- hide in menu

Install

Install this extension.

Configure pageTS

Configure the default page TS with the extension manager.

Configure userTS

Configure the default user TS with the extension manager.

Page tree icons




Illustration 5: Alert icon as page tree icon (2)

You can change the sysfolder default icon to a template icon like in the illustration below (2).

If you like the TypoScript template icon as a page tree icon, please follow this steps:

1. Modul web > page
2. Page tree: select the page with your TypoScript templates
3. Edit area: edit the page properties
4. select the tab [Appearance]
5. select in the field [Contains Plugin]: System (alert icon)

Own Page Tree Icons

Sample




Illustration 6: Add your own icons to the TYPO3 page tree!

You can add your own icons (5).

You have to copy a prepared configuration file and adapt it to your needs. See the next section below.

Your Configuration File

1. Copy Resources/Private/myPageTreeIcons.php to fileadmin/mytsconf


```
# cp typo3conf/ext/tsconf/Resources/Private/myPageTreeIcons.php fileadmin/mytsconf
```
2. Copy your icons to fileadmin/mytsconf
In the sample below:
 - fileadmin/mytsconf/my.gif
 - fileadmin/mytsconf/myOtherIcon.gif
1. Adapt the properties to your needs.
Be aware, that in the methods below the second parameter should not be longer than ten characters
 - Proper: myOthIcon <- 9 characters
 - Not proper: myOtherIcon <- 11 characters

Code Snippet

You have to adapt the variables in the code snippet below, which are marked red and bold.

```
$myExtIconPath = t3lib_extMgm::extRelPath( $_EXTKEY ) . '../fileadmin/mytsconf/';

$TCA[ 'pages' ][ 'columns' ][ 'module' ][ 'config' ][ 'items' ][] = array(
    'My icon', 'myIcon', $myExtIconPath . 'my.gif'
);
$TCA[ 'pages' ][ 'columns' ][ 'module' ][ 'config' ][ 'items' ][] = array(
    'My other icon', 'myOthIcon', $myExtIconPath . 'myOtherIcon.gif'
);

switch ( true )
{
    case( $typo3Version < 6000000 ):
        t3lib_SpriteManager::addTcaTypeIcon(
            'pages', 'contains-myIcon', $myExtIconPath . 'my.gif'
        );
        t3lib_SpriteManager::addTcaTypeIcon(
            'pages', 'contains-myOthIcon', $myExtIconPath . 'myOtherIcon.gif'
        );
        break;
    default:
        TYPO3\CMS\Backend\Sprite\SpriteManager::addTcaTypeIcon(
            'pages', 'contains-myIcon', $myExtIconPath . 'my.gif'
        );
        TYPO3\CMS\Backend\Sprite\SpriteManager::addTcaTypeIcon(
            'pages', 'contains-myOthIcon', $myExtIconPath . 'myOtherIcon.gif'
        );
        break;
}
```

Extension Manager

Include your configuration file: Configure tsconf by the Extension Manager (1)

- Select the tab [my icons] (3)
- Field "Path" (4): Enter the path from this file here: fileadmin/mytsconf/myPageTreeIcons.php




Illustration 7: Extension Manager (1): enter the path to your configuration file (4)

Further Information

Feature Requests and Suggestions

If you have helpful suggestions please send an e-mail to <http://wildt.at.die-netzmacher.de>

Bugtracker

<https://forge.typo3.org/projects/extension-tscnfig/issues>

SVN Repository

Interface

<https://forge.typo3.org/projects/extension-tscnfig/repository>

Checkout / Download / Update

Latest version / Specific version

```
your@server:/path/to/typo3conf/ext# \  
svn co https://forge.typo3.org/projects/extension-tscnfig/repository/show/tags/x.x.x1 tscnfig
```

Developer version - not recommended!

```
your@server:/path/to/typo3conf/ext# \  
svn co https://forge.typo3.org/projects/extension-tscnfig/repository/show/trunk tscnfig
```

Update

```
your@server:/path/to/typo3conf/ext/tscnfig# svn update
```

Credits

Thanks to Andreas Kießling from pluspol interactive in Leipzig / Germany, who developed the feature enhanced pagetree context menu.

Professional support

If you need professional support, please refer to

- Call me: <http://wildt.at.die-netzmacher.de>
- Send a request form: <http://die-netzmacher.de/kontakt>

¹ See: <https://forge.typo3.org/projects/extension-tscnfig/repository/show/tags>

Other extensions published by Die Netzmacher

-  +AOE Linkhandler Configurator: Configure the AOE linkhandler supported by userinterfaces. Out-of-the-box templates for cal, org, tt_news and tt_products. Don't edit page TScnfig any longer.
<http://typo3.org/extensions/repository/view/linkhandlerconf/>
-  autositemap: A smart site-map optimised for the footer. It groups menus in columns. Great menus will get two columns. Configuration is based on TypoScript HMENU.
<http://typo3.org/extensions/repository/view/autositemap/>
-  Browser – TYPO3 without PHP. Develop your TYPO3 extension 8 times faster! You need one line TypoScript for a result list with a search form, a record browser and an index browser. Images are wrapped self-acting. SEO, Search Engine Optimization, is integrated. <http://typo3-browser.de/>
-  Caddy – the TYPO3 shopping cart. You can use it for your own needs. You need a database with products or any other items only. You can install Caddy out of the box with one mouse click – see Quick Shop below.
<http://typo3-caddy.de/>
-  Deal! – TYPO3 Quick Shop interface for the marketplace ebay. Manage all items with TYPO3 and publish it on ebay. Amazon is under construction.
<http://typo3-deal.de/>
-  Duty – collection of helpful scheduler tasks. Here: remove deprecated files from directories.
<http://typo3.org/extensions/repository/view/duty/>
-  Flip it! offers lovely and smooth page flip transitions. It enables you to run over pages in PDF documents like in a real magazine. It is based on flash. Flipt it! can convert PDF documents to swf files automatically.
<http://typo3.org/extensions/repository/view/flipit/>
-  Jobmarket is a catalogue with job offers. Views, the a-z-browser, the page-browser, the search, social bookmarks and a lot of other stuff can configured by the Browser plugin with the mouse.
<http://typo3-job-market.de/>
-  Organiser – TYPO3 for the lobby and the organisers. Handle news, events, staff, headquarters, locations, workshops and a calendar with one extension. Sell online tickets! Install the Organiser with one mouse click!
<http://typo3-organiser.de/>
-  Quick Shop – the fastest shop in the history of TYPO3. Install it with one mouse click! Quick Shop is based on the browser (see above) and powermail.
<http://typo3-quick-shop.de/>
-  PDF Controller: Offer a TYPO3 page for PDF download. Individual layout with background PDF file. TYPO3 sessions are supported. Handling of responsive backend layouts and grid elements possible. PDF engine is TCPDF.
<http://typo3-pdfcontroller.de/>
-  Radial Search (Umkreissuche) – Enable the browsing through your data by geo location. 'Your data must have a latitude and a longitude. Address data can geocoded automatically by the Browser - TYPO3 without PHP.
<http://typo3.org/extensions/repository/view/radialsearch/>
-  Route – Publish your routes with GoogleMaps or OpenStreetMap. Routes have points of interest (POI). You can categorise and filter both: routes and POI. Address data can geocoded automatically.
<http://typo3-route.de/>
-  seo_dynamic_tag: Search Engine Optimization for the title tag, the canonical tag and the meta tags author, description and keywords. Configuration by a user interface.
http://typo3.org/extensions/repository/view/seo_dynamic_tag/
-  Slick - jQuery Carousel: Fully responsive. Scales with its container. Separate settings per breakpoint. Uses CSS3 when available. Swipe enabled. Desktop mouse dragging. Infinite looping. Fully accessible.
<http://typo3-slick.de/>
-  Start extends TYPO3 with the responsive framework Foundation (Zurb). Provides a dozen ready-to-use backend layouts and some grid-layouts. Template is included for a responsive newsletter. Based on the responsive framework Foundation (Zurb). <http://start-typo3-responsive.de/>
-  TScnfig Pages and Users by extManager (extkey: tsconf): Configure the the eight most commonly used TScnfig porperties with the mouse - like page tree uids, activated extended view, activated clipboard, ...
<http://typo3.org/extensions/repository/view/tsconf/>

Change log

- 6.2.0 **Feature**
 - * #70445: Enhances the context menu of the pagetree**Improvement**
 - * #i0009: Default value of page_tceform_pages is moved from 1 to 0
- 6.1.0 **Feature**
 - * #66176: Individual Icons**Bugfix**
 - * #66211: No items in TYPO3 4.x
- 6.0.1 **Feature**
 - * #i0008: Compatibility for TYPO3 4.x
- 6.0.0 **Feature**
 - * #i0007: Default upload folder
- 1.6.0 **Feature**
 - * #i0006: TYPO3 7.0
 - * TYPO3\CMS\Backend\Sprite\SpriteManager
- 1.5.2 **Bugfix**
 - * #i0006: Class t3lib_extMgm is moved to \TYPO3\CMS\Core\Utility\ExtensionManagementUtility
- 1.5.0 **New Feature**
 - * #62476: Enhance the maximum of the image property columns (imgcols) from 7 to 12
 - * #62475: Move the image properties height and width from integer to string to enable values like 100c.
- 1.4.4 **New Feature**
 - * #i0005: mod.SHARED.defaultLanguageFlag and mod.SHARED.defaultLanguageLabel
- 1.4.3 **Improvement**
 - * #i0004: Überschrift -> Ueberschrift
- 1.4.2 **New Feature**
 - * #i0003: options.clearCache.system
- 1.4.1 **Improvement**
 - * #i0002: Author ext_emconf.php
- 1.4.0 **Feature**
 - * #58585: Fit it into TYPO3 6.2
- 1.3.0 **Feature**
 - * 55323: Big form fields for including TypoScript static templates
- 1.2.0 **Feature**
 - * #54966: TYPO3 6.1
- 1.1.1 **Features**
 - * #i0001: New icons: backend_layout, jQuery and TYPO3
- 1.1.0 **Improvement**
 - * #45079: Downgrade for TYPO3 < 4.4
 - Effected file:
 - * ext_tables.php
- 1.0.1 **Improvement**
 - * #34858: Usage of \$ICON_TYPES is deprecated since 4.4.
- 1.0.0 **New feature**
 - * 34 new icons: application-exit, applications-development, applications-internet, application-rss+xml, call-start, call-stop, camera-photo, chronometer, code-class, code-context, configure, dialog-cancel, dialog-close, dialog-ok-applay, dialog-password, edit-bomb, emblem-favorite, emblem-important, games-highscores, help-hint, home-mdk, media-optical-recordable, office-calendar, preferences-system, roll, security-high, security-low, security-medium, speaker, status-unknown, tool-animator, user-trash, view-conversation-balloon, view-filter
- 0.1.3 **Improvement**
 - * 27 new icons: flags, folders and library

- 0.1.2 **New feature**
* Page tree: TypoScript template icon
- 0.1.1 **Improvement**
* Extension title is moved from tsConf to tsConfig (search engine optimization)
- 0.1.0 **New Features**
* Module web list: activate Extended view and Show clipboard by default
* Module file list: activate Extended view, Display thumbnails and Show clipboard by default
- 0.0.7 **Corporate Design**
* Icon is moved to TYPO3 icon
- 0.0.6 **Improvement**
* Added to user TSconf: options.clearCache.pages
- 0.0.5 **Bugfix**
* Proper Manual
- 0.0.4 **Publishing**
- 0.0.1 **Initial release**