

## Caddy - the Shopping Cart

Caddy is the TYPO3 shopping cart. You can link your own database with products or other items to caddy. If you like a ready-to-use example, please install Caddy with one mouse click by the Quick Shop Installer.



Version: 2.1.3, 2013-09-25

Extension Key: caddy

Language: en

Keywords: forDevelopers, forIntegrators, caddy, cart, shopping, wt\_cart

Copyright 2013, Dirk Wildt, Die Netzmacher, <<http://wildt.at.die-netzmacher.de>>

This document is published under the Open Content License available from <http://www.opencontent.org/opl.shtml>  
The content of this document is related to TYPO3 - a GNU/GPL CMS/Framework available from [www.typo3.org](http://www.typo3.org)

## Table of Contents

Caddy - the Shopping Cart .....	1	HTML WIDTH .....	28
Screenshots .....	4	PAGES .....	29
Frontend .....	4	PDF .....	29
Order .....	4	PDF CADDY .....	29
Confirm .....	5	PDF DATE .....	29
Confirmation E-Mail .....	5	PDF DELIVERY ORDER .....	30
Attachments .....	6	PDF INVOICE .....	30
Colour Schemes .....	7	PDF ORDER .....	30
Backend .....	8	PDF REVOCATION .....	31
Plugin .....	8	PDF TERMS .....	31
Order Records .....	9	PDF TEXTCOLOR .....	31
Introduction .....	10	SYMBOLS AND SERVICE ATTRIBUTES .....	31
What does Caddy do? .....	10	TAX .....	32
What do you need? .....	11	TEMPLATES .....	32
Target Group .....	11	Corporate Design .....	33
Fork .....	11	Colours .....	33
Installation .....	12	Screenshots .....	33
Quick Installation .....	12	Select a colour scheme .....	33
One-Click-Installation (obligated) .....	12	Send your scheme to the developer! .....	33
Advantages .....	12	Icons .....	34
Work flow for your own needs .....	12	Controlling .....	34
Organiser Installer .....	13	Ready-to-use icons .....	35
Quick Shop Installer .....	13	E-Mail .....	35
Manually Installation (not documented) .....	13	HTML Template .....	35
Plugins .....	15	Attachments .....	36
Caddy .....	15	Corporate Design .....	36
Frontend .....	15	Your own draft .....	36
Backend .....	15	Properties .....	38
Controlling .....	15	Work-flow .....	42
Mini Caddy .....	16	Add, update and delete an item .....	42
Controlling .....	16	Add an item .....	42
TypoScript .....	16	Update an item .....	42
Sum Gross .....	17	Delete an item .....	42
Controlling .....	17	Calculating .....	42
TypoScript .....	17	Ordering .....	42
Controlling Caddy .....	18	Variants .....	44
Overview .....	18	TypoScript Snippet .....	44
Plugin / Flexform .....	19	Archive audit proof .....	45
Check it! .....	19	Database is read-only .....	45
Notes .....	19	Disable audit proof .....	45
Caddy .....	20	Possible reasons .....	45
Email .....	21	Extension Manager .....	45
Billing Address .....	22	Reset numbers .....	46
Delivery Address .....	23	Get all keys .....	46
PDF .....	23	Reset (remove the keys) .....	46
Sponsors .....	24	All keys .....	46
Help! .....	24	Keys of a single Caddy plugin .....	46
Static Templates .....	25	Reference .....	47
Syntax – Order of the Templates .....	25	Constant Editor .....	47
Main (obligated) .....	25	Setup .....	47
CSS .....	25	tx_caddy_pi1 – Overview .....	47
Localization .....	25	tx_caddy_pi1.conditions .....	47
Powermail (obligated) .....	25	tx_caddy_pi1.db .....	48
Constant Editor .....	26	tx_caddy_pi1.db.sql .....	48
MAIN .....	26	tx_caddy_pi1.debug .....	48
MAIN NUMBERFORMAT .....	26	tx_caddy_pi1.getpost .....	49
DATABASE .....	27	tx_caddy_pi1.marker.items .....	49
DEBUG .....	27	tx_caddy_pi1.marker.sum .....	50
GETPOST .....	27	tx_caddy_pi1.options .....	51
HTML COLORS .....	28	tx_caddy_pi1.pdf .....	52

tx_caddy_pi1.pid .....	52	Updates .....	67
tx_caddy_pi1.pluginCheck .....	53	From Powermail 1.x to Powermail 2.x .....	67
tx_caddy_pi1.settings .....	53	From wt_cart 1.x to Caddy 2.x .....	67
tx_caddy_pi1.symbols .....	53	Packages for Sponsors .....	68
tx_caddy_pi1.templates .....	53	Fun – 50 EUR .....	68
tx_caddy_pi1.tax .....	54	Logo – 150 EUR .....	68
tx_caddy_pi1._HTMLMARKER .....	55	Patron – 500 EUR .....	68
tx_caddy_pi1._CSS_DEFAULT_STYLE .....	55	Credits .....	69
tx_caddy_pi1.powermail .....	56	Made in Nature .....	69
tx_caddy_pi2 .....	57	wt_cart Developer Team .....	69
tx_caddy_pi3 – Overview .....	58	Known Bugs .....	70
tx_caddy_pi3.content.item .....	59	Further Information .....	71
tx_caddy_pi3.content.sum .....	60	Forum .....	71
tx_caddy_pi3.pid .....	61	TYPO3 forge .....	71
tx_caddy_pi3.templates .....	61	History of Caddy .....	71
tx_caddy_pi3._HTMLMARKER.linktocaddy .....	62	Fork of wt_cart .....	71
tx_caddy_pi3._HTMLMARKER.linktoshop .....	63	Caddy versus wt_cart .....	72
Debugging .....	64	Other extensions published by Die Netzmacher .....	73
DRS – Development Reporting System .....	64	Alphabetical Index .....	74
Inspect work-flow, session data and errors .....	64	Illustration Index .....	75
Enabling by the Extension Manager .....	64	Change Log .....	76
Enabling by the Plugin / Flexform (recommended) .....	65		
Enabling by the Constant Editor (recommended) .....	65		
The DRS report .....	66		

# Screenshots

## Frontend

Sorry, most screens are in German language.

## Order

**TYPO3 Caddy**  
Der TYPO3-Warenkorb für Deine Datenbank.

**Warenkorb**

Menge	Art.-Nr.	Artikel	MWSt.	Preis	Gesamt	Entfernen
3	typo3-book-de	Geheime Bilder	7%	29,99 €	89,97 €	X
<b># Summe Artikel (netto)</b>					<b>84,08 €</b>	
+ Service- und Versandkosten (netto)					0,00 €	
+ Mehrwertsteuer					<b>5,89 €</b>	
zuzüglich 19% MWSt.					0,00 €	
zuzüglich 7% MWSt.					5,89 €	
<b># Gesamtsumme (brutto)</b>					<b>89,97 €</b>	

**Rechnungsadresse**

Firma: Die Netzmacher  
 Vorname\*: Dirk  
 Nachname\*: Wildt  
 Straße und Hausnummer: Bornthalweg 4  
 Postleitzahl: 99092  
 Ort: Erfurt  
 Land:

**Lieferadresse**

**Kontaktdaten**

Mail\*: wildt@die-netzmacher.de  
 Telefon:   
 Fax:

**Bestellung**

Bemerkung:   
 AGB\*: ☒ Ich akzeptiere die AGB.  
 Widerrufsbelehrung\*: ☒ Ich habe die Widerrufsbelehrung gelesen.

Quick Shop unverbindlich testen!

Bestellsumme **89,97 €**

Illustration 1: Caddy with an item and the order form

Caddy (1) and the order form (2). The order form is delivered by powermail. Caddy controls powermail while runtime.

In the example above, caddy is connected with the database of TYPO3 Quick Shop. But Caddy is a shopping cart for every database. You can connect Caddy with your database or a database of any other TYPO3 extension.

Live

- <http://typo3-quick-shop.de/warenkorb/>

## Confirm



Illustration 2: Enabled confirmation mode: The customer has to confirm his data.

If the confirmation mode of powermail is enabled, the customer has to confirm his data before sending.

## Confirmation E-Mail




Illustration 3: Confirmation e-mail

The confirmation e-mail contains:

1. a text
2. the caddy
3. attachments

All is configurable of course.

## Attachments




Illustration 4: The caddy e-mail attachments (here: Quick Shop)

Attachments by default are

- the invoice,
- the delivery order
- the power of revocation and
- the terms and conditions.

The corporate design of the attachments is configurable. See

- "Attachments" on page 36 below.

Customer and vendor can get different attachments. See

- "Plugin / Flexform > PDF" on page 23 below.

## Colour Schemes




Illustration 5: Caddy colour schemes

Caddy is delivered with four colour schemes. Colours are

- blue
- green
- orange
- red

And you can configure your own scheme with a user interface. See

- "Corporate Design" on page 33 below

## Backend

### Plugin




Illustration 6: The caddy plugin.

Caddy has a powerful plugin.

The plugin contains 9 tabs.


The plugin evaluate the configuration of

- the caddy plugin,
- the caddy TypeScript and
- the powermail plugin.

If there is a configuration missing or it is improper, you will get a prompt within the first tab [Check it!]

See details at "Plugin / Flexform" on page 19 below.

## Order Records



The screenshot displays the 'Order Records' interface for a specific order. At the top, there are tabs for 'E-mail', 'Numbers', and 'Sum'. The 'E-mail' tab is active, showing the 'Sent' status. Below this, the 'to' field contains the email address 'wildt@die-netzmacher.de' and the 'at' field shows the timestamp '21:16 21-9-2013'. The interface is divided into two main sections: 'Is sent to customer' and 'Is sent to vendor'. Each section has a table of attachments with checkboxes for 'Delivery order', 'Invoice', 'Power of Revocation', and 'Terms & Conditions'. In the 'Is sent to customer' section, all four checkboxes are checked. In the 'Is sent to vendor' section, all four checkboxes are also checked. Below these sections, the 'Files' section is visible, showing a grid of attachments. The attachments are organized into four columns: 'Delivery order', 'Invoice', 'Power of Revocation', and 'Terms & Conditions'. Each column contains a list of PDF files with their names and a 'Durchsuchen...' (Search) button. The 'Delivery order' column shows 'Lieferschein-232-20130921211638.pdf'. The 'Invoice' column shows 'Rechnung-99-20130921211638.pdf'. The 'Power of Revocation' column shows 'Widerrufsrecht-99-20130921211638.pdf'. The 'Terms & Conditions' column shows 'AGB-99-20130921211638.pdf'. At the bottom right of the interface, there is a label 'Order [573]'.

Illustration 7: A caddy order record

Caddy archives each order in a database audit proof.

An order record contains among others

- who got when the confirmation e-mail
- which attachments are sent
  - to the customer and
  - to the vendor
- the sent attachments.

# Introduction

## What does Caddy do?

- Caddy is a shopping cart for TYPO3 extensions.
  - You can use Caddy for selling items, for reserving tickets or for ordering documents among others.
  - Caddy has features like
    - PDF attachments in the e-mail to the customer and the vendor like
      - delivery order,
      - invoice,
      - power of revocation and
      - terms and conditions
    - minimum and maximum limitations
      - for each item
      - for all items
    - delivery costs depending on
      - quantity
      - size
      - weight
    - variants (one dimension only)
    - a mini cart
  - Caddy archives each order in a database audit proof.
  - Caddy is using powermail for
    - creating order forms and confirmation forms
    - sending e-mails to the customer and the vendor
  - Caddy evaluates the self-configuration and the needed Powermail properties.
  - You can configure the colours of Caddy and Powermail by a user interface.
    - Caddy has ready-to-use templates for the colours
      - blue,
      - green,
      - orange,
      - red.
    - Caddy is delivered with icons in **XX** colours.
  - You can test Caddy in your own TYPO3 instance with one mouse click!
    - The Organiser Installer installs a ready-to-use website with two caddies: one for online-tickets, the other for the ordering of documents.
    - The Quick Shop Installer installs a ready-to-use online shop with TYPO3 sample items.
- See "One-Click-Installation (obligated)" on page 12 below.
- Caddy has a powerful debugging:
    - The DRS – the Development Reporting System – prompts the whole work flow to the backend.
    - Another modul prompts TypoScript properties to the frontend.

## What do you need?

- Powermail (version 1.x or 2.x)
- Caddy is tested in TYPO3 version 4.5, 4.6 and 4.7.

## Target Group

- TYPO3 agencies
- TYPO3 integrators
- TYPO3 developers

## Fork

- Caddy 2.0 is a fork of wt\_cart 1.4. See
  - "wt\_cart Developer Team" on page 69 below
  - "History of Caddy" on page 71 below
  - "Caddy versus wt\_cart" on page 72 below

# Installation

## Quick Installation

- Install Caddy
- Add a page "Caddy" to your page tree:
  - Add a TypoScript extension template.
  - Add a Caddy plugin.
  - Add a Powermail plugin.
- Configure Caddy supported by the Constant Editor.
- Configure Powermail:
  - Add the needed fields.
  - Add the needed fieldsets.
  - Configure the plugin.
- Configure Caddy by the plugin.

## One-Click-Installation (obligated)

The one-click-installation is obligated<sup>1</sup>.

### Advantages

The advantages of the one-click-installations are:

- You will have a minimum of costs for the installation and the configuration:
 

You will need

  - the first time 30 minutes over all and
  - all next times 15 minutes over all.
- You will get a running sample with caddy and without
  - any unproper configuration and
  - any costs for debugging.
- A running sample is the best for understanding.
- You can test all features of caddy immediately. Play with Caddy!
- If something goes wrong and you can't cancel it, it doesn't matter.
  - Waste your installation.
  - Repeat the one-click-installation.

### Work flow for your own needs

- The one-click-installation offers three Caddy samples:
  - for ordering documents<sup>2</sup>
  - for reserving tickets<sup>3</sup>
  - for selling items<sup>4</sup>
- If no one of the three samples doesn't match your needs,
  - waste Caddy,
  - look for another TYPO3 extension, which could match your needs, or

<sup>1</sup> The one-click-installation is obligated only, because there isn't any manual for a manual installation.

<sup>2</sup> See "Organiser Installer" on page 13 below

<sup>3</sup> See "Organiser Installer" on page 13 below

<sup>4</sup> See "Quick Shop Installer" on page 13 below

- develop your own extension.
- If one of the three samples matches your needs,
  - you can move the page with the Caddy within the page tree to your preferred position,
  - you have to adapt Caddy with the Constant Editor to your needs, and
  - you have to take care, that your order form address all needed values to the page with the Caddy plugin.

## Organiser Installer

The Organiser Installer installs a ready-to-use Organiser. The Organiser is TYPO3 for the lobby and for the organisers.

The Organiser supports the publishing of documents, events, headquarters, locations, news and staff.

The Organiser contains Caddy twice:

- for reserving tickets for events
- for ordering documents

See

- Organiser <http://typo3-organiser.de/en/>
- Organiser Installer<sup>1</sup> <http://typo3-organiser.de/en/one-click/>

## Quick Shop Installer

### Quick Shop Installation

#### Check extension dependencies

- ✓ automaketemplate: "Template Auto-parser" is loaded.
- ✓ base\_quickshop: "Quick Shop - Template" is loaded.
- ✓ browser: "Browser - TYPO3 without PHP" is loaded.
- ✓ caddy: "Caddy - your shopping cart" is loaded.
- ✓ cps\_treetree: "Record tree for TCA" is loaded.
- ✓ powermail: "Powermail" is loaded.
- ✓ quick\_shop: "Quick Shop" is loaded.

#### Start the Installation

- 1 Create a backend group
- 1 Create a page tree
- 1 Create the plugins browser, caddy and powermail
- 1 Create page content
- 1 Create TypoScript for the browser, caddy and powermail
- 1 Create configuration records for powermail
- 1 Create six example items
- 1 Create product images
- 1 Create page content
- 1 Consolidating

Start the Installation Install it!



Illustration 8: Quick Shop Installer - Installation with one mouse click

The Quick Shop Installer (1) installs a ready-to-use Quick Shop (2, 3) with one mouse click.

The Quick Shop is a small online shop. It sells TYPO3 items by default like TYPO3 clothes, cups and books. You can use Quick Shop for your own items.

The Quick Shop contains Caddy once:

- for selling items.

See

- Quick Shop <http://typo3-quick-shop.de/en/>
- Quick Shop Installer<sup>2</sup> <http://typo3-quick-shop.de/en/one-click/>

## Manually Installation (not documented)

The manually installation of Caddy is complex and isn't recommended. The cause is:

- Caddy isn't a shop.
- Caddy is a shopping cart only.

Because Caddy is a shopping cart only, Caddy has interfaces for third party extensions for

- managing items (done by the Quick Shop, the Organiser or your extension) and

1 You need the Organiser Installer from version 3.3. I purpose to publish it in September of 2013.

2 You need the Quick Shop Installer from version 3.3. I purpose to publish it in September of 2013.

- interactive actions with the customer (done by Powermail)

A manually installation has a lot of possibilities for an unproper configuration.

And the manual for a manually installation has a lot of possibilities for unproper or missing statements too.

I would be happy, if you are appreciative of a missing documentation for a manually installation.

# Plugins

## Caddy

### Frontend



Illustration 9: Plugin Caddy (frontend)

### Backend




Illustration 10: Plugin Caddy (backend)

## Controlling

See details at

- "Controlling Caddy" on page 18 below.

## Mini Caddy




Illustration 11: Plugin Caddy Mini (frontend)




Illustration 12: Plugin Caddy Mini (backend)

## Controlling

- Add the Plugin "Caddy: Mini" to your page.
- Configure the Plugin:
  - Enter the page with the Caddy plugin.
  - Display mode:
    - Items and sum
    - Sum only (default)

## TypoScript

See "Setup > tx\_caddy\_pi2" on page 57 below.

## Sum Gross




Illustration 13: Plugin Caddy Mini (frontend)




Illustration 14: Plugin Caddy Mini (backend)

## Controlling

- Add the Plugin "Caddy: sum gross" to your page.
- Configure the Plugin:
  - Enter the page with the Caddy plugin.

## TypoScript

See "Setup > tx\_caddy\_pi3 – Overview" on page 58 below.

# Controlling Caddy

You are controlling Caddy by both user interfaces:

- the Caddy plugin / flexform and
- the Constant Editor.

If you have high demands, you can configure Caddy by TypoScript directly.

## Overview




Illustration 15: Sample with Quick Shop


1. The page Caddy (here: [8194 Caddy]) should contain:
2. two or three content elements:
  - the Caddy plugin
  - a JavaScript snippet for slide in and slide out the fieldset delivery address (optional)
  - the Powermail plugin<sup>1</sup>
1. a TypoScript extension template
2. and Powermail items like<sup>2</sup>
  - forms,
  - pages and
  - fields

<sup>1</sup> Caddy supports both versions: Powermail 1.x and 2.x

<sup>2</sup> Depends on version 1.x and 2.x

## Plugin / Flexform

### Check it!



The screenshot shows the 'Caddy' plugin configuration page with the 'Check it!' tab selected. The 'Selected Plugin' dropdown is set to 'Caddy'. Under 'Plugin Options', there are several checkboxes and informational messages:

- Check it!**: A checkbox to enable the Check-it! report. Below it, a message states: "The Check it! report is disabled and this is proper for performance needs. But if you have any unexpected result, enable the report by the check box above."
- DRS**: A checkbox labeled "You will get a report in the Developer Log".
- Update Wizard**: A checkbox labeled "You will get a frontend report, if your IP match the list of allowed IP".
- Current IP**: A message box showing "Your current IP: 93.210.21.120".
- List of allowed IP**: A text area labeled "List of allowed IP. Please add your current IP, if you like to see a result in the frontend." containing the text "127.0.0.1, 127.0.0.2".

Illustration 16: Plugin [Check it!]

#### Enable the Check-it!-Report

- If the report is enabled, Caddy will check your Cady configuration and your Powermail configuration.
- If there is an unproper property, you will get a prompt probably with helpful information.


#### DRS: You will get a report in the Developer Log

- If the DRS is enabled, Caddy will prompt the work flow of the plugin to devlog.  
The DRS supports TYPO3 integrators for a proper configuration and for bugfixing.  
The DRS supports TYPO3 developers.
- You need the extension devlog, if you want to use this feature.

#### Update Wizard

- Without any effect in the current version.

### Notes



The screenshot shows the 'Caddy' plugin configuration page with the 'Notes' tab selected. The 'Selected Plugin' dropdown is set to 'Caddy'. Under 'Plugin Options', the 'Notes' tab is active, displaying 'Internal annotations' with the following content:

Inhalt

1. Field labels of the delivery address
1. Field labels of the delivery address
  - \* The labels differ form the labels of the invoice address
  - \* Reason: If labes are the same ther is a bug in the confirmation form.  
The value of the invoice address will overriden by the value of the delivery address.

Illustration 17: Plugin [Notes]

#### Notes

- For your internal notes

## Caddy




Illustration 18: Plugin [Caddy]

The minimum order quantity

- Minimum order quantity over all (for all items in the caddy)

The maximum order quantity

- Maximum order quantity over all (for all items in the caddy)

Increase order number with

- Caddy starts counting from 0. If you need a higher start number like 1.000, please adapt the starting number to your needs.

Increase invoice number with

- See above.

Increase delivery order number with

- See above.

### Reset numbers

If there is a need, to reset the counter of the numbers, please refer to

- "Reset numbers" on page 46 below.

## Email




Illustration 19: Plugin [Email]

### Customer E-mail (field from powermail)

- Caddy must know the email from the customer.
- You have to link this field with the corresponding field of the powermail form.

### PDF Terms & Conditions

- Attach the PDF to
  - nobody,
  - the customer,
  - the vendor or
  - both

### PDF: Power of Revocation

- See above

### PDF Invoice

- See above

### PDF Delivery Order

- See above

## Design of the attachments

See

- "Plugin / Flexform > PDF" on page 23 below
- "Corporate Design > Attachments" on page 36 below

## Billing Address




Illustration 20: Plugin [Billing Address]

This is the Powermail connector.


Caddy needs these values for the billing address in PDF attachments.

Each field should be linked with the corresponding field of the powermail form.

It is recommended, to have all Powermail fields configured. And to hide a field or fieldset, if you don't need the field or fieldset.

It isn't recommended, to leave needed Powermail fields, because Caddy will prompt a warning in the Check-it!-Report.

## Delivery Address




The screenshot shows the 'Delivery Address' configuration tab for the Caddy plugin. The 'Selected Plugin' is 'Caddy'. The 'Plugin Options' section includes tabs for 'Check it!', 'Notes', 'Caddy', 'Email', 'Billing Address', 'Delivery Address' (active), 'PDF', 'Sponsors', and 'Help!'. The configuration fields are as follows:

- Company (field from powermail):** D-Company
- First name (field from powermail):** D-first name
- Last name (field from powermail):** D-surname
- Address (field from powermail):** D-street and number
- Zip (field from powermail):** D-zip
- City (field from powermail):** D-location
- Country (field from powermail):** D-Country

Illustration 21: Plugin [Delivery Address]

See "Billing Address" above.

## PDF



The screenshot shows the 'PDF' configuration tab for the Caddy plugin. The 'Selected Plugin' is 'Caddy'. The 'Plugin Options' section includes tabs for 'Check it!', 'Notes', 'Caddy', 'Email', 'Billing Address', 'Delivery Address', 'PDF' (active), 'Sponsors', and 'Help!'. The configuration fields are as follows:

- PDF draft: Terms & Conditions:** typo3conf/ext/quick\_shop/res/pdf/typo3-quick-shop-draft.pdf
- PDF draft: Power of Revocation:** typo3conf/ext/quick\_shop/res/pdf/typo3-quick-shop-draft.pdf
- PDF draft: Invoice:** typo3conf/ext/quick\_shop/res/pdf/typo3-quick-shop-draft.pdf
- PDF draft: Delivery order:** typo3conf/ext/quick\_shop/res/pdf/typo3-quick-shop-draft.pdf

Illustration 22: Plugin [Delivery Address]

Background PDF for your attachments.

Please upload a PDF with your corporate design to the fileadmin directory.

Update the values in the fields of this tab.

### Further informations about attachments

See

- "Plugin / Flexform > Email" on page 21 above
- "Corporate Design > Attachments" on page 36 below

## Sponsors




Illustration 23: Plugin [Sponsors]

List of sponsors.

Nothing to do but sponsoring. See

- "Packages for Sponsors" on page 68 below.

## Help!




Illustration 24: Plugin [Help!]

Helpful links to

- the manual, the caddy forum and some other caddy websites,
- the one-click-installer and
- the developer.

Nothing to do.

## Static Templates

### Syntax – Order of the Templates

The labels of the static templates have order numbers.

For example: you have to include Caddy (2+) before Caddy (4+).

### Main (obligated)

If you like to use Caddy, you have to include the main template. This is obligated!

- Caddy (1)

### TypoScript

- "Setup" from page 47 below.

### CSS

CSS templates are needed, if you like to use the CSS of the Caddy extension.<sup>1</sup>

CSS in general:

- Caddy (2+) - CSS<sup>2</sup>

Colours

- Caddy (3+) - CSS blue
- Caddy (3+) - CSS orange
- Caddy (3+) - CSS green
- Caddy (3+) - CSS red

CSS for Powermail 2.x<sup>3</sup>

- Caddy (6+) - Powermail 2.x CSS fancy

### Example

- "Colours" on page 33 below.

### TypoScript

- "tx\_caddy\_pi1.\_CSS\_DEFAULT\_STYLE" on page 55 below.

### Localization

Some formats are localized like an amount.

- 1,234.56 is the default notation of an amount.

If you like a German format like 1.234,56, please include this static template:

- Caddy (4+) - German

### Powermail (obligated)

One of the both Powermail templates is obligated. The proper template depends on your Powermail version.

- Caddy (5+) - Powermail 1.x
- Caddy (5+) - Powermail 2.x Main

### TypoScript

- "tx\_caddy\_pi1.powermail-" on page 56 below.

<sup>1</sup> You are controlling a lot of CSS properties by the Constant Editor.

<sup>2</sup> Colour is blue

<sup>3</sup> There isn't any CSS for Powermail 1.x

## Constant Editor

All properties have the prefix plugin.caddy.

Example: main.pid is plugin.caddy.main.pid.

### MAIN

Property	Type	Description	Default
main.pid	text	Uid of storage folder: Uid of the folder with the caddy records. Leave it empty (recommended!), to store records at the same page like the caddy plugin.	
main.dueDate	options	Due date for payment.  Options <ul style="list-style-type: none"> <li>• now</li> <li>• +1day</li> <li>• +2 days</li> <li>• +3 days</li> <li>• +4 days</li> <li>• +5 days</li> <li>• +6 days</li> <li>• +1 week</li> <li>• +2 weeks</li> <li>• +3 weeks</li> <li>• +1 month</li> </ul>	+2 weeks
main.dueDateFormat	string	Format of the due date.  <b>Examples:</b> <ul style="list-style-type: none"> <li>• %Y-%m-%d</li> <li>• %d. %b. %Y</li> </ul>	%Y-%m-%d

### MAIN NUMBERFORMAT

For German rules there isn't any need to use the Constant Editor. See

- "Static Templates > Localization" on page 25 above.

Property	Type	Description	Default
main.decimal	text	Decimal. This setting will be used for formatting prices.	2
main.dec_point	text	Decimal symbol: Dot or comma. This setting will be used for formatting prices.	.
main.thousands_sep	text	Thousands separator. Dot or comma. This setting will be used for formatting prices.	,
main.currencySymbol	text	Currency symbol. Example: &euro, \$	\$
main.currencySymbolBeforePrice	boolean	Show currency symbol before price.	true
main.percentSymbol	string	Percent symbol	%

## DATABASE

Property	Type	Description	Default
db.table	text	Table*: *Obligate! Name of the table with the items (products). <b>Examples:</b> <ul style="list-style-type: none"> <li>tx_myextension_products</li> <li>tx_quickshop_products</li> <li>tx_cars_model</li> </ul>	
db.title	text	Title*: *Obligate! Field with the title of the item (product).	title
db.price	text	Price*: *Obligate! Field with the gross price of the item (product).	price
db.tax	text	Tax*: *Obligate! Field with the tax category of the item (product).	tax
db.sku	text	SKU: field with the sku (unique id) of the item (product).	
db.min	text	MIN: field with the minimum order quantity of the item (product).	
db.max	text	MAX: field with the minimum order quantity of the item (product).	
db.service_attribute_1	text	Service Attribute 1: the field with the service attribute 1 of the item (product).	
db.service_attribute_2	text	Service Attribute 2: the field with the service attribute 1 of the item (product).	
db.service_attribute_3	text	Service Attribute 3: the field with the service attribute 1 of the item (product).	

## DEBUG

Property	Type	Description	Default
debug.paramsAndTs	boolean	Debug params/typoscript (frontend): Get a report in the frontend with received GET-/POST-parameters and typoscript configuration	false
debug.userfunc	boolean	Debug user functions (backend): Enable the DRS for user functions	false

## GETPOST

Property	Type	Description	Default
getpost.uid	text	Uid*: *Obligate! Parameter name for a unique id (integer) of your item. caddy uses this id for SQL requests. <b>Example</b> <ul style="list-style-type: none"> <li>tx_browser_pi1 showUid</li> </ul>	
getpost.quantity	text	Quantity*: *Obligate! Parameter name for the quantity/amount field of your order form (e.g. tx_trbooks_qty). The provided parameter must be equal to the name in your HTML template.	qty
getpost.title	text	Title: Parameter name for the title field in your order form.	
getpost.price	text	Parameter name for the gross price field in your order form.	
getpost.service_attribute_1	text	Service Attribute 1: Parameter name for the service attribute field 1 of your order form (e.g. weight).	
getpost.service_attribute_1	text	Service Attribute 2: Parameter name for the service attribute field 2 of your order form (e.g. volume).	
getpost.service_attribute_1	text	Service Attribute 3: Parameter name for the service attribute field 3 of your order form (e.g. length).	
getpost.sku	text	Parameter name for your SKU (stock keeping unit).	

## HTML COLORS

There isn't any need to use the Constant Editor, if you like to use these colours:

- blue, green, orange, red

Please include the static template:

- +Caddy CSS +Colour (caddy)

where colour is one of the colours from above.

See

- "Static Templates > CSS" on page 25 above.
- "Colours" on page 33 below.

Property	Type	Description	Default
html.colour.border	colour	Border colour: border colour as CSS name or HTML notation like #FFF or #123456. It is used in the HTML table, which is placed in e-mails and pdf attachments.	#207CCA
html.colour.button.text	colour	Button text colour	#FFF
html.colour.button.gradient1	colour	Button gradient colour 1	#1E5799
html.colour.button.gradient2	colour	Button gradient colour 2	#2989D8
html.colour.button.gradient3	colour	Button gradient colour 3	#207CCA
html.colour.button.gradient4	colour	Button gradient colour 4	#7DB9E8
html.colour.icon.caddy	string	Icon caddy. <b>Default</b> <ul style="list-style-type: none"> <li>• EXT:caddy/files/img/caddy_080_08.png</li> </ul> <b>Example</b> <ul style="list-style-type: none"> <li>• "Corporate Design &gt; Icons" on page 34 below</li> </ul>	see description
html.colour.icon.delete	string	Icon delete. <b>Default</b> <ul style="list-style-type: none"> <li>• EXT:caddy/files/img/delete_080_08.png</li> </ul> <b>Example</b> <ul style="list-style-type: none"> <li>• "Corporate Design &gt; Icons" on page 34 below</li> </ul>	see description
html.colour.powermail.text	colour	Powermail text	#207CCA
html.colour.table.head.background	colour	Table header background	#207CCA
html.colour.table.head.text	colour	Table header text	#FFF

## HTML WIDTH

Property	Type	Description	Default
html.width	text	Width column Quantity: The width of the caddy column quantity in HTML tables for CSS. Units can be px, em or % among others.	10%
html.width	text	Width column SKU: The width of the caddy column stock keep unit in HTML tables for CSS. Units can be px, em or % among others.	15%
html.width	text	Width column item: The width of the caddy column item in HTML tables for CSS. Units can be px, em or % among others.	35%
html.width	text	Width column tax: The width of the caddy column tax in HTML tables for CSS. Units can be px, em or % among others.	10%
html.width	text	Width column net: The width of the caddy column net in HTML tables for CSS. Units can be px, em or % among others.	15%
html.width	text	Width column sum: The width of the caddy column sum in HTML tables for CSS. Units can be px, em or % among others.	15%
html.width	text	Width 3 columns: The total width of the caddy columns sku, item and tax in HTML tables for CSS. Units can be px, em or % among others.	60%
html.width	text	Width 4 columns: The total width of the caddy columns sku, item, tax and net in HTML tables for CSS. Units can be px, em or % among others.	75%

## PAGES

Property	Type	Description	Default
pages.caddy	integer	Caddy*:Obligate! Uid of the page with the caddy - your shopping cart	
pages.caddymini	integer	Caddy mini:Uid of the page with the caddy mini - the cart for marginal column	
pages.shop	integer	Shop*:Obligate! Uid of the page which contains the items. Usually the root page.	
pages.revocation	integer	Power of Revocation:Uid of the page with the revocation info (German: Widerrufsbelehrung)	
pages.terms	integer	Terms & Conditions:Uid of the page with the terms & conditions (German: AGB)	

## PDF

Property	Type	Description	Default
pdfGeneral.fontfamily	options	Font family: The font family of your PDF attachments <b>Options</b> <ul style="list-style-type: none"> <li>Courier</li> <li>Helvetica</li> <li>Symbol</li> <li>Times</li> <li>ZapfDingbats</li> </ul>	Helvetica
pdfGeneral.fontStretching	integer	Font Stretching: In percent. 100: no effect. 90: smaller. 110: expanded	90

## PDF CADDY

Property	Type	Description	Default
pdf.caddy.x	int+	Caddy position left: Position of the caddy (items) from the left margin in millimeters	25
pdf.caddy.y	int+	Caddy position top: Position of the caddy (items) from the top margin in millimeters	130
pdf.caddy.width	int+	Caddy width: Width of the caddy (items) in millimeters	165
pdf.caddy.fontsize	int+	Caddy font-size: Font-size of the caddy (items) in points	10

## PDF DATE

Property	Type	Description	Default
pdf.date.align	options	Date alignment: L: left. C: center. R: right. empty: left for LTR or right for RTL <b>Options</b> <ul style="list-style-type: none"> <li>empty</li> <li>L</li> <li>C</li> <li>R</li> </ul>	L
pdf.date.x	int+	Date position left: Position of the date from the left margin in millimeters	175
pdf.date.y	int+	Date position top: Position of the date from the top margin in millimeters	104
pdf.date.width	int+	Date width: Width of the date in millimeters	25
pdf.date.fontsize	int+	Date font-size: Font-size of the date in points	10
pdf.date.strftime	string	Date format: Format of the date. Examples: %Y-m-%d, %d. %M %Y	%Y-%m-%d

## PDF DELIVERY ORDER

Property	Type	Description	Default
pdf.deliveryorder.address.x	int+	Address position left: Position of the delivery order address from the left margin in millimeters	25
pdf.deliveryorder.address.y	int+	Address position top: Position of the delivery order address from the top margin in millimeters	55
pdf.deliveryorder.address.fontsize	int+	Address font-size: Font-size of the delivery order address in points	10
pdf.deliveryorder.number.x	int+	Address position left: Position of the delivery number from the left margin in millimeters	25
pdf.deliveryorder.number.y	int+	Address position top: Position of the delivery number from the top margin in millimeters	110
pdf.deliveryorder.number.fontsize	int+	Address font-size: Font-size of the delivery number in points	24
pdf.deliveryorder.number.prefix	string	Number prefix: Prefix for the delivery number. Example : D-	
pdf.deliveryorder.termOfCredit.x	int+	Address position left: Position of the term of credit from the left margin in millimeters	25
pdf.deliveryorder.termOfCredit.y	int+	Address position top: Position of the term of credit from the top margin in millimeters	250
pdf.deliveryorder.termOfCredit.fontsize	int+	Address font-size: Font-size of the term of credit in points	10

## PDF INVOICE

Property	Type	Description	Default
pdf.invoice.address.x	int+	Address position left: Position of the invoice address from the left margin in millimeters	25
pdf.invoice.address.y	int+	Address position top: Position of the invoice address from the top margin in millimeters	55
pdf.invoice.address.fontsize	int+	Address font-size: Font-size of the invoice address in points	10
pdf.invoice.number.x	int+	Address position left: Position of the invoice number from the left margin in millimeters	25
pdf.invoice.number.y	int+	Address position top: Position of the invoice number from the top margin in millimeters	110
pdf.invoice.number.fontsize	int+	Address font-size: Font-size of the invoice number in points	24
pdf.invoice.number.prefix	string	Number prefix: Prefix for the invoice number. Example : D-	
pdf.invoice.termOfCredit.x	int+	Address position left: Position of the term of credit from the left margin in millimeters	25
pdf.invoice.termOfCredit.y	int+	Address position top: Position of the term of credit from the top margin in millimeters	250
pdf.invoice.termOfCredit.fontsize	int+	Address font-size: Font-size of the term of credit in points	10

## PDF ORDER

Property	Type	Description	Default
pdf.order.number.prefix	string	Number prefix: Prefix for the order number. Example : O-	

## PDF REVOCATION

Property	Type	Description	Default
pdf.revocation.align	options	Revocation alignment: L: left. C: center. R: right. empty: left for LTR or right for RTL <b>Options</b> <ul style="list-style-type: none"> <li>• empty</li> <li>• L</li> <li>• C</li> <li>• R</li> </ul>	
pdf.revocation.x	int+	Revocation position left: Position of the date from the left margin in millimeters	25
pdf.revocation.y	int+	Revocation position top: Position of the date from the top margin in millimeters	100
pdf.revocation.width	int+	Revocation width: Width of the date in millimeters	165
pdf.revocation.fontsize	int+	Revocation font-size: Font-size of the date in points	10

## PDF TERMS

Property	Type	Description	Default
pdf.terms.align	options	Terms alignment: L: left. C: center. R: right. empty: left for LTR or right for RTL <b>Options</b> <ul style="list-style-type: none"> <li>• empty</li> <li>• L</li> <li>• C</li> <li>• R</li> </ul>	
pdf.terms.x	int+	Terms position left: Position of the date from the left margin in millimeters	25
pdf.terms.y	int+	Terms position top: Position of the date from the top margin in millimeters	100
pdf.terms.width	int+	Terms width: Width of the date in millimeters	165
pdf.terms.fontsize	int+	Terms font-size: Font-size of the date in points	10

## PDF TEXTCOLOR

Property	Type	Description	Default
pdf.textColour.address	colour	Address: font colour as CSS name or HTML notation like #FFF or #123456	navy
pdf.textColour.caddy	colour	Caddy: font colour as CSS name or HTML notation like #FFF or #123456	navy
pdf.textColour.date	colour	Date: font colour as CSS name or HTML notation like #FFF or #123456	navy
pdf.textColour.numberDeliveryorder	colour	Number delivery order: font colour as CSS name or HTML notation like #FFF or #123456	navy
pdf.textColour.numberInvoice	colour	Number invoice: font colour as CSS name or HTML notation like #FFF or #123456	navy
pdf.textColour.numberLine	colour	Number line: font colour as CSS name or HTML notation like #FFF or #123456	navy
pdf.textColour.numberOrder	colour	Number order: font colour as CSS name or HTML notation like #FFF or #123456	navy
pdf.textColour.revocation	colour	Revocation: font colour as CSS name or HTML notation like #FFF or #123456	navy
pdf.textColour.termOfCredit	colour	Term of credit: font colour as CSS name or HTML notation like #FFF or #123456	navy
pdf.textColour.terms	colour	Terms: font colour as CSS name or HTML notation like #FFF or #123456	navy

## SYMBOLS AND SERVICE ATTRIBUTES

Property	Type	Description	Default
symbol.quantitySymbol	text	Quantity symbol: for example: pc. (English), St. (German)	pc.
symbol.service_attribute_1_symbol	text	Service Attribute 1 symbol: e.g. Weight: g, kg, lbs	
symbol.service_attribute_2_symbol	text	Service Attribute 2 symbol: e.g. Volume: l, gal	
symbol.service_attribute_3_symbol	text	Service Attribute 3 symbol: e.g. Length: m, cm, inch	

## TAX

Property	Type	Description	Default
tax.reduced	text	Tax rate for reduced items (e.g. 7). Value will be displayed.	7
tax.reducedCalc	text	Tax rate for reduced items (e.g. 0.07). Used for calculation.	0.07
tax.normal	text	Tax rate for normal items (e.g. 19). Value will be displayed.	19
tax.normalCalc	text	Tax rate for normal items (e.g. 0.19). Used for calculation.	0.19

## TEMPLATES

Property	Type	Description	Default
templates.e-mail	string	E-mails: Path to the HTML template file, which is used in e-mails. <b>Default</b> <ul style="list-style-type: none"><li>EXT:caddy/files/templates/caddy.html</li></ul>	see description
templates.html.caddy	string	HTML caddy: Path to the HTML template file, which is used in HTML pages for the caddy <b>Default</b> <ul style="list-style-type: none"><li>EXT:caddy/files/templates/caddy.html</li></ul>	see description
templates.html.caddymini	string	HTML caddy mini: Path to the HTML template file, which is used in HTML pages for the mini caddy <b>Default</b> <ul style="list-style-type: none"><li>EXT:caddy/files/templates/caddy.html</li></ul>	see description
templates.html.caddysum	string	HTML caddy sum: Path to the HTML template file, which is used in HTML pages for the caddy sum <b>Default</b> <ul style="list-style-type: none"><li>EXT:caddy/files/templates/caddy.html</li></ul>	see description
templates.pdf.deliveryorder	string	PDF delivery order: Path to the HTML template file, which is used in the delivery order - a PDF attachment <b>Default</b> <ul style="list-style-type: none"><li>EXT:caddy/files/templates/caddy.html</li></ul>	see description
templates.pdf.invoice	string	PDF invoice: Path to the HTML template file, which is used in the invoice - a PDF attachment <b>Default</b> <ul style="list-style-type: none"><li>EXT:caddy/files/templates/caddy.html</li></ul>	see description

# Corporate Design

## Colours

Caddy is delivered with the four colour schemes:

- blue, green, orange, red.

This schemes has an effect on

- HTML content,
- E-mail and
- PDF attachments.

## Screenshots




Illustration 25: Caddy blue




Illustration 26: Caddy green




Illustration 27: Caddy orange




Illustration 28: Caddy red

## Select a colour scheme

You select a colour scheme by including a static template for this colour. See

- "Static Templates > CSS" on page 25 above.

The static template overwrites the colour properties in the Constant Editor. If you need another colour scheme, you have to configure the colours in the Constant Editor. See

- "Constant Editor > HTML COLORS" on page 28 above.

## Send your scheme to the developer!

If you are creating your own scheme, please send the values of the Constant Editor to the developer. I will include this scheme as a static template. My email: <http://wildt.at.die-netzmacher.de/>

## Icons

### Controlling




Illustration 29: Caddy blue




Illustration 30: Icon path in the Constant Editor




Illustration 31: caddy blue/red

If you like to change the icons, you have to configure two properties with the Constant Editor:

1. `html.colour.icon.caddy`
2. `html.colour.icon.delete`

See "Constant Editor > HTML COLORS" on page 28 above.

We replaced blue icons with red icons in the illustration above.

## Ready-to-use icons



Illustration 32: Caddy icons

Caddy is delivered with two icons:

- the caddy icon
- the delete icon

Each icon is available in 13 colours.

Each colour is available in three intensities.

See the 82 icons in the illustration above.

The icons are stored at

- files/img and
- <http://forge.typo3.org/projects/extension-caddy/repository/show/trunk/files/img>

## E-Mail

Coloured lines are used in e-mails.

You configure the colour by the Constant Editor. See

- "Colours" on page 33 above.
- "Constant Editor > HTML COLORS" on page 28 above.

## HTML Template

- "Constant Editor > TEMPLATES" on page 32 above.
- "Setup > tx\_caddy\_pi1.templates" on page 53 below.

## Attachments

Caddy attaches PDF files to an e-mail.

This PDF attachments are applicable:

- invoice
- delivery order
- power of revocation
- terms and conditions

You can add more attachments unlimited.

## Corporate Design



The illustration shows three versions of a corporate invoice for 'Die Netzmacher' (TYPO3 Association). Each version includes a header with company details, a table of items, and a 'Quick-Shop' section at the bottom. The first version (left) is a draft with a placeholder URL. The second version (middle) is the merged draft with Caddy content. The third version (right) is the final attachment with the Caddy content merged into the draft.

Menge	Art-Nr.	Artikel	MEIN	Preis	Gesamt
1	typo3-pulver	Pulver	10%	49,99 €	49,99 €
1	typo3-opp-de	Tasche	10%	14,99 €	14,99 €
# Summe der Einzelpositionen					139,60 €
# Service- und Versandkosten (netto)					0,00 €
# Versand DHL Standard (0 €)					0,00 €
# Zahlung per Vorkasse (0 €)					0,00 €
# Weitere Gebühren					0,00 €
# zuzüglich 19% MwSt.					26,53 €
# zuzüglich 7% MwSt.					0,00 €
# Gesamtsomme (Brutto)					166,13 €

Quick-Shop  
Installation mit einem Mausklick.  
100% Open-Source. 100% kostenlos.

Danke

Illustration 33: Your (1) draft will merged ... Illustration 34: ... with (2) Caddy content ... Illustration 35: ... to the (3) attachment.

You can use your own corporate design for each attachment:

1. Your draft (left hand) will merged with
2. the content generated by Caddy (middle) to
3. the attachment (right hand).

The illustration above displays an example for an invoice.

## Your own draft

Your draft must be a PDF file. You will have best quality.

Caddy is using the German DIN A/4 paper size by default:

- width: 210 millimeter
- height: 297 millimeters

## Upload

Please upload your draft:

1. Modul File      Filelist
2. Page tree      Select a folder
3. Edit area      Upload your PDF file

In our example we uploaded my.pdf into the directory fileadmin/user\_upload/quick\_shop.

## Configuring Paths

Please configure the Caddy paths.




Illustration 36: [PDF] tab of the Caddy plugin

1. Modul Web List
2. Page tree The page with the caddy plugin
3. Edit area Select the caddy plugin
4. tab [Plugin] > tab [PDF]  
(see illustration above)
5. Enter the path of your PDF file  
(here: fileadmin/user\_upload/quick\_shop/my.pdf)

## Colours

You configure the colour ready-to-use by the include static templates and for individual needs by the Constant Editor. See

- "Colours" on page 33 above.
- "Constant Editor > HTML COLORS" on page 28 above.
- "Constant Editor > PDF TEXTCOLOR" on page 31 above

## Properties

You can control nearby everything within a PDF attachment:

- the invoice address (1)
- the delivery address (2)
- the date (3)
- the so called number line (4)
- the caddy (5), the power of revocation and the terms and conditions
- the term of credit (6)
- the background and
- the font.

You are controlling this properties overall:

- the date,
- the font family,
- the font stretching and
- the font colour.

You are controlling this properties per attachment<sup>1</sup>:

- invoice addresses and delivery address
- invoice number and delivery number
- terms of credit

## Background

You can use your own corporate design for the background in an attachment. See

- "Corporate Design" on page 36 above.

## Font Family and Font Stretching

You are controlling

- the font family and
- the font stretching

in general by the Constant editor. See

- "Constant Editor > PDF" on page 29 above,
- "Constant Editor > PDF" on page 29 above.

You are controlling it for each element by TypoScript. See

- "Setup > tx\_caddy\_pi1.pdf" on page 52 below.

## Font Colour

You are controlling the font colour in general by the Constant editor. See

- "Constant Editor > PDF TEXTCOLOR" on page 31 above.

You are controlling it for each element by TypoScript. See

- "Setup > tx\_caddy\_pi1.pdf" on page 52 below.




Illustration 37: Properties of a PDF attachment (here: invoice)

<sup>1</sup> Attachments are: invoice, delivery order, power of revocation and terms & conditions

### Invoice Address

The invoice address is used in the attachments:

- invoice
- delivery order, if there isn't any different address for the delivery
- power of revocation
- terms and condition

You are controlling the invoice address in general by the Constant editor. See

- "Constant Editor > PDF INVOICE" on page 30 above.

You are controlling it for each element by TypoScript. See

- "Setup > tx\_caddy\_pi1.pdf" on page 52 below.

### Delivery Address

If there are different addresses for the invoice and the delivery, the delivery address is used in the attachments:

- invoice
- delivery order

You are controlling the invoice address in general by the Constant editor. See

- "Constant Editor > PDF DELIVERY ORDER" on page 30 above.

You are controlling it for each element by TypoScript. See

- "Setup > tx\_caddy\_pi1.pdf" on page 52 below.

### Date

The date is used in the attachments:

- invoice
- delivery order
- power of revocation
- terms and condition

You are controlling the date in general by the Constant editor. See

- "Constant Editor > PDF DATE" on page 29 above.

You are controlling it for each element by TypoScript. See

- "Setup > tx\_caddy\_pi1.pdf" on page 52 below.

### Numbers

You are controlling the numbers in general by the Constant editor:

- invoice  
"Constant Editor > PDF INVOICE" on page 30 above.
- delivery order  
"Constant Editor > PDF DELIVERY ORDER" on page 30 above.
- power of revocation  
"Constant Editor > PDF REVOCATION" on page 31 above.
- terms and condition  
"Constant Editor > PDF TERMS" on page 31 above.

You are controlling it for each element by TypoScript. See

- "Setup > tx\_caddy\_pi1.pdf" on page 52 below.

### Caddy

The caddy is used in the attachments:

- invoice

- delivery order

The caddy format depends on the attachment.

- The caddy of an invoice displays items and calculation.
- The caddy of a delivery order displays items only.

You are controlling

- position,
- width and
- font size

in general by the Constant editor:

- "Constant Editor > PDF CADDY" on page 29 above.

### Term of Credit

The term of credit is used in the attachments:

- invoice
- delivery order

You are controlling it in general by the Constant editor:

- "Constant Editor > PDF INVOICE" on page 30 above.
- "Constant Editor > PDF DELIVERY ORDER" on page 30 above.

### Terms and Conditions

The terms and conditions are taken from the page Terms & Conditions. See

- "Constant Editor > PAGES" on page 29 above.

The terms and conditions are used in the attachment:

- terms and conditions

You are controlling

- position,
- width and
- font size

in general by the Constant editor:

- "Constant Editor > PDF TERMS" on page 31 above.

You can control it by TypoScript. See

- "Setup > tx\_caddy\_pi1.pdf" on page 52 below.

### Power of Revocation

The power of revocation is taken from the page Power of Revocation. See

- "Constant Editor > PAGES" on page 29 above.

The power of revocation are used in the attachment:

- power of revocation

You are controlling

- position,
- width and
- font size

in general by the Constant editor:

- "Constant Editor > PDF REVOCATION" on page 31 above.

You can control it by TypoScript. See

- "Setup > tx\_caddy\_pi1.pdf" on page 52 below.

## Work-flow

This section is for understanding only.

### Add, update and delete an item

#### Add an item

A customer can add an item into the caddy.

- You have to create the form – or the link – with the GET parameters or POST parameters needed by Caddy.
- Caddy needs the uid of the item and the quantity selected by the customer.
- Caddy checks the price and the tax of the item in the table of the item.
- You have to configure the table label and some field labels by the TypoScript Constant Editor.
- Caddy stores all needed values in a session.
- You can use this data everywhere at your website i.e. with the mini caddy plugin.
- The DRS – Development Reporting System – prompts the session data to devlog.

#### Update an item

The customer can update the quantity of an item.

- Caddy updates the session data.

#### Delete an item

The customer can delete an item from the caddy.

- Caddy updates the session data.

### Calculating

Caddy calculates the cost of the order.

Parts of this calculation are among others

- items x quantity x price gross
- delivery costs
- payment costs
- special costs
- sum net
- sum gross
- tax

Caddy stores all values in the session. You can use this data everywhere at your website i.e. with the mini caddy plugin.

The DRS – Development Reporting System – prompts the session data to devlog.

#### TypoScript

- "Setup > tx\_caddy\_pi1.marker.sum" on page 50 below.

### Ordering

The customer can order the items of course.

The confirmation e-mail – the e-mail to the customer – and the order e-mail – the e-mail to the vendor – is generated and sent by Powermail.

Caddy controls Powermail:

- If the caddy is empty, it hides the Powermail form by CSS.

Caddy is listening on powermail parameters:

- GET parameters and POST parameters
- Some other "internal" parameters like
  - the Powermail confirmation mode and
  - the Powermail version (1.x or 2.x)

Caddy is listening on the Powermail session.

Caddy can detect – depending on the parameters above –, if the Powermail form is sent.

If the Powermail form is sent:

- Caddy updates all needed session data
- Caddy serves some methods (user functions), which are called by Powermail like
  - controlling attachments for the e-mails to the customer and the sender
  - serving data like the whole caddy and the numbers for the delivery order, the invoice and the order itself.
- Caddy cleans up the own session.

#### TypoScript

- "Setup > tx\_caddy\_pi1.powermail" on page 56 below.

## Variants

Sorry, that variants isn't explained in detail. See below only a sample of the TYPO3 Organiser.

The TYPO3 Organiser is using the property variants for reserving tickets.

The sample is a variant of

- ticket and
- price

## TypoScript Snippet

```
plugin.tx_caddy_pil {
    db {
        sql >
        sql = TEXT
        sql {
            value (
                SELECT
                    CAST('{GP:tx_org_cal|uid}' AS SIGNED) AS pseud,
                    CONCAT('<strong>', tx_org_cal.title, '</strong><br />',
                        '###GP:TX_ORG_CAL.DATETIME###<br />',
                        'Karte ', tx_org_calentrance.title, ' ', tx_org_calentrance.value, ' &euro;')
                    AS title,
                    tx_org_calentrance.value AS gross,
                    tx_org_tax.value AS tax,
                    CAST('{GP:tx_org_cal|uid}' AS SIGNED) AS sku
                FROM `tx_org_cal`
                LEFT JOIN tx_org_cal_mm_tx_org_calentrance
                ON (
                    tx_org_cal_mm_tx_org_calentrance.uid_local = tx_org_cal.uid)
                LEFT JOIN tx_org_calentrance
                ON (
                    tx_org_cal_mm_tx_org_calentrance.uid_foreign = tx_org_calentrance.uid
                    AND tx_org_calentrance.uid = '###GP:TX_ORG_CALENTRANCE.UID###'
                    ###ENABLE_FIELDS:TX_ORG_CALENTRANCE###)
                LEFT JOIN tx_org_tax
                ON (
                    tx_org_calentrance.tx_org_tax = tx_org_tax.uid
                    ###ENABLE_FIELDS:TX_ORG_TAX###)
                WHERE tx_org_cal.uid = '###GP:TX_ORG_CAL.UID###'
                    ###ENABLE_FIELDS:TX_ORG_CAL###
            )
            insertData = 1
        }
    }
    settings {
        variant {
            10 = tx_org_calentrance.uid
        }
    }
}
```

# Archive audit proof

Caddy archives each order in a database.

## Database is read-only

By default this database is read-only:

- You can't change any value in a record.
- You can't delete any record.

The database stores among others:

- All attachments, which are sent to
  - the customer
  - the vendor
- The e-mail address of the customer.

Both – read-only and the disabled delete property – is meant with audit proof<sup>1</sup>.

Be aware:

If you need the logged data for ever, you have to take care off a backup!

## Disable audit proof

You can disable the audit proof mode by the extension manager.

### Possible reasons

There are some needs for disabling the audit proof:

- You have tested Caddy and you want to delete the logged data.
- Your database is growing an growing and you want to delete records and files.

### Extension Manager




Illustration 38: Audit proof by the Extension Manager

- |                        |                                 |
|------------------------|---------------------------------|
| 1. Module: Admin Tools | Extension Manager               |
| 2. Edit Area           | Select the Caddy extension      |
| 3.                     | Tab [Configuration]             |
| 4.                     | Category: [ARCHIVE AUDIT PROOF] |
| 5.                     | Enabled: [ ]                    |
| 6.                     | [Update]                        |

<sup>1</sup> German: revisionssicher

## Reset numbers

Caddy is storing the numbers in the registry of TYPO3 – table sys\_registry.

If you like to reset the numbers, you need a SQL command like in the examples below.

### Get all keys

```
SELECT *
FROM sys_registry
WHERE entry_namespace = 'tx_caddy'
```

The result will look like this:

```
"uid","entry_namespace","entry_key","entry_value"
"561","tx_caddy","lastOrder_1279","i:1;"
"553","tx_caddy","lastOrder_15","i:4;"
"563","tx_caddy","lastOrder_7567","i:4;"
...
"626","tx_caddy","page_7843_deliveryorder","i:1;"
"627","tx_caddy","page_7843_invoice","i:1;"
"628","tx_caddy","page_7843_order","i:1;"
```

### Syntax of the entry\_key

The entry\_key has the format:

- pageUid\_KindOfNumber

where

- pageUid is
  - the uid of the page, which contains the Caddy plugin
  - format is: page\_uid
- KindOfNumber is
  - deliveryorder
  - invoice
  - order

## Reset (remove the keys)

### All keys

```
DELETE
FROM sys_registry
WHERE entry_namespace = 'tx_caddy'
```

### Keys of a single Caddy plugin

```
DELETE
FROM sys_registry
WHERE entry_namespace = 'tx_caddy'
AND entry_key LIKE 'page_7567_ %'
```

where 7567 is the page uid of your Caddy plugin

# Reference

It is recommended to configure Caddy by the Constant Editor and not by the TypoScript Object Browser directly.

## Constant Editor

Please refer to the section "Controlling Caddy > Static Templates" on page 25 above.

## Setup

It is recommended to configure Caddy by the Constant Editor and not by the TypoScript Object Browser directly.

All properties have the prefix plugin.tx\_caddy\_pi1.

Example: db.table is plugin.tx\_caddy\_pi1.db.table

### tx\_caddy\_pi1 – Overview

Property:	Data type:	Description:
plugin.tx_caddy_pi1	array	<p>Configuration for the Caddy main plugin</p> <p><b>Code:</b></p> <pre> plugin.tx_caddy {   conditions      ...   db              ...   debug          ...   getpost        ...   marker         ...   options        ...   pdf            ...   pid            ...   pluginCheck    ...   symbols        ...   templates      ...   tax            ...   _HTMLMARKER    ...   _CSS_DEFAULT_STYLE ...   powermail      ... }</pre>

### tx\_caddy\_pi1.conditions

Property:	Data type:	Description:
conditions	array	<p>Conditions for calculating. Array contains one condition only: the minimum limit for the gross sum over all items (without any other cost like for delivery or service)</p> <p><b>Code:</b></p> <pre> plugin.tx_caddy {   conditions {     ... &lt;-please inspect it with the TypoScript Object Browser   } }</pre>

### tx\_caddy\_pi1.db

Property:	Data type:	Description:
db	array	<p>Interface for your database.</p> <p>Please configure it with the Constant Editor. See</p> <ul style="list-style-type: none"> <li>"Constant Editor &gt; DATABASE" on page 27 above.</li> </ul> <p><b>Example:</b></p> <pre> plugin.tx_caddy {     db {         table           = tx_quickshop_products         title            = title         gross            = price         tax              = tax         sku              = sku         min              = quantity_min         max              = quantity_max         service_attribute_1 =         service_attribute_2 =         service_attribute_3 =         sql {             ... -&gt; See tx_caddy_pi1.db.sql below         }     } } </pre>

### tx\_caddy\_pi1.db.sql

Property:	Data type:	Description:
db.sql	array	<p>Extend the database interface for special needs – usually variants.</p> <p><b>Example:</b></p> <pre> plugin.tx_caddy {     db {         sql {             ... -&gt; See Variants on page 44 above         }     }     settings {         ... -&gt; See tx_caddy_pi1.settings on page 53 below     } } </pre>

### tx\_caddy\_pi1.debug

Property:	Data type:	Description:
debug	boolean	<p>Prompts a debug report with informations about TypoScript to the frontend.</p> <p>Please configure it with the Constant Editor. See</p> <ul style="list-style-type: none"> <li>"Constant Editor &gt; DEBUG" on page 27 above.</li> </ul> <p><b>Example:</b></p> <pre> plugin.tx_caddy {     debug = 0 } </pre>

## tx\_caddy\_pi1.getpost

Property:	Data type:	Description:
getpost	array	<p>Configuration for the Get-/Post-parameters, which are sent by GET or POST. Each item has the COA property.</p> <p>Please configure it with the Constant Editor. See</p> <ul style="list-style-type: none"> <li>"Constant Editor &gt; GETPOST" on page 27 above.</li> </ul> <p><b>Code:</b></p> <pre> plugin.tx_caddy {     getpost {         gross      ...         min         ...         max         ...         qty         ...         sku         ...         tax         ...         title       ...         uid         ...         volume      ...         weight      ...     } } </pre>

## tx\_caddy\_pi1.marker.items

Property:	Data type:	Description:
marker.items	array	<p>Configuration of marker, which are used in HTML templates for an item. Example for an HTML marker:</p> <ul style="list-style-type: none"> <li>###SUMGROSS###</li> </ul> <p>Please inspect the items below with the TypoScript Object Browser.</p> <p><b>Code:</b></p> <pre> plugin.tx_caddy {     marker {         items {             delete      = IMAGE    // delete icon             gross       = COA      // gross costs of the item             min         = TEXT     // minimum quantity for ordering             max         = TEXT     // maximum quantity for ordering             net         = COA      // net costs of the item             uid         = TEXT     // uid of the item             qty         = TEXT     // quantity of the item             service_attribute_1 = TEXT // service attribute 1             service_attribute_2 = TEXT // service attribute 2             service_attribute_3 = TEXT // service attribute 3             sku         = TEXT     // stock keeping unit             sumgross    = COA      // gross costs sum ( gross costs * qty )             sumnet      = COA      // net costs sum ( net costs * quantity )             sumtax      = COA      // tax costs sum ( tax costs * quantity )             tax         = TEXT     // tax value of the item ( 0 , 1, 2 )             taxrate     = COA      // taxrate of the item             title       = TEXT     // label of the item         }     } } </pre>

## tx\_caddy\_pi1.marker.sum

Property:	Data type:	Description:
marker.sum	array	<p>Configuration of marker, which are used in HTML templates for a sum.</p> <p>Example for an HTML marker:</p> <ul style="list-style-type: none"> <li>###SUMSUMTAXNORMAL###</li> </ul> <p>Please inspect the items below with the TypoScript Object Browser.</p> <p><b>Code:</b></p> <pre> plugin.tx_caddy {     marker {         sum {             labels {                 optionspaymentlabel          = TEXT                 optionsshippinglabel          = TEXT                 optionsspecialslabels         = TEXT                 taxrate_reduced_string        = COA                 taxrate_normal_string         = COA             }             rates {                 optionspaymentsumrate         = COA                 optionsshippingsumrate        = COA                 optionsspecialssumrate        = COA             }             values {                 optionspaymentsumgross        = COA                 optionspaymentsumnet          = COA                 optionspaymentsumtaxnormal    = COA                 optionspaymentsumtaxreduced   = COA                 optionsshippingsumgross       = COA                 optionsshippingsumnet         = COA                 optionsshippingsumtaxnormal   = COA                 optionsshippingsumtaxreduced  = COA                 optionsspecialssumgross       = COA                 optionsspecialssumnet         = COA                 optionsspecialssumtaxnormal   = COA                 optionsspecialssumtaxreduced  = COA                 sumitemsgross                 = COA                 sumitemsnet                   = COA                 sumitemstaxnormal              = COA                 sumitemstaxreduced             = COA                 sumoptionsgross                = COA                 sumoptionsnet                  = COA                 sumoptionstaxnormal             = COA                 sumoptionstaxreduced            = COA                 sumsumgross                    = COA                 sumsumnet                      = COA                 sumsumtaxnormal                 = COA                 sumsumtaxreduced                = COA                 sumsumtaxsum                    = COA             }         }     } } </pre>

## tx\_caddy\_pi1.options

Property:	Data type:	Description:
options	array	<p>Configuration of the options</p> <ul style="list-style-type: none"> <li>• payment,</li> <li>• shipping,</li> <li>• special</li> </ul> <p>You are controlling the calculating and the output in HTML, e-mail and PDF.</p> <p>Please inspect the items below with the TypoScript Object Browser.</p> <p><b>Example:</b> Sorry, there isn't any example.</p> <p><b>Code:</b></p> <pre> plugin.tx_caddy {     options =           // payment, shipping, special     options {         payment =       // preset, options         payment {             preset = 1   // default method             options =    // cash in advance, invoice, cash on delivery             options {                 ...             }         }         shipping =      // preset, options         shipping {             preset = 1   // default method             options =    // maildefault, mailexpress             options {                 ...             }         }         specials =      // preset, options         specials {             divider = TEXT // divider for list of options                         //   in e-mails und PDF attachments             options =     // neutralpackage, addfeeforislands             options {                 ...             }         }     } } </pre>

## tx\_caddy\_pi1.pdf

Property:	Data type:	Description:
pdf	array	<p>Configuration for the PDF attachments.</p> <p>Please configure it with the Constant Editor. See</p> <ul style="list-style-type: none"> <li>"Constant Editor &gt; PDF" on page 29 above.</li> </ul> <p>Please inspect the items below with the TypoScript Object Browser.</p> <p><b>Code:</b></p> <pre> plugin.tx_caddy {     pdf {         deliveryorder {             filename = COA           // label - delivery order number - date . pdf             content {                 address =           // deliveryorder, invoice                 caddy   =           // body                 date    =           // body                 numbers =           // deliveryorder, invoice and order             }         }         invoice {             filename = COA           // label - invoicenumber - date . pdf             content {                 address =           // deliveryorder, invoice                 caddy   =           // body                 date    =           // body                 numbers =           // deliveryorder, invoice and order                 termOfCredit =      // body             }         }         revocation {             filename = COA           // label - invoicenumber - date . pdf             content {                 address =           // invoice                 date    =           // body                 additionaltextblocks = // revocation             }         }         terms {             filename = COA           // label - invoicenumber - date . pdf             content {                 address =           // invoice                 date    =           // body                 additionaltextblocks = // terms             }         }     } } </pre>

## tx\_caddy\_pi1.pid

Property:	Data type:	Description:
pid	integer	<p>Id of the page with the CADDY plugin.</p> <p>Please configure it with the Constant Editor. See</p> <ul style="list-style-type: none"> <li>"Constant Editor &gt; PAGES" on page 29 above.</li> </ul> <p><b>Example:</b></p> <pre> plugin.tx_caddy {     pid = 8154 } </pre>

## tx\_caddy\_pi1.pluginCheck

Property:	Data type:	Description:
pluginCheck	string	<p>For self evaluation only. <b>Never touch it!</b></p> <p><b>Code:</b></p> <pre>plugin.tx_caddy {     pluginCheck = dummy }</pre>

## tx\_caddy\_pi1.settings

Property:	Data type:	Description:
settings	string	<p>Extend the database interface for special needs – usually variants.</p> <p><b>Example:</b></p> <pre>plugin.tx_caddy {     db {         sql {             ... -&gt; See tx_caddy_pi1.db.sql on page 48 above         }     }     settings {         ... -&gt; See Variants on page 44 above     } }</pre>

## tx\_caddy\_pi1.symbols

Property:	Data type:	Description:
symbols	array	<p>Configuration of symbols.</p> <p>Please configure it with the Constant Editor. See</p> <ul style="list-style-type: none"> <li>"Constant Editor &gt; SYMBOLS AND SERVICE ATTRIBUTES" on page 31 above.</li> </ul> <p><b>Example:</b></p> <pre>plugin.tx_caddy {     symbols {         decimal                = 2         dec_point               = ,         thousands_sep           = .         currencySymbol          = &amp;euro;         currencySymbolBeforePrice = 0         quantitySymbol          = St.         service_attribute_1_symbol =         service_attribute_2_symbol =         service_attribute_3_symbol =     } }</pre>

## tx\_caddy\_pi1.templates

Property:	Data type:	Description:
templates	array	<p>Configuration of templating.</p> <p>Please configure it with the Constant Editor. See</p> <ul style="list-style-type: none"> <li>"Constant Editor &gt; TEMPLATES" on page 32 above.</li> </ul> <p><b>Code:</b></p> <pre> plugin.tx_caddy {     templates {         e-mail {             file = EXT:caddy/files/templates/caddy.html             marker {                 // all, item             }             table {                 // border, cellpadding, cellspacing             }         }         html {             caddy {                 // pi1: file, marker, table             }             caddymini {                 // pi3: file, marker             }             caddysum {                 // pi2: file, marker             }         }         pdf {             deliveryorder {                 // file, marker, table             }             invoice {                 // file, marker, table             }             revocation {                 // file, marker, table             }             terms {                 // file, marker, table             }         }     } } </pre>

### tx\_caddy\_pi1.tax

Property:	Data type:	Description:
tax	array	<p>Configuration for tax calculating.</p> <p>Please configure it with the Constant Editor. See</p> <ul style="list-style-type: none"> <li>"Constant Editor &gt; TAX" on page 32 above.</li> </ul> <p><b>Example:</b></p> <pre> plugin.tx_caddy {     tax {         reduced      = 7         reducedCalc = 0.07         normal       = 19         normalCalc  = 0.19     } } </pre>

## tx\_caddy\_pi1.\_HTMLMARKER

Property:	Data type:	Description:
_HTMLMARKER	array	<p>Feel free to add any marker to the templates for HTML, the e-mail and the PDF attachments.</p> <p>The property from below will replace ###_HTMLMARKER_LINTOSHOP###.</p> <p>Please inspect the code from below with the TypoScript Object Browser.</p> <p><b>Example:</b></p> <pre> plugin.tx_caddy {     _HTMLMARKER {         - linktoshop = COA         linktoshop {             // Label             10 = TEXT             10 {                 ...             }             // Icon             20 = IMAGE             20 {                 ...             }             wrap = &lt;div class="linktoshop caddylinktoshop"&gt; &lt;/div&gt;         }     } } </pre>

## tx\_caddy\_pi1.\_CSS\_DEFAULT\_STYLE

Property:	Data type:	Description:
_CSS_DEFAULT_STYLE	string	<p>Inline CSS. An inline CSS can configured while runtime.</p> <p>This property is configured only, if a CSS static template is included. See</p> <ul style="list-style-type: none"> <li>"Static Templates &gt; CSS" on page 25 above.</li> </ul> <p>Please inspect the code from below with the TypoScript Object Browser.</p> <p><b>Code:</b></p> <pre> plugin.tx_caddy_pi1 {     _CSS_DEFAULT_STYLE (         form.caddy {             text-align: right;         }         form.caddy button.submit img {             position: relative;             top: .1em;         }         ...     ) } </pre>

## tx\_caddy\_pi1.powermail

Property:	Data type:	Description:
powermail	array	<p>Configuration for controlling powermail.</p> <p>This property is configured only, if a powermail static template is included. See</p> <ul style="list-style-type: none"> <li>"Static Templates &gt; Powermail (obligated)" on page 25 above.</li> </ul> <p>The configuration depends on the powermail version 1.x and 2.x</p> <p>The example below corresponds with the fluid marker in the powermail form.</p> <p><b>Code (powermail 2.x):</b></p> <pre> plugin.tx_caddy {     powermail {         caddy = USER         caddy {             // The caddy content         }         caddydeliveryordernumber = USER         caddydeliveryordernumber {             // Delivery order number         }         caddyinvoicenummer = USER         caddyinvoicenummer {             // Invoice number         }         caddyordernumber = USER         caddyordernumber {             // Order number         }         clearcaddyssession = USER         clearcaddyssession {             // Clear the caddy session         }     } } </pre>

## tx\_caddy\_pi2

### Frontend and Plugin

- See "Plugins > Sum Gross" on page 17 above.

### TypoScript

Property:	Data type:	Description:
plugin.tx_caddy_pi2	array	<p>Configuration for the Caddy Sum Gross plugin</p> <p><b>Code:</b></p> <pre> plugin.tx_caddy_pi2 {     // item, marker     content =     content {         // label, sumsumgross         sum = COA         sum {             // label             20 = TEXT             20 {                 data          = LLL:EXT:caddy/pi2/locallang.xml:phrasesum                 noTrimWrap    =  &lt;span class="label sumlabel"&gt; &lt;/span&gt;               }             // sumsumgross             30 = COA             30 {                 // value                 10 = USER                 10.userFunc = tx_caddy_userfunc-&gt;numberformat                 10.userFunc {                     number = TEXT                     number.field = sumsumgross                     decimal      = 2                     dec_point    = {\$plugin.caddy.main.dec_point}                     thousands_sep = {\$plugin.caddy.main.thousands_sep}                     drs          = {\$plugin.caddy.debug.userfunc}                 }                 // currency                 20 = TEXT                 20 {                     value = {\$plugin.caddy.main.currencySymbol}                     noTrimWrap =                      }                 wrap = &lt;span class="gross sumgross"&gt; &lt;/span&gt;             }         }     }     // page id of the caddy     pid = {\$plugin.caddy.pages.caddy}     // e-mail, html, pdf     templates =     templates &lt; plugin.tx_caddy_pi1.templates } </pre>

## tx\_caddy\_pi3 – Overview

### Frontend and Plugin

- See "Plugins > Mini Caddy" on page 16 above.

### TypoScript

Property:	Data type:	Description:
plugin.tx_caddy_pi3	array	<p>Configuration for the Caddy Mini plugin</p> <p><b>Code:</b></p> <pre> plugin.tx_caddy_pi3 {     // item, marker     content =     content {         // quantity, label, gross         item = COA         item {             ...         }         // quantity, label, gross         sum = COA         sum {             ...         }     }     // page id of the caddy     pid = {\$plugin.caddy.pages.caddy}      // e-mail, html, pdf     templates =     templates &lt; plugin.tx_caddy_pi1.templates      // linktocaddy, linktoshop     _HTMLMARKER =     _HTMLMARKER {         ...     } } </pre>

## tx\_caddy\_pi3.content.item

Property:	Data type:	Description:
content.item	array	<p>Configuration for the items of the Caddy Mini plugin</p> <p><b>Code:</b></p> <pre> plugin.tx_caddy_pi3 {     // item, marker     content =     content {         // quantity, label, gross         item = COA         item {             // quantity             10 = TEXT             10 {                 field = quantity                 wrap = &lt;div class="quantity itemquantity"&gt; &lt;/div&gt;             }             // label             20 = TEXT             20 {                 field = label                 wrap = &lt;div class="label itemlabel"&gt; &lt;/div&gt;             }             // gross             30 = COA             30 {                 // value                 10 = USER                 10.userFunc = tx_caddy_userfunc-&gt;numberformat                 10.userFunc {                     number = TEXT                     number.field = gross                     decimal      = 2                     dec_point    = {\$plugin.caddy.main.dec_point}                     thousands_sep = {\$plugin.caddy.main.thousands_sep}                     drs = {\$plugin.caddy.debug.userfunc}                 }                 // currency                 20 = TEXT                 20 {                     value = {\$plugin.caddy.main.currencySymbol}                     noTrimWrap =                     }                 wrap = &lt;div class="gross itemgross"&gt; &lt;/div&gt;             }             wrap (                 &lt;div class="item minicaddyitem"&gt; &lt;/div&gt;                 &lt;div class="caddy_cleaner"&gt;&lt;/div&gt;             )         }     } } </pre>

## tx\_caddy\_pi3.content.sum

Property:	Data type:	Description:
content.sum	array	<p>Configuration for the Sum of the Caddy Mini plugin</p> <p><b>Code:</b></p> <pre> plugin.tx_caddy_pi3 {     // item, marker     content =     content {         // quantity, label, gross         sum = COA         sum {             // quantity             10 = TEXT             10 {                 field = quantity                 wrap = &lt;div class="quantity sumquantity"&gt; &lt;/div&gt;             }             // label             20 = COA             20 {                 // in case of one item                 10 = TEXT                 10 {                     if {                         value = 2                         isLessThan {                             field = quantity                         }                     }                     data = LLL:EXT:caddy/pi3/locallang.xml:item                 }                 // in case of more than one item                 20 = TEXT                 20 {                     if {                         value = 2                         isLessThan {                             field = quantity                         }                         negate = 1                     }                     data = LLL:EXT:caddy/pi3/locallang.xml:items                 }                 wrap = &lt;div class="label sumlabel"&gt; &lt;/div&gt;             }             // gross             30 = COA             30 {                 10 = USER                 10.userFunc = tx_caddy_userfunc-&gt;numberformat                 10.userFunc {                     number = TEXT                     number.field = gross                     decimal = 2                     dec_point = {\$plugin.caddy.main.dec_point}                     thousands_sep = {\$plugin.caddy.main.thousands_sep}                     drs = {\$plugin.caddy.debug.userfunc}                 }                 20 = TEXT                 20 {                     value = {\$plugin.caddy.main.currencySymbol}                     noTrimWrap =                     }                 wrap (                     &lt;div class="gross sumgross"&gt; &lt;/div&gt;                     &lt;div class="caddy_cleaner"&gt;&lt;/div&gt;                 )             }             wrap = &lt;div class="sum minicaddysum"&gt; &lt;/div&gt;         }     } } </pre>

## tx\_caddy\_pi3.pid

Property:	Data type:	Description:
pid	integer	<p>Id of the page with the Caddy plugin.</p> <p>Please configure it with the Constant Editor. See</p> <ul style="list-style-type: none"><li>• "Constant Editor &gt; PAGES" on page 29 above.</li></ul> <p><b>Code:</b></p> <pre>plugin.tx_caddy_pi3 {     // page id of the caddy     pid = {\$plugin.caddy.pages.caddy} }</pre>

## tx\_caddy\_pi3.templates

Property:	Data type:	Description:
templates	array	<p>Configuration of the templates is taken from the Caddy plugin.</p> <p><b>Code:</b></p> <pre>plugin.tx_caddy_pi3 {     // e-mail, html, pdf     templates =     templates &lt; plugin.tx_caddy_pi1.templates }</pre>

## tx\_caddy\_pi3.\_HTMLMARKER.linktocaddy

Property:	Data type:	Description:
_HTMLMARKER. linktocaddy	array	<p>Link to the page with the Caddy plugin. Link contains an image – the Caddy icon.</p> <p><b>Code:</b></p> <pre> plugin.tx_caddy_pi3 {     // linktocaddy, linktoshop     _HTMLMARKER =     _HTMLMARKER {         // label, icon. Replaces _HTMLMARKER_LINTOCADDY         linktocaddy = COA         linktocaddy {             // Label             10 = TEXT             10 {                 data = LLL:EXT:caddy/pi3/locallang.xml:linktocaddy                 typolink {                     parameter = {\$plugin.caddy.pages.caddy}                     title {                         data = LLL:EXT:caddy/pi3/locallang.xml:linktocaddy                     }                 }                 noTrimWrap =                  }             // Icon             20 = IMAGE             20 {                 file = {\$plugin.caddy.html.color.icon.caddy}                 altText {                     data = LLL:EXT:caddy/pi3/locallang.xml:caddy                 }                 titleText {                     data = LLL:EXT:caddy/pi3/locallang.xml:caddy                 }                 params = class="linktocaddy"                 imageLinkWrap = 1                 imageLinkWrap {                     enable = 1                     typolink {                         parameter = {\$plugin.caddy.pages.caddy}                     }                 }             }         }         wrap = &lt;div class="linktocaddy minicaddylinktocaddy"&gt; &lt;/div&gt;     } } </pre>

## tx\_caddy\_pi3.\_HTMLMARKER.linktoshop

Property:	Data type:	Description:
_HTMLMARKER. linktoshop	array	<p>Link to the page with the Shop plugin. Link contains an image – the Caddy icon.</p> <p><b>Code:</b></p> <pre> plugin.tx_caddy_pi3 {     _HTMLMARKER {         // label, icon. Replaces _HTMLMARKER_LINTOSHOP         linktoshop = COA         linktoshop {             // Label             10 = TEXT             10 {                 data = LLL:EXT:caddy/pi3/locallang.xml:linktoshop                 typolink {                     parameter = {\$plugin.caddy.pages.shop}                     title {                         data = LLL:EXT:caddy/pi3/locallang.xml:linktoshop                     }                 }                 noTrimWrap =                  }             // Icon             20 = IMAGE             20 {                 file = {\$plugin.caddy.html.color.icon.caddy}                 altText {                     data = LLL:EXT:caddy/pi3/locallang.xml:shop                 }                 titleText {                     data = LLL:EXT:caddy/pi3/locallang.xml:shop                 }                 params = class="linktoshop"                 imageLinkWrap = 1                 imageLinkWrap {                     enable = 1                     typolink {                         parameter = {\$plugin.caddy.pages.shop}                     }                 }             }         }         wrap = &lt;div class="linktoshop minicaddylinktoshop"&gt; &lt;/div&gt;     } } </pre>

# Debugging

If you have any unexpected result, you can inspect Caddy in the TYPO3 backend with the DRS – the Development Reporting System – and in the TYPO3 frontend with Firebug.

## DRS – Development Reporting System

### Inspect work-flow, session data and errors

The DRS – Development Reporting System – enables you

- to follow the work-flow of Caddy,
- to inspect alternate configuration possibilities,
- to inspect session data and their corresponding cObject fields,
- to inspect improper configuration and last but not least
- the DRS prompts warnings and errors

### Enabling by the Extension Manager

Enable the DRS – Development Reporting System – for all caddy plugins by the Extension Manager. If you have more than one plugin on a page (like a caddy and a mini caddy), you will the report for each item. It is recommended to enable the DRS by the Plugin / Flexform (see below).

BE AWARE: This feature can't debug user functions. For a complete report, you have to enable this feature by the Constant Editor (see below).




Illustration 39: Enable the DRS by the Extension Manager

- |                        |   |
|------------------------|---|
| 1. Module: Admin Tools | Extension Manager                             |
| 2. Edit Area           | Select the Caddy extension                    |
| 3.                     | Tab [Configuration]                           |
| 4.                     | Category: [Debugging]                         |
| 5.                     | DRS – Development Reporting System: [Enabled] |
| 6.                     | [Update]                                      |

### Enabling by the Plugin / Flexform (recommended)

Enable the DRS – Development Reporting System – for the current plugin only by the plugin / flexform.

BE AWARE: This feature can't debug user functions. For a complete report, you have to enable this feature by the Constant Editor (see below).




Illustration 40: Enable the DRS by the Plugin / Flexform

1. Module: Web      List
2. Page tree      Page with the Caddy plugin (here: [8194] Caddy)
3. Edit Area      Caddy plugin: tab [Plugin]
4.      Tab [Check it!]
5.      DRS: You will get a report ... [X]

### Enabling by the Constant Editor (recommended)

Enable the DRS – Development Reporting System – for user functions.

BE AWARE: This feature debugs user functions only. For a complete report, you have to enable the DRS by the plugin / flexform or the extension manager too.




Illustration 41: Enable the DRS by the Plugin / Flexform

1. Module: Web      Template
2. Page tree      Page with the Caddy plugin (here: [8194] Caddy)
3. Edit Area      [Constant Editor]
4.      category [CADDY - DEBUG]
5.      Debug user functions (backend) [X]

## The DRS report

### Precondition

You need the extension

- Developer Log (devlog)

### Report

	Date	Severity	Extension	Message	Called from	Page	User	Extra data
WEB	24-09-13 00:40:20	INFO	caddy	[INFO/DRS] The DRS - Development Reporting System is enabled by the flexform (frontend mode).	class.tx_caddy_drs.php, line 180			Warenkorb
FILE	24-09-13 00:40:20	INFO	caddy	[INFO/DRS] "Warenkorb" (pid: 8148, uid: 2505)	class.tx_caddy_drs.php, line 185			Warenkorb
MEDIA	24-09-13 00:40:20	INFO	caddy	[INFO/INIT] pid is taken from main.pid and is set to 8148	class.tx_caddy_pi1.php, line 797			Warenkorb
ADMIN TOOLS	24-09-13 00:40:20	WARN	caddy	[WARN/INIT] No access: current IP doesn't match the list of allowed IP. Result won't prompt to the frontend.	class.tx_caddy_pi1.php, line 473			Warenkorb
User Admin	24-09-13 00:40:20	INFO	caddy	[INFO/POWERMAIL] Powermail version is 2.0.9 (internal 2000009)	class.tx_caddy_powermail.php, line 828			Warenkorb
Extension Manager	24-09-13 00:40:20	INFO	caddy	[INFO/SQL] SELECT * FROM tt_content WHERE pid = 8148 AND hidden = 0 AND deleted = 0 AND list_type = 'powermail_pi1' ORDER BY sorting LIMIT 1	class.tx_caddy_powermail.php, line 943			Warenkorb
DB check	24-09-13 00:40:20	INFO	caddy	[INFO/POWERMAIL] powermail.uid: "2507"	class.tx_caddy_powermail.php, line 846			Warenkorb
Configuration	24-09-13 00:40:20	INFO	caddy	[INFO/POWERMAIL] powermail.title: "[Powermail für Quickshop]"	class.tx_caddy_powermail.php, line 848			Warenkorb
Install	24-09-13 00:40:20	INFO	caddy	[INFO/POWERMAIL] powermail.confirm: "6"	class.tx_caddy_powermail.php, line 850			Warenkorb
Log	24-09-13 00:40:20	INFO	caddy	[INFO/INIT] tx_quickshop_products is an element of the \$TCA.	class.tx_caddy_pi1.php, line 516			Warenkorb
Reports	24-09-13 00:40:20	INFO	caddy	[INFO/INIT] Delivery order number from registry: 19	class.tx_caddy_pi1.php, line 588			Warenkorb
ExtDevEval	24-09-13 00:40:20	INFO	caddy	[INFO/INIT] Order number from registry: 19	class.tx_caddy_pi1.php, line 590			Warenkorb
Developer Log	24-09-13 00:40:20	INFO	caddy	[INFO/INIT] Invoice number from registry: 19	class.tx_caddy_pi1.php, line 592			Warenkorb
Scheduler	24-09-13 00:40:20	INFO	caddy	[INFO/INIT] Current delivery order number: 236	class.tx_caddy_pi1.php, line 594			Warenkorb
T3 jQuery	24-09-13 00:40:20	INFO	caddy	[INFO/INIT] Current invoice number: 103	class.tx_caddy_pi1.php, line 596			Warenkorb
UTF8 convert	24-09-13 00:40:20	INFO	caddy	[INFO/INIT] Current order number: 3992	class.tx_caddy_pi1.php, line 598			Warenkorb
HELP	24-09-13 00:40:20	INFO	caddy	[INFO/INIT] Current numbers are stored in the session.	class.tx_caddy_pi1.php, line 632			Warenkorb
	24-09-13 00:40:20	INFO	caddy	[INFO/VARIANTS] settings.variant is empty: Variants aren't handled.	class.tx_caddy_session.php, line 2113			Warenkorb
	24-09-13 00:40:20	INFO	caddy	[INFO/CALC] Case: add an item	class.tx_caddy_session.php, line 1102			Warenkorb
	24-09-13 00:40:20	INFO	caddy	[INFO/CALC] Current item (Geheime Bilder: 4) hasn't any maximum limit. Maximum limit won't checked.	class.tx_caddy_session.php, line 1145			Warenkorb
	24-09-13 00:40:20	INFO	caddy	[INFO/CALC] Current item (Geheime Bilder: 4) hasn't any minimum limit. Minimum limit won't checked.	class.tx_caddy_session.php, line 1211			Warenkorb
	24-09-13 00:40:20	INFO	caddy	[INFO/CALC] Quantity of current product is:	class.tx_caddy_session.php, line 1499			Warenkorb
	24-09-13 00:40:20	INFO	caddy	[INFO/CALC] Quantity: all #0 + add #1 = sum #1	class.tx_caddy_session.php, line 1499			Warenkorb

Illustration 42: The DRS Report

Get the report:

- Module > Admin Tools: Development Log

# Updates

## From Powermail 1.x to Powermail 2.x

Caddy supports both versions: Powermail 1.x and Powermail 2.x.

If you have made an update from 1.x to 2.x, please evaluate your Caddy configuration with the tab [Check it!]. See

- "Plugin / Flexform > Check it!" on page 19 above.
- "Plugin / Flexform > Billing Address" on page 22 above.
- "Plugin / Flexform > Delivery Address" on page 23 above.

## From wt\_cart 1.x to Caddy 2.x

- Please install Caddy with one of the both one-click-installer – Organiser or Quick Shop. See
  - "One-Click-Installation (obligated)" on page 12 above.
- Than move the caddy page to the page with the wt\_cart plugin.
- Adapt the Caddy configuration to your needs.
- Remove wt\_cart.

# Packages for Sponsors

Your donation and sponsoring is welcome.

Please order a package for sponsors at

- English: <http://typo3-caddy.de/en/sponsoring/>
- German: <http://typo3-caddy.de/sponsoring/>



## Fun – 50 EUR



You like to treat the TYPO3 Caddy project.

You don't expect any equivalent. No logo. No service.

Throw 50 EUR or any other old sum into the cash box.

You will get a receive. You can set the amount off against tax liability.

## Logo – 150 EUR



You are treating the TYPO3 Caddy project and you like to be a guide for others.

Your logo will appear in the manual, at the website, in the plugin and in the extension manager of the Caddy.

The period of validity is limited to one year.

You will get a receive. You can set the amount off against tax liability.

You can pay more than 150 EUR.

## Patron – 500 EUR



You are the patron. You are treating TYPO3 Caddy project and you like to pay the developer more than best for two hours service.

Your logo will appear in the manual, at the website, in the plugin and in the extension manager of Caddy.

You can book the developer of Caddy for two hours.

The period of validity for both – the logo and the two hours – is limited to one year. If you don't use the two hours in this period, you will lost it.

You will get a receive. You can set the amount off against tax liability.

You can pay more than 500 EUR.

# Credits

## Made in Nature

The German TYPO3 agency Made in Nature has contracted

- PDF attachments for the delivery order and the invoice<sup>1</sup>
- a part of the fork.

Website

- <http://made-in-nature.de/>

## wt\_cart Developer Team

Thanks to the wt\_cart developer team for the great wt\_cart extension, which was the base for Caddy:

- extco.de UG, Daniel Lorenz (Leader) – [www.extco.de](http://www.extco.de)
- TRITUM GmbH, Björn Jacob (Co-Leader), Sebastian Wagner, Ralf Zimmermann – [www.tritum.de](http://www.tritum.de)
- in2code, Alexander Kellner – [www.in2code.de](http://www.in2code.de)

---

<sup>1</sup> It is realised with wt\_cart 1.4.x in 2011 but never published :(

## Known Bugs

Please refer to

- <http://forge.typo3.org/projects/extension-caddy/issues>

## Further Information

### Forum

Caddy has a website and a forum. Please visit:

- <http://typo3-caddy.de/en/>
- <http://forum.typo3-caddy.de/>

### TYPO3 forge

- <http://forge.typo3.org/projects/extension-caddy>

## History of Caddy

### Fork of wt\_cart

Caddy was a fork of wt\_cart version 1.4.6.

Copyright wt\_cart 1.4.6: 2010-2012, wt\_cart Development Team. See "wt\_cart Developer Team" on page 69 above.

### Why do I forked wt\_cart?

A generic shopping cart for TYPO3 is a good idea.

And an improved idea is

- to fix bugs speedy,
- to develop the cart permanently, and
- to let profit the TYPO3 community of contracted features.

Caddy is the attempt, to keep the promise from above.

## Caddy versus wt\_cart

Having regard to plugin 1

skill	caddy	wt_cart <sup>1</sup>
<b>Features</b>		
Items from your database	yes	yes
Min/Max limit for each item	yes	yes
Min/Max limit for all items	yes	no
Delivery costs depending on <ul style="list-style-type: none"> <li>amount</li> <li>size</li> <li>weight</li> </ul>	yes yes yes	yes yes yes
PDF attachments <sup>2</sup>	yes	no
Order-/Invoice-numbers without gap	yes	buggy
Variants <sup>3</sup>	yes	buggy
<b>Configuration properties</b>		
Plugin / Flexform <sup>4</sup> , Constant Editor	153 properties	42 properties
<b>Database</b>		
Orders are stored in an own database	yes	no
Archive audit proof <sup>5</sup>	yes	no
<b>Debugging and Development</b>		
Developer versions	<a href="http://forge.typo3.org/.../caddy">http://forge.typo3.org/.../caddy</a>	not known
GET/POST parameter	yes	yes
TypoScript	yes	yes
User functions	yes	no
Work flow	nearby 300 prompts <sup>6</sup>	0 prompts
<b>Evaluation</b>		
by the Extension Manager	yes	no
by the plugin / flexform	yes	no
<b>Icons</b>		
Cart	1 icon / 40 colours	no icon
Delete	1 icon / 40 colours	1 icon / 1 colour
<b>Installation</b>		
Out of the box / one click installation	yes	stopped with Quick Shop installer 2.x
<b>Manual</b>		
Illustrations	42	8
Pages	77	30
<b>Powermail</b>		
Compatible with 1.x	yes	yes
Compatible with 2.x	yes	no
Independent on Powermail hooks	yes	no
<b>Support</b>		
Forum	<a href="http://forum.typo3-caddy.de/">http://forum.typo3-caddy.de/</a>	no forum

1 Version 1.4.x

2 Delivery order, invoice, terms & conditions



3 One dimension

4 Plugin 1

5 Audit proof in German: revisionssicher

6 supported by the DRS – Development Reporting System

## Other extensions published by Die Netzmacher

-  +AOE Linkhandler Configurator: Configure the AOE linkhandler supported by userinterfaces. Out-of-the-box templates for cal, org, tt\_news and tt\_products. Don't edit page TSconfig any longer.  
<http://typo3.org/extensions/repository/view/linkhandlerconf/>
-  autositemap: A smart site-map optimised for the footer. It groups menus in columns. Great menus will get two columns. Configuration is based on TypoScript HMENU.  
<http://typo3.org/extensions/repository/view/autositemap/>
-  Browser – TYPO3 without PHP. Develop your TYPO3 extension 8 times faster! You need one line TypoScript for a result list with a search form, a record browser and an index browser. Images are wrapped self-acting. SEO, Search Engine Optimization, is integrated. <http://typo3.org/extensions/repository/view/browser/>
-  Caddy – the TYPO3 shopping cart. You can use it for your own needs. You need a database with products or any other items only. You can install Caddy out of the box with one mouse click – see Quick Shop below.  
<http://typo3.org/extensions/repository/view/caddy/>
-  Flip it! offers lovely and smooth page flip transitions. It enables you to run over pages in PDF documents like in a real magazine. It is based on flash. Flipt it! can convert PDF documents to swf files automatically.  
<http://typo3.org/extensions/repository/view/flipit/>
-  Green Cars (Grüne Autos) - Database optimized for ecological cars. It is a case study and demonstrates, how to get a complex database with the browser (see above) in three hours only.  
[http://typo3.org/extensions/repository/view/green\\_cars/](http://typo3.org/extensions/repository/view/green_cars/)
-  Jobmarket is a catalogue with job offers. Views, the a-z-browser, the page-browser, the search, social bookmarks and a lot of other stuff can configured by the Browser plugin with the mouse. Job Market hasn't any PHP code, it should be easy to adapt it to your needs.  
[http://typo3.org/extensions/repository/view/job\\_market/](http://typo3.org/extensions/repository/view/job_market/)
-  Majordomo: For subscribing to and unsubscribing from a majordomo mailing list.  
<http://typo3.org/extensions/repository/view/majordomo/>
-  Organiser – TYPO3 for the lobby and the organisers. Handle news, events, staff, headquarters, locations, workshops and a calendar with one extension. Sell online tickets! Install the Organiser with one mouse click!  
<http://typo3-organiser.de/>
-  Quick Shop – the fastest shop in the history of TYPO3. Install it with one mouse click! Quick Shop is based on the browser (see above) and powermail.  
<http://typo3-quick-shop.de/>
-  PDF Controller: Easy to install. Add to your HTML page the PDF-controller-button. Link from the button to the controller. Adjust the controller by mouseclicks. The PDF Controller supports CSS 3.  
<http://typo3-pdfcontroller.de/>
-  Route – Publish your routes with GoogleMaps or OpenStreetMap. Routes have points of interest (POI). You can categorise and filter both: routes and POI. Address data can geocoded automatically.  
<http://typo3.org/extensions/repository/view/route/>
-  seo\_dynamic\_tag: Search Engine Optimization for the title tag, the canonical tag and the meta tags author, description and keywords. Configuration by a user interface.  
[http://typo3.org/extensions/repository/view/seo\\_dynamic\\_tag/](http://typo3.org/extensions/repository/view/seo_dynamic_tag/)
-  TSconfig Pages and Users by extManager (extkey: tsconf): Configure the the eight most commonly used TSconfig porperties with the mouse - like page tree uids, activated extended view, activated clipboard, ...  
<http://typo3.org/extensions/repository/view/tsconf/>
-  tt\_news select configuration (extkey: ttnews\_selectconf) enables to select tt\_news by any SQL clause. The extension adds an andWhere clause to the SQL query of the tt\_news plugin.  
[http://typo3.org/extensions/repository/view/ttnews\\_selectconf/](http://typo3.org/extensions/repository/view/ttnews_selectconf/)
-  Wine Catalogue provides a data base for wine with regions, wineries, styles, variety and ageing among others. It is localized. English, German and Spanish ist of the box. Wine based on the extension browser (see above).  
<http://typo3.org/extensions/repository/view/wine/>

# Alphabetical Index

Attachments .....	Debugging .....	27	Amount .....	25	CSS .....	25
Corporate design .....	Decimal .....	26	Marker .....	49	Ordering .....	25
Audit Proof .....	Due date .....	26	Item .....	49	Powermail .....	25
Database .....	GET-/POST-Parameter .....	27	Sum .....	50	Symbols .....	
Disabling .....	Icons .....	28	Numbers .....		Quantity .....	31
Billing .....	Service attribute .....	27	Reset .....	46	Service Attribute .....	31
Address .....	Storage folder .....	26	Sys_registry .....	46	Templates .....	
Caddy .....	Table width .....	28	Pages .....		Caddy .....	32
Invoice address .....	Tax .....	32	Caddy .....	29	Caddymini .....	32
Powermail .....	Templates .....	32	Caddymini .....	29	Caddysum .....	32
Caddy .....	Thousands separator .....	26	Revocation .....	29	Delivery order .....	32
Address .....	User functions .....	27	Shop .....	29	E-mail .....	32
Delivery .....	Corporate Design .....		Terms .....	29	Invoice .....	32
Invoice .....	Button .....	28	PDF .....	52	Paths .....	32
Audit Proof .....	Colour schemes .....	33	Address .....		TypoScript .....	
Calculating .....	Colours .....	28	Delivery .....	39	Decimal .....	53
Check-it! .....	Icons .....	28, 34	Invoice .....	22, 39	Deliveryorder .....	52
Condition .....	Ready-to-use .....	35	Attachments .....	36	Euro .....	53
Database .....	Upload .....	36	Background .....	38	Invoice .....	52
Debug .....	CSS .....		Caddy .....	29, <b>39</b>	Labels .....	50
Delivery .....	Static Templates .....	25	Colour .....	31	Options .....	51
Address .....	Database .....	45, 48	Date .....	29, <b>39</b>	Payment .....	51
Order number .....	Debugging .....		Delivery .....		Powermail .....	56
Evaluation .....	DRS .....	<b>64</b>	Address .....	39	Rates .....	50
Invoice .....	Extension Manager .....	64	Font colour .....	38	Revocation .....	52
Billing address .....	GET-/POST-Parameter .....	27	Font family .....	29, <b>38</b>	Shipping .....	51
Invoice number .....	Plugin .....	65	Font stretching .....	38	Specials .....	51
Maximum order quantity ...	Report .....	66	Invoice .....	30	Sql .....	48, 53
Minimum order quantity ....	Session data .....	64	Address .....	39	Symbols .....	53
Numbers .....	User functions .....	27, 65	Numbers .....	39	Tax .....	54
Reset .....	Delivery .....		Order number .....	30	Templates .....	
Order number .....	Address .....	39	Paths .....	37	Caddy .....	54
Pid .....	Caddy .....	23	Power of revocation .....	31	Caddymini .....	54
Plugin .....	Plugin .....	23	Power of Revocation .....	40	Caddysum .....	54
Sql .....	Powermail .....	23	Term of credit .....	40	Deliveryorder .....	54
Static Templates .....	Templates .....	32	Terms & Conditions .....	40	E-mail .....	54
Sys_registry .....	DRS .....		TypoScript .....	52	Html .....	54
Templates .....	Debugging .....	64	Plugin .....		Invoice .....	54
Variants .....	E-mail .....		Address .....		Revocation .....	54
Work-Flow .....	Delivery Order .....	21	Delivery .....	23	Terms .....	54
Caddy Mini .....	Invoice .....	21	Invoice .....	22	Terms .....	52
Content .....	Plugin .....	21	Caddy .....	15, 20	Values .....	50
Item .....	Power of Revocation .....	21	Caddy: Mini .....	16	Variants .....	48, 53
Plugin .....	Templates .....	32	Caddy: sum gross .....	17	_CSS_DEFAULT_STYLE .....	55
Sum .....	Terms & Conditions .....	21	Debugging .....	65	_HTMLMARKER .....	55
Templates .....	Evaluation .....	19	E-mail .....	21	Update .....	67
_HTMLMARKER .....	Extension Manager .....		PDF .....	23	Powermail .....	67
Caddy Sum Gross .....	Debugging .....	64	Powermail .....		Wt_cart .....	67
Content .....	Get-/Post-parameter .....	49	Address .....		User functions .....	
Plugin .....	Installation .....		Billing .....	22	Debugging .....	65
Sum .....	Manual .....	13	Delivery .....	23	Variants .....	
Templates .....	One-Click .....	12	Invoice .....	22	Sql .....	48, 53
Colour Schemes .....	Organiser Installer1 .....	13	Evaluation .....	19	Work-flow .....	
Attachments .....	Quick Shop Installer2 ....	13	Static Templates .....	25	Caddy .....	42
E-mail .....	Invoice .....		TypoScript .....	56	Powermail .....	42
HTML .....	Address .....	39	Update .....	67	Wt_cart .....	
Icons .....	Attachments .....	39	Work-flow .....	42	Update .....	67
PDF .....	Billing address .....	22	Session data .....		Versus Caddy .....	72
Constant Editor .....	Caddy .....	22	Debugging .....	64	_CSS_DEFAULT_STYLE .....	55
Button .....	Plugin .....	22	Sponsoring .....	68	_HTMLMARKER .....	55
Colours .....	Powermail .....	22	Package .....	68	Caddy Mini .....	62
Currency symbol .....	Templates .....	32	Static Templates .....			
Database .....	Localization .....		Caddy .....	25		

# Illustration Index

Illustration 1: Caddy with an item and the order form .....	4	Illustration 21: Plugin [Delivery Address] .....	23
Illustration 2: Enabled confirmation mode: The customer has to confirm his data. ....	5	Illustration 22: Plugin [Delivery Address] .....	23
Illustration 3: Confirmation e-mail .....	5	Illustration 23: Plugin [Sponsors] .....	24
Illustration 4: The caddy e-mail attachments (here: Quick Shop) ..	6	Illustration 24: Plugin [Help!] .....	24
Illustration 5: Caddy colour schemes .....	7	Illustration 25: Caddy blue .....	33
Illustration 6: The caddy plugin. ....	8	Illustration 26: Caddy green .....	33
Illustration 7: A caddy order record .....	9	Illustration 27: Caddy orange .....	33
Illustration 8: Quick Shop Installer - Installation with one mouse click .....	13	Illustration 28: Caddy red .....	33
Illustration 9: Plugin Caddy (frontend) .....	15	Illustration 29: Caddy blue .....	34
Illustration 10: Plugin Caddy (backend) .....	15	Illustration 30: Icon path in the Constant Editor .....	34
Illustration 11: Plugin Caddy Mini (frontend) .....	16	Illustration 31: caddy blue/red .....	34
Illustration 12: Plugin Caddy Mini (backend) .....	16	Illustration 32: Caddy icons .....	35
Illustration 13: Plugin Caddy Mini (frontend) .....	17	Illustration 33: Your (1) draft will merged ... ..	36
Illustration 14: Plugin Caddy Mini (backend) .....	17	Illustration 34: ... with (2) Caddy content ... ..	36
Illustration 15: Sample with Quick Shop .....	18	Illustration 35: ... to the (3) attachment. ....	36
Illustration 16: Plugin [Check it!] .....	19	Illustration 36: [PDF] tab of the Caddy plugin .....	37
Illustration 17: Plugin [Notes] .....	19	Illustration 37: Properties of a PDF attachment (here: invoice) ...	38
Illustration 18: Plugin [Caddy] .....	20	Illustration 38: Audit proof by the Extension Manager .....	45
Illustration 19: Plugin [Email] .....	21	Illustration 39: Enable the DRS by the Extension Manager .....	64
Illustration 20: Plugin [Billing Address] .....	22	Illustration 40: Enable the DRS by the Plugin / Flexform .....	65
		Illustration 41: Enable the DRS by the Plugin / Flexform .....	65
		Illustration 42: The DRS Report .....	66

# Change Log

- 2.1.3 **Manual**
- 2.1.2 **Improvement**
  - \* #i0029: Setup: minimum groos sum for items
  - \* #i0028: CSS
  - \* #i0027: pdf filename %H%M -> %H%M%S
  - \* #52165: Update tcpdf: 5.9.149 -> 6.0.031
- 2.1.1 **Improvement**
  - \* #i0026: additional template caddy\_wo\_options.html
  - \* #i0025: DRS
- 2.1.0 **Features**
  - \* #51916: Plugin for amount only
- 2.0.11 **Improvement**
  - \* #i0024: db.sql**Bugfixing**
  - \* #i0023: \$this->extKey -> \$\_EXTKEY
- 2.0.10 **Bugfixing**
  - \* #50045: rounding error
- 2.0.9 **Bugfixing**
  - \* #i0019: UTF8-Bug in Powermail 2
- 2.0.8 **Features**
  - \* #i0022: Unique file names
  - \* #i0021: Term of Credit**Improvement**
  - \* #i0020: Constant Editor Labelling**Bugfixing**
  - \* #49431: misspelling nachnahme
  - \* #49427: misspelling constants
  - \* #49428: Localisation dependency (isn't tested in not localised context)
  - \* #49430: Check TypoScript Case
- 2.0.7 **Features**
  - \* #i0018: \* New user functions
    - \* calcDueDate
    - \* calcMultiply
  - \* #i0016: \* Improved caddy table structur**Improvement**
  - \* #i0017: \* Shipping tax
    - \* Moved from normal to reduced
- 2.0.6 **Improvement**
  - \* #i0015: \* Overwrite existing files!
- 2.0.5 **Bugfix**
  - \* #i0014: \* Unproper TypoScript path to HTML table properties for PDF files
  - \* #i0013: \* If customer doesn't get any invoice and any deliveryorder, HTML template for caddy isn't loaded.  
This causes a bug, while sending the confirmation e-mail.  
Workflow:
    - \* Respect HTML template in case of all PDF files.
- 2.0.4 **Bugfix**
  - \* #i0012: \* foreach( ) : Invalid argument in line 607
  - \* foreach( ) : Invalid argument in line 171
- 2.0.3 **Improvements**
  - \* #i0006: HTML mini caddy
  - \* #i0005: TypoScript is cleaned up
- 2.0.2 **Improvement**
  - \* #i0004: Rendering of option lists
  - \* #i0003: Calculation of options costs

- 2.0.1 **Feature**  
 \* #i0002: Power of Revocation  
**Bugfix**  
 \* #i0001: unproper locallang.xml value in userfunc
- 2.0.0 **Features**  
 \* #45954: Database  
 \* #45915: Powermail Controller  
 \* #45863: Icons  
 \* #45808: PDF attachments: Bill and Shipping  
 \* #45967: Attachment Invoice  
 \* #45968: Attachment Delivery Order  
 \* #45969: Attachment Terms & Conditions  
**FORK**  
 \* #45792: DRS - Development Reporting System  
 \* #45775: Fork from wt\_cart 1.4.6  
 \* #45797: Consolidating code  
 \* #45783: Proper Flexforms  
 \* #45781: Proper extension manager  
 \* #45776: Move all labels from wt\_cart to caddy