



Majordomo - Subscribe to mailing lists



Version: 1.1.1, 2009-09-23

Extension Key: majordomo

Language: en

Keywords: forAdmins, forDevelopers, forAdvanced, majordomo, mailing lists, mailing, list

Copyright 2007-2009, Dirk Wildt, Die Netzmacher, <wildt.at.die-netzmacher.de>

This document is published under the Open Content License
available from <http://www.opencontent.org/opl.shtml>

The content of this document is related to TYPO3
- a GNU/GPL CMS/Framework available from www.typo3.org

Table of Contents

Majordomo - Subscribe to mailing lists	1	Test it!	11
Introduction	3	Enable the Check Mode	11
What does it do?	3	Subscribe to Majordomo	11
Features	3	Investigate the DRS Log!	12
What do you need	3	Subscribe with a real Email	12
Update	3	Complete the Check Mode	12
Manual in PDF	3	Configure the Email Template and HTML Output	13
Screenshots	4	Reference	14
Frontend	4	General Settings	14
Configuration	4	Update	15
DRS - Development Reporting System	4	From < 1.0	15
Installation	5	Include Static Table	15
Extension Manager	5	Delete tx_majordomo_pi1	15
Option: DRS - Development Reporting System	5	Maintaine Your Majordomo Configuration	16
Option Check Mode	5	Check Your TypoScript with the DRS	16
Include Static Template	5	Helpful Suggestions	17
Create three Pages	6	FAQ	18
Add a Majordomo Configure Record	6	SimulateStaticDocuments	18
Configure Majordomo	7	RealUrl	18
Basics	7	Further Information	19
Form	7	About the plugin icon	19
Confirmation	8	Mojordomo Website and Wikipedia	19
Majordomo Server	8	Other extensions published by Die Netzmacher	19
Email	9	To-Do List	20
Remove the Cache	9	Changelog	21
Configure the Plugins	10	Illustration Index	22
Confirmation	10		
Form	10		



Introduction

What does it do?

Extension for subscribing to and unsubscribing in majordomo mailing lists.

Features

- A plugin with two frontend elements
 - a form for subscribing and unsubscribing,
 - a content element with a confirmation message.
- The plugin verifies mail addresses.
- Subscribers and unsubscribers will get a confirmation mail.
- You can configure the plugin with an interface, you don't need to know nothing about TypoScript.
- The plugin is configurable by editors.
- With DRS - Development Reporting System. It supports you in cases of a unsuccessfully configuration.
- Language support.

What do you need

- A majordomo installation on your server or on a third party server.
- An existing majordomo mailing list.

Update

- Please read the section "Update" below.

Manual in PDF

You find this manual as PDF file at

- doc/manual.pdf
- http://typo3.org/extensions/repository/view/majordomo/current/info/?tx_terfe_pi1%5BdownloadFile%5D=doc%252Fmanual.pdf




Illustration 1: Manual in PDF format



Screenshots

Frontend



Illustration 2: A website with the majordomo plugin "form"




Illustration 3: A website with the majordomo plugin "confirm"

Configuration




Illustration 4: Screenshot of the plugin in the backend




Illustration 5: Screenshot of the configuration record

DRS - Development Reporting System




Illustration 6: Logs with email to majordomo and the subscriber



Installation

Extension Manager

- Download the extension Majordomo form the TYPO3 online repository.




Illustration 7: Import of devlog




Illustration 8: Extension manager with Majordomo

- If you don't have installed the extension "devlog" (Developer Log), Majordomo will suggest to install it. You need "devLog", if you want to use the DRS - Development Reporting System.
- Than load the extension Majordomo.

Option: DRS - Development Reporting System

You can enable the DRS - Development Reporting System - with options in the select menu. If you enable it, the DRS will report every action of Majordomo to the Developer Log. See the section "Test it! below.

Option Check Mode

You can enable the Check Mode. The Majordomo extension will doesn't send any email and doesn't subscribe or unsubscribe anybody. See the section "Test it! below.

Include Static Template




Illustration 9: Include static template

- Select the item "Template" in the web modul.
- Select your root page or the page in the page tree, where you want to use the majordomo plugin.



3. Click on the line "Click here to edit ..." below the table template tools.




Illustration 10: Include the Static Template

- Select in the tab [Includes] the item "Majordomo (majordomo)"
- "Majordomo (majordomo)" will be added to the selected items.

Create three Pages




Illustration 11: Three pages

Create three pages like in the example above

- Configuration (it has the uid 378 in our example)
- Form (uid 22)
- Confirmation (uid 21)

Add a Majordomo Configure Record




Illustration 12: Web > List - Add a record




Illustration 13: Select the Majordomo configuration record

Add the Majordomo Configuration Record to the Sysfolder Configuration (uid 378) like in the illustrations above.



Configure Majordomo

Basics

Majordomo Configuration [2] - puppenspiel-portal.eu

Basics Form Confirmation Mdomo Server Email

Title of the Configuration

puppenspiel-portal.eu

☒ Show secondary options (palettes)

Illustration 14: Basics

Name your configuration.

Recommended titles are

- Name of the website
- Name of the majordomo list

Form

Majordomo Configuration [2] - puppenspiel-portal.eu

Basics Form Confirmation Mdomo Server Email

Wrap Header

<h4>|</h4>

Class for the Div-Tag for the Buttons

tx-majordomo-pi1-buttons

Class Button Left

tx-majordomo-pi1-button_left

Class Button Right

tx-majordomo-pi1-button_right

Size for Input Field

☒ 20

Tab Index (input|subscribe|unsubscribe)

2|3|4

☒ Show secondary options (palettes)

Illustration 15: Form

Configure some HTML capabilities.

You can set a tab index to your form.

If you are allocates to this field the string "2|3|4" you will get the following tab indexes:

- 2: Input Field: 2
- 3: Unsubscribe Button
- 4: Subscribe Button

Newsletter

2 in.name@meine-domain.de

Unsubscribe 3 Subscribe 4

Illustration 16: Form with Tab Indexes



Confirmation

Illustration 17: Confirmation

HTML properties for the content element Confirmation.

Majordomo Server

Illustration 18: Mdom Server

- Majordomo List
 - Its the name of the majordomo list.
- Email of the Majordomo Server
 - It is the email address of the majordomo server. The majordomo server will process emails to this address as commands for subscribing and unsubscribing.



Illustration 19: Email to the majordomo server

- Email of the List Owner
 - The email of the list owner. It has to be the majordomo list owner email.
- Default Email in the Input Field of the Form



- Forbidden Mails (comma separated)
 - A comma separated list of emails. The email of the majordomo server, the list owner and the default form email will added self-acting.

Email

Illustration 20: Mdom Server

Configuring of the confirmation email.

This email has a template. If you want to edit the template, please read section "Configure the Email Template" below.

The illustration below displays an email to a subscriber in the email client application thunderbird.




Illustration 21: Mail to the subscriber

Remove the Cache

Please remove the TYPO3 cache, if you have changed any value in the Majordomo configuration.



Configure the Plugins

Confirmation

Edit in the page properties of the page confirmation the general record storage page.




Illustration 22: General Storage Page

Add a plugin to the confirmation page.




Illustration 23: Plugin on the confirmation page

1. Select the Majordomo plugin.
2. Select the content element Confirmation.
3. Select your configuration.

If there isn't any configuration, it can have two reasons:

- You didn't configure a record. Please read the section "Add a Configure Record" in this case.
- The page configuration record hasn't any general record storage.

Form




Illustration 24: Plugin on the confirmation page

Edit in the page properties of the page form the general record storage page (see example confirmation page above).

Add a plugin to the form page.

1. Select the Majordomo plugin.
2. Select the content element Form.
3. Select your configuration.
4. Select the confirmation page.



Test it!

Enable the Check Mode




Illustration 25: Test configuration

Choose Admin Tool > Ext Manager and than the extension Majordomo.

1. Enable the DRS - Development Reporting System. Select "All".
2. Enable the Check Mode. Majordomo won't send any email, majordomo won't subscribe or unsubscribe.
3. Klick [Update].

Subscribe to Majordomo



Illustration 26: Subscribe

Subscribe to majordomo with the default email.



Investigate the DRS Log!




Illustration 27: DRS - Development Reporting System

Choose Admin Tools > Developer Log.

Subscribe with a real Email

Now subscribe with a real Email. E.g your email. Don't take the email in our example: angela.merkel@cdu.de.

Investigate the Developer Log.




Illustration 28: DRS - Development Reporting System with the emails

The DRS displays

1. the email to the majordomo server,
2. the email to angela.merkel@cdu.de and
3. last but not least an instruction, how to configure the email template, if you like another text.

Complete the Check Mode

Please

- disable the DRS and
- disable the Check Mode.



Configure the Email Template and HTML Output




Illustration 29: _LOCAL_LANG array in the TypeScript Object Browser

Open the TypeScript Object Browser:

1. Web > Template
2. Select your root page or the page with your majordomo static include template.
3. Select plugin > tx_majordomo_pi1
4. Click on the item you want to edit e.g. [form_title]



Reference

General Settings

Property:	Data type:	Description:	Default:
_LOCAL_LANG	array	<p>Default Text for HTML output</p> <pre> plugin.tx_majordomo_pil { _LOCAL_LANG { default { form_title = Newsletter html_subscribe_button_title = Get the\ newsletter html_subscribe_button_value = Subscribe ... } } }</pre>	
_CSS_DEFAULT_STYLE	text/CSS	<p>Default CSS styles for the majordomo plugin form.</p> <pre> plugin.tx_majordomo_pil { _CSS_DEFAULT_STYLE { .tx-majordomo-pil-buttons { padding-top:0.4em; clear:both; height:2em; } .tx-majordomo-pil-button_left { float:left; width:49%; text-align:left; } .tx-majordomo-pil-button_right { text-align:right; float:right; width:49%; } } }</pre> <p>If you don't need it, please use this snippet in your TypeScript code:</p> <pre> plugin.tx_majordomo_pil { _CSS_DEFAULT_STYLE > }</pre>	



Update

From < 1.0

We replaced the configuration by TypoScript with the configuration by a plugin.

You have to copy your datas from your current TypoScript configuration to the configuration record.

Include Static Table

If you make an update, please load the Include Static Template again.




Illustration 30: Include the Static Template

Delete tx_majordomo_pi1

1. Select the Admin Tools > Install
2. Select Database Analyzer
3. Select Compare




Illustration 31: Comparing with the Database Analyzer

4. Remove the table tx_majordomo_pi1




Illustration 32: Remove tx_majordomo_pi1

Select Compare a second time.

Remove table zzz_tx_majordomo_pi1.

If you like a last check, please click the option [Compare with \$TCA].

Maintaine Your Majordomo Configuration

1. Create a Majordomo configuration record
See the section "Installation > Add a Majordomo Configure Record.
2. Configure your pages with the Majordomo plugins.
Every page with a Majordomo plugin needs a general record storage page.
See section "Installation > Configure the Plugins > Confirmation.
3. Configure the Plugins
See section "Installation > Configure the Plugins > Confirmation and Form.
4. Remove your TypoScript Template, unless you are using TypoScript for removing CSS defaults or for the email templates like the code snippet below:

```
plugin.tx_majordomo_pi1 {
    _LOCAL_LANG {
        default {
            mail_subscribe_subject = YOUR VALUES
            ...
        }
    }
    _CSS_DEFAULT_STYLE >
}
```

Check Your TypoScript with the DRS

You can check your TypoScript code with the DRS - Development Reporting System. You only have

- to enable the DRS and
- to subscribe to the Majordomo list.

See section "Test it" above.

Helpful Suggestions

If you have helpful suggestions, feel free to contact me: Dirk Wildt, wildt.at.die-netzmacher.de.



FAQ

SimulateStaticDocuments

There isn't any problem known.

RealUrl

There isn't any problem known.



Further Information

About the plugin icon



The concept of the icon:

- The letter is symbolizing email and email lists
- The color yellow is the color of Die Netzmacher (<http://die-netzmacher.de>), the company which created the Majordomo extension.

Mojordomo Website and Wikipedia

- Majordomos home site: <http://www.greatcircle.com/majordomo/>
- Majordomo on Wikipedia: <http://de.wikipedia.org/wiki/Majordomo>

Other extensions published by Die Netzmacher

- Browser - Highway to Frontend. The Browser is the fast way for your data to the TYPO3 frontend. It displays content from related tables. You need 1 line typoscript for a result list with a search form, a record browser and an a-z browser. Images are wrapped self-acting. SEO, Search Engine Optimization. DRS supports the TypoScript configuration.
<http://typo3.org/extensions/repository/view/browser/current/>
- Juridat - Database for Juridical Data. Juridat provides a juridical data base with backend functionality. Juridat is out of the box.
<http://typo3.org/extensions/repository/view/juridat/current/>
- logical_form: A frontend plugin for evaluating forms. I.e you can evaluate mail addresses.
http://typo3.org/extensions/repository/view/logical_form/current/
- rm_staticfile: Improve your performance! This extension enables the delete of static files, which where generated by nc_staticfilecache. It is a team play with the TYPO3 cache management, ttnews, ttnewscache, sg_newsplus and sg_zfelib.
http://typo3.org/extensions/repository/view/delete_staticfile_by_3party/current/
- seo_dynamic_tag: You can generate values dynamically with this extension especially for the <title>-tag, for the <meta>-tag description and the <meta>-tag keywords.
http://typo3.org/extensions/repository/view/seo_dynamic_tag/current/
- tt_news Marker (extkey: ttnews_marker) enables to add any marker to a tt_news HTML template including links. Any marker has the std_wrap property.
http://typo3.org/extensions/repository/view/ttnews_marker/current/
- SQL tt_news select configuration (extkey: ttnews_selectconf) enables to select tt_news by any SQL clause. The extension adds an andWhere clause to the SQL query of the tt_news plugin. I. e. it is possible to display tt_news items in dependence on the ownership of a fe_user.
http://typo3.org/extensions/repository/view/ttnews_selectconf/current/

To-Do List

- Nothing to do.

Changelog

- 1.1.1
New Sub Versio
- New Features
- Editing of Email Templates and HTML Templates is simplified
- 1.0.1
Major Version Release
- New Features
- Configuring with Flexform
- DRS - Development Reporting System
- 0.0.5
Propering Project
- 0.0.4
Improvement
- Configurable charset for mail
- Changing status from alpha to beta
- 0.0.3
Improvement
Form and buttons got a class
- 0.0.2
Manual
Publishing the English edition
- 0.0.1
Initial Release

Illustration Index

Illustration 1: Manual in PDF format.....	3
Illustration 2: A website with the majordomo plugin "form".....	4
Illustration 3: A website with the majordomo plugin "confirm".....	4
Illustration 4: Screenshot of the plugin in the backend.....	4
Illustration 5: Screenshot of the configuration record.....	4
Illustration 6: Logs with email to majordomo and the subscriber.....	4
Illustration 7: Import of devlog.....	5
Illustration 8: Extension manager with Majordomo.....	5
Illustration 9: Include static template.....	5
Illustration 10: Include the Static Template.....	6
Illustration 11: Three pages.....	6
Illustration 12: Web > List - Add a record.....	6
Illustration 13: Select the Majordomo configuration record.....	6
Illustration 14: Basics.....	7
Illustration 15: Form.....	7
Illustration 16: Form with Tab Indexes.....	7
Illustration 17: Confirmation.....	8
Illustration 18: Mdom Server.....	8
Illustration 19: Email to the majordomo server.....	8
Illustration 20: Mdom Server.....	9
Illustration 21: Mail to the subscriber.....	9
Illustration 22: General Storage Page.....	10
Illustration 23: Plugin on the confirmation page.....	10
Illustration 24: Plugin on the confirmation page.....	10
Illustration 25: Test configuration.....	11
Illustration 26: Subscribe.....	11
Illustration 27: DRS - Development Reporting System.....	12
Illustration 28: DRS - Development Reporting System with the emails.....	12
Illustration 29: _LOCAL_LANG array in the TypoScript Object Browser.....	13
Illustration 30: Include the Static Template.....	15
Illustration 31: Comparing with the Database Analyzer.....	15
Illustration 32: Remove tx_majordomo_pi1.....	15