




Quick Shop Installer

Quick Shop Installer enables you to install the Quick Shop out of the box. You need one click only for a finished shop in english or german with sample products.



Version: 1.0.2 - 2010-07-23

Extension Key: quickshop_installer

Language: en

Keywords: forAdmins, forDevelopers, forBeginners, forIntermediates, forAdvanced, shop

Copyright 2010, Dirk Wildt (Die Netzmacher), <<http://wildt.at.die-netzmacher.de>>

This document is published under the Open Content License
available from <http://www.opencontent.org/opl.shtml>

The content of this document is related to TYPO3
- a GNU/GPL CMS/Framework available from www.typo3.org



Table of Contents

Quick Shop Installer	1	Installation Report	12
Screenshots	3	Finish Installation	12
Frontend	3	Quick Shop	13
Backend	3	The out-of-the-box-frontend	13
Introduction	4	The out-of-the-box-backend	14
What does it do?	4	Adapt HTML, CSS and TypoScript	15
What do you need?	4	Quick Shop Template	15
Audience	4	Helpful suggestions	16
Quick Installation	5	To-Do List	17
TYPO3 Basic Installation	6	Further Information	18
Point of Departure	6	About the plugin icon	18
Extensions	6	Other extensions published by Die Netzmacher	18
Page	7	Manual in PDF	19
TypoScript	8	About the Author	19
Plugin	9	Credits	19
Intermediate Result	10	Change Log	20
Install Quick Shop with one Click!	11	Illustration Index	21
Start the Installation	11		



Screenshots

Frontend

Quick Shop Installation

Check extension dependencies

- ✔ Template Auto parser (auto_templateparser) is loaded.
- ✔ Quick Shop Template (base_quickshop) is loaded.
- ✔ Browser: the TYPO3 Frontend Engine (browser) is loaded.
- ✔ Powermail (powermail) is loaded.
- ✔ Quick Shop (quick_shop) is loaded.
- ✔ Shopping Cart for TYPO3 (wl_cart) is loaded.

Start the Installation

- 1 Create a backend group
- 2 Create a page tree
- 3 Create the plugins browser, wt_cart and powermail
- 4 Create page content
- 5 Create TypeScript for the browser, wt_cart and powermail
- 6 Create configuration records for powermail
- 7 Create six example products
- 8 Create product images
- 9 Create page content
- 10 Consolidating



Illustration 1: Install a shop – with one click!



Illustration 2: The out-of-the-box Quick Shop after one click

Backend




Illustration 3: Start the installation with one page.




Illustration 4: Backend after the click in the frontend.



Introduction

What does it do?

- Quick Shop Installer is an installer only
- Quick Shop Installer enables you to install the Quick Shop (quick_shop) out of the box.
- Quick Shop Installer supports English and German. So you can install the Quick Shop in English or German.

What do you need?

- A TYPO3 installation only. The installation can be empty.

Audience

- TYPO3 beginners, who haven't any knowledge about TYPO3.
- Professional TYPO3 developers and TYPO3 agencies, who doesn't want waste any time for manual installation.



Quick Installation

1. Install this Extension - Quick Shop Installer
2. Add the plugin Quick Shop Installer to a page
3. Load the page in the frontend
4. Click "Install it!"



TYPO3 Basic Installation

If you have a TYPO3 website and you don't need any basic HTML, any basic CSS nor any basic TypoScript, please jump to the section "Plugin" on page 9.

Point of Departure



Illustration 5: TYPO3 frontend




Illustration 6: TYPO3 backend

Your point of departure is a new TYPO3 installation. It is empty.

Extensions

Please install the needed extensions. You need this extension "Quick Shop Installer" at least.

- Browser - the Frontend Engine (browser) - 3.4.0
- powermail (powermail) - 1.5.3
- Quick-Shop - Template (base_quickshop) - 1.0.1
- Quick Shop (quick_shop) - 1.0.1
- Quick Shop - Installer (quickshop_installer) - 1.0.1
- Shopping Cart for TYPO3 (wt_cart) - 1.0.4
- Template Auto-parser (automaketemplate) – 0.1.2



Illustration 7: Install the extensions

1. Modul: Admin Tools
2. Ext Manager
3. Edit Area: Import Extension
4. Lookup



Illustration 8: The installed extensions



Page




Illustration 9: Add a page

Please add a page

1. Icon for a new record
2. Create a new page (inside)

Call the page "install".



TypoScript




Illustration 10: Add a template




Illustration 11: Template register [General]

1. Page "install" is the current page
2. Icon for a new record
3. System Records: Template
4. Template Register [General]
5. Field "Template Title": Install
6. Field "Setup": Add the TypoScript snippet from below.
Adapt the values to your needs.
If you like an installation in German language please replace "en" with "de".

```

config {
  baseURL           = http://quick-shop.typo3-browser-forum.de/
  language          = en
  htmlTag_langKey   = en
  metaCharset       = UTF-8
  tx_realurl_enable = 0
  no_cache          = 1
}
page = PAGE
page {
  typeNum = 0
  10 < styles.content.get
}
    
```




Illustration 12: Template register [Options]




Illustration 13: Template register [Includes]

7. Template Register [Options]
8. Enable both fields: Constants and Setup
9. Enable: Rootlevel
10. Template Register [Includes]
11. Include static (from extension): CSS Styled Content (css_styled_content)

Save the Template

Plugin




Illustration 14: Add page content




Illustration 15: Plugin register [General]

1. Page "install" is the current page
2. Icon for a new record
3. Create a new content element: Page content
4. Plugin register [General]
5. Select "Insert Plugin"
6. Call your plugin "install"



Illustration 16: Plugin register [General]

7. Plugin register [Plugin]
8. Select [Quick Shop – Installer]
9. Installation:
 - [Quick Shop with website template]: Select this in the case of an empty TYPO3 installation like in this tutorial.
 - [Quick Shop only]: Select this option, if you have a website and if you don't need any basic HTML, any basic CSS and any basic TypoScript.
10. Backend user: Select the backend user, who will be the owner of all generated items.
11. Your host, if your host will be another host than the current frontend host.
12. Title of your website. This will display in the title of your Internet browser.
13. The subject of the confirmation mails.
14. The e-mail of the shop. This e-mail will be the sender mail. And all orders will received by this e-mail.

You can change all values later after installing.

Intermediate Result



Illustration 17: Result in the backend

1. Modul: Web > List
2. Page Tree: current page is "install"
3. The plugin "Quick Shop Installer"
4. The Template

Install Quick Shop with one Click!

Reload your page in the frontend.

Start the Installation

Quick Shop Installation

Check extension dependencies

- ✔ Template Auto-parser (autorakemplate) is loaded.
- ✔ Quick Shop - Template (base_quickshop) is loaded.
- ✔ Browser - the TYPO3-Frontend-Engine (browser) is loaded.
- ✔ Powermail (powermail) is loaded.
- ✔ Quick Shop (quick_shop) is loaded.
- ✔ Shopping Cart for TYPO3 (wt_cart) is loaded.

Start the Installation

- 1 Create a backend group
- 1 Create a page tree
- 1 Create the plugins browser, wt_cart and powermail
- 1 Create page content
- 1 Create TypoScript for the browser, wt_cart and powermail
- 1 Create configuration records for powermail
- 1 Create six example products
- 1 Create product images
- 1 Create page content
- 1 Consolidating



Illustration 18: Result in the backend

Quick Shop Installer will check, if you have all needed extensions installed. If not, you will get a message and you can't install the Quick Shop.

Click the Button [Install it!]

Installation Report

Quick Shop Installation was successful.

Backend Group "quick_shop"

✔ Group "quick_shop" (uid 1) is created. If you doesn't need it, please delete it.

Pages and Directories

✔ Page "shopping cart" (uid 2) is created.

✔ Page "shipping" (uid 3) is created.

✔ Page "terms and conditions" (uid 4) is created.

✔ Page "legal info" (uid 5) is created.

✔ Page "libraries" (uid 6) is created.

✔ File "typo3-quickshop-1277826173.jpg" is created at "uploads/media".

✔ Element "[Powermail for Quickshop]" ("hidden") in page "Install" (uid 1) is updated.

✔ Former templates on the page "Install" (uid 1) are hidden.

✔ Element "[Powermail for Quickshop]" ("tx_powermail_sender, tx_powermail_sendername") in page "shopping cart" (uid 2) is updated.

Finish the installation

 TYPO3 backend: Please close the edit area and reload the page tree.

 TYPO3 backend: Please delete the Quick Shop Installer, if you don't need it any longer.

Finish the installation

You will get an report.

It is a list with all jobs the Quick Shop Installer has done for you.

Finish Installation

There will be the two informations for the backend:

- TYPO3 backend: Please close the edit area and reload the page tree.
- TYPO3 backend: Please delete the extension Quick Shop Installer, if you don't need it any longer.

Please do your job now or later.

Finish the installation:

- Click [Reload this page]

Quick Shop

The out-of-the-box-frontend




Illustration 19: Quick Shop – out of the box

This is the result in the frontend.



The out-of-the-box-backend




Illustration 20: Items on the root page – installed by Quick Shop Installer




Illustration 21: Items on the cart page – installed by Quick Shop Installer




Illustration 22: Items in the product folder – installed by Quick Shop Installer

Adapt HTML, CSS and TypoScript

You can adapt the HTML code, the CSS and the TypoScript to your needs.

Quick Shop Template

The Quick Shop Template is an own extension (base_quickshop). See

- Quick Shop Template
http://typo3.org/extensions/repository/view/base_quickshop/current/
- Manual
http://typo3.org/extensions/repository/view/base_quickshop/current/info/?tx_terfe_pi1%5BdownloadFile%5D=doc%252Fmanual.pdf&cHash=a8b89cf90f

The Manual is a tutorial. If you want adapt the basic HTML, CSS or TypoScript, you should find there every information.




Illustration 23: Adapt your HTML and CSS

1. Module: Web > Template
2. Page tree: Quick Shop
3. Edit area: Pull down menu: TypoScript Object Browser
4. Menu Browser: [Garantijs]
5. Click the plus sign of the element [myCms].
Click the plus sign of the element [subpart] and [files] > [html]
6. Accept the path to your HTML file or to your CSS file to your address
7. Accept the name of your HTML file or CSS file to your Template

Illustration 23: Adapt your HTML and CSS




Illustration 24: Adapt your TypoScript

1. Module: Web > Template
2. Page tree: Quick Shop
3. Edit area: Pull down menu: TypoScript Object Browser
4. Menu Browser: [Semi]
5. Click the plus sign of the element [page].
Click the plus sign of the element [subpart]
6. Click the plus sign of the element [subpart]

Every subpart corresponds with the <div>-tag in the HTML template with the subpart name as the div id.

Illustration 24: Adapt your TypoScript



Helpful suggestions

If you have helpful suggestions, feel free to contact me: Dirk Wildt <http://wildt.at.die-netzmacher.de>.



To-Do List

- Nothing to do.



Further Information

About the plugin icon

The concept of the icon:

- The shopping cart is a common symbol for online shops.
- The colour of the stripe, orange, is one of the TYPO3 colours and the colour of the company, which created this extension – Die Netzmacher GbR.




Illustration 25: The logo

Other extensions published by Die Netzmacher

-  Browser for BZD Staff Directory. List view and single view for the extension BZD Staff Directory. It is out of the box. You can edit the views by TypoScript. You can add fields and whole views.
http://typo3.org/extensions/repository/view/browser_bzdstaffdirectory/current/
-  Browser for Virtual Civil Services - List views and single views for the extension Virtual Civil Services (civserv) . It supersedes smarty and enables SEO - search engine optimisation -, Real URL and the TYPO3 cache management. It is out of the box. It You can edit the views by TypoScript. You can add fields and whole views.
http://typo3.org/extensions/repository/view/browser_civserv/current/
-  Green Cars (Grüne Autos) - Database optimized for ecological cars. It is a case study and demonstrates, how to get a complex database with the Quick Shop Installer in three hours only.
http://typo3.org/extensions/repository/view/green_cars/current/
-  Juridat - Database for Juridical Data. Juridat provides a juridical data base with backend functionality. Juridat is out of the box. It is a teamwork with the Browser.
<http://typo3.org/extensions/repository/view/juridat/current/>
-  logical_form: A frontend plugin for evaluating forms. I.e you can evaluate mail addresses.
http://typo3.org/extensions/repository/view/logical_form/current/
-  Majordomo: For subscribing to and unsubscribing from a majordomo mailing list.
<http://typo3.org/extensions/repository/view/majordomo/current/>
-  rm_staticfile: Improve your performance! This extension enables the delete of static files, which where generated by nc_staticfilecache. It is a team play with the TYPO3 cache management, ttnews, ttnewscache, sg_newsplus and sg_zfelib.
http://typo3.org/extensions/repository/view/delete_staticfile_by_3party/current/
-  seo_dynamic_tag: Search Engine Optimisation. You can generate values dynamically with this extension especially for the <title>-tag, for the <meta>-tag description and the <meta>-tag keywords.
http://typo3.org/extensions/repository/view/seo_dynamic_tag/current/
-  ## tt_news Marker (extkey: ttnews_marker) enables to add any marker to a tt_news HTML template including links. Any marker has the std_wrap property.
http://typo3.org/extensions/repository/view/ttnews_marker/current/
-  SQL tt_news select configuration (extkey: ttnews_selectconf) enables to select tt_news by any SQL clause. The extension adds an andWhere clause to the SQL query of the tt_news plugin. I. e. it is possible to display tt_news items in dependence on the ownership of a fe_user.
http://typo3.org/extensions/repository/view/ttnews_selectconf/current/
-  Wine Catalogue provides a data base for wine with regions, wineries, styles, variety and ageing among others. It is localized. English, German and Spanish ist of the box. Wine based on the extension Quick Shop Installer.
<http://typo3.org/extensions/repository/view/wine/current/>

Manual in PDF

You find this manual as PDF file at

- doc/manual.pdf
- http://typo3.org/extensions/repository/view/quickshop_installer/current/info/?tx_terfe_pi1%5BdownloadFile%5D=doc%252Fmanual.pdf

About the Author

Dirk Wildt



Illustration 27: The Author - a little bit blurred

Dirk Wildt (* 1963 Hamburg/Germany)

Founder of Die Netzmacher GbR (Erfurt/Weimar)

Founder of TYPO3 Usergroup Thuringia

Member of TYPO3 Usergroup Leipzig

2003: Founding think visually! It is Die Netzmacher since 2009.

2000 - 2002: Financial Controller, G.E.B.B

1999 - 2000: Financial Controller, G|M|Z - Tagesspiegel-Gruppe

1997 - 1999: Spokesman, Senatsverwaltung für Finanzen, Berlin

1989 - 1997: Editor and Financial Controller, taz, die tageszeitung

1982 - 1989: Freelancing Press Photographer



Illustration 26: PDF-Manual

Credits

Thanks to Björn Jacob (Tritum GbR) for Powermail suggestions (see ChangeLog 1.0.2)



Change Log

- 1.0.2 **Improvements**
 - Powermail: Shop got a sender name in mails
 - Powermail: Labels with an empty value will be hidden
- 1.0.1 **Initial release**



Illustration Index

- Illustration 1: Install a shop – with one click!.....3
- Illustration 2: The out-of-the-box Quick Shop after one click.....3
- Illustration 3: Start the installation with one page.....3
- Illustration 4: Backend after the click in the frontend.....3
- Illustration 5: TYPO3 frontend.....6
- Illustration 6: TYPO3 backend.....6
- Illustration 7: Install the extensions.....6
- Illustration 8: The installed extensions.....6
- Illustration 9: Add a page.....7
- Illustration 10: Add a template.....8
- Illustration 11: Template register [General].....8
- Illustration 12: Template register [Options].....9
- Illustration 13: Template register [Includes].....9
- Illustration 14: Add page content.....9
- Illustration 15: Plugin register [General].....9
- Illustration 16: Plugin register [General].....10
- Illustration 17: Result in the backend.....10
- Illustration 18: Result in the backend.....11
- Illustration 19: Quick Shop – out of the box.....13
- Illustration 20: Items on the root page – installed by Quick Shop Installer.....14
- Illustration 21: Items on the cart page – installed by Quick Shop Installer.....14
- Illustration 22: Items in the product folder – installed by Quick Shop Installer.....14
- Illustration 23: Adapt your HTML and CSS.....15
- Illustration 24: Adapt your TypoScript.....15
- Illustration 25: The logo.....18
- Illustration 26: PDF-Manual.....19
- Illustration 27: The Author - a little bit blurred.....19