


# Quick Shop Installer

Quick Shop Installer enables you to install the Quick Shop out of the box. You need one click only for a finished shop in english or german with sample products.



Version: 2.1.1 - 2012-06-13

Extension Key: quickshop\_installer

Language: en

Keywords: forAdmins, forDevelopers, forBeginners, forIntermediates, forAdvanced, shop

Copyright 2010 - 2012, Dirk Wildt (Die Netzmacher), <<http://wildt.at.die-netzmacher.de>>

This document is published under the Open Content License  
available from <http://www.opencontent.org/opl.shtml>

The content of this document is related to TYPO3  
- a GNU/GPL CMS/Framework available from [www.typo3.org](http://www.typo3.org)

# Table of Contents

|                                    |   |  |    |
|------------------------------------|---|--|----|
| Quick Shop Installer .....         | 1 | Frontend: Install Quick Shop with one Click .....  | 9  |
| Screenshots .....                  | 3 | Quick Shop .....                                   | 11 |
| Frontend .....                     | 3 | The frontend - ready to use .....                  | 11 |
| Backend .....                      | 3 | The backend - ready to use .....                   | 12 |
| Introduction .....                 | 4 | Adapt HTML, CSS and TypoScript .....               | 13 |
| What does it do? .....             | 4 | Quick Shop Template .....                          | 13 |
| What do you need? .....            | 4 | Helpful suggestions .....                          | 14 |
| Audience .....                     | 4 | Forum .....  | 14 |
| Quick Installation .....           | 5 | To-Do List .....                                   | 15 |
| Principles and preconditions ..... | 6 | Further Information .....                          | 16 |
| Principles .....                   | 6 | About the plugin icon .....                        | 16 |
| Preconditions .....                | 6 | Other extensions published by Die Netzmacher ..... | 16 |
| wt_cart .....                      | 6 | Manual in PDF .....                                | 17 |
| Installation .....                 | 7 | About the Author .....                             | 17 |
| Extension manager .....            | 7 | Change Log .....                                   | 18 |
| Backend: install page .....        | 8 | Illustration Index .....                           | 19 |

# Screenshots

## Frontend

### Quick Shop Installation

#### Check extension dependencies

- ✓ Template Auto parser ('automake\_templates') is loaded.
- ✓ Quick Shop - Template (base: quickshop) is loaded.
- ✓ Browser: the TYPO3 Frontend Engine ('browser') is loaded.
- ✓ Powermail ('powermail') is loaded.
- ✓ Quick Shop ('quick\_shop') is loaded.
- ✓ Shopping Cart for TYPO3 ('w\_cart') is loaded.

#### Start the Installation

- 1 Create a backend group
- 1 Create a page tree
- 1 Create the plugins browser, w\_cart and powermail
- 1 Create page content
- 1 Create TypoScript for the browser, w\_cart and powermail
- 1 Create configuration records for powermail
- 1 Create six example products
- 1 Create product images
- 1 Create page content
- 1 Consolidating



Illustration 1: Install a shop – with one click!



Illustration 2: The out-of-the-box Quick Shop after one click

## Backend




Illustration 3: Start the installation with one page.




Illustration 4: Backend after the click in the frontend.

# Introduction

## What does it do?

- Quick Shop Installer is an installer only.
- Quick Shop Installer enables you to install the Quick Shop (quick\_shop) out of the box. Quick Shop will be installed with AJAX automatically.
- Quick Shop Installer supports English and German. So you can install the Quick Shop in English or German.

## What do you need?

- A TYPO3 installation only. The installation can be empty.

## Audience

- TYPO3 beginners, who haven't any knowledge about TYPO3.
- Professional TYPO3 developers and TYPO3 agencies, who doesn't want waste any time for manual installation.

# Quick Installation

1. Install this Extension - Quick Shop Installer
2. Install the installer page with the extension manager. The page will have all needed configuration and content.
3. Configure the plugin Quick Shop Installer: activate the installation in the frontend.
4. Load the page in the frontend.
5. Click "Install it!"
6. Click "Reload!"

# Principles and preconditions

## Principles

### No needs for an empty TYPO3 installation

We are using a new TYPO3 installation for this manual. The new installation is empty of course.

But there isn't any need to take an empty TYPO3 installation. You are welcome to install the Quick Shop with this installer in every TYPO3 installation you want.

## Preconditions

### TYPO3 from 4.5 to 4.7 is recommended

TYPO3 from 4.5 to 4.7 is recommended. All used extensions are tested in version from 4.5 to 4.7 but not in versions older than 4.5.

You can use the Quick Shop in older TYPO3 versions too. But maybe some details won't be running proper.

### Latest extensions

You are needing the latest extensions! This are

- automaketemplate (optional: if you like to use the quick-shop template)
- base\_quickshop (optional: if you like to use the quick-shop template)
- browser
- quick\_shop
- quickshop\_installer
- powermail
- wt\_cart



# Installation

## Extension manager

### Install the Quick Shop Installer

Install this extension: Quick Shop Installer supported by the extension manager.

### Install the installer page out of the box

The screenshot shows the TYPO3 Extension Manager interface with the 'Quick Shop - Installer (v2.1.1)' extension selected. The left sidebar shows various admin tools like User Admin, DB check, Configuration, Install, Log, Reports, Developer Log, and Scheduler. The main area has tabs for Info, Database Update, Configuration, Files, TER upload, and Help. Under Configuration, there's a section for 'Enable features' with a 'Quick Install [quick\_install]' box. It says: 'Please select your preferred language below. Save the changing.' and 'Enable the "Installer page" below, after saving the language changes. The Quick Shop Installer will install a page on the top level with: • a preconfigured TypoScript template and • a preconfigured plugin'. Below that, it says 'After enabling you will get the next prompt.' Red numbers 1 and 2 are overlaid on the screen. Number 1 points to the 'Language [LLstatic] My preferred language' dropdown, which is currently set to 'German'. Number 2 points to the 'Installer page [installPage]' dropdown, which is set to 'Yes (recommended)'. A cursor arrow is pointing towards the 'Update' button at the bottom right of the configuration box.

Illustration 5: Extension Manager with loaded extensions

- If you like to change the language, please change the language (1)
- If you like to add the installer page in the backend please set the field "Installer page" to "Yes" (2)  
You will get a prompt with some information.

## Backend: install page

### Enable the installation page in the frontend




Illustration 6: Example with an empty TYPO3 installation




Illustration 7: The installer page created by the extension manager

Please reload your page tree.

### The Quick Shop Installer

- will be placed at the bottom of the tree (1)
- with the installer plugin (2) and
- a ready TypoScript template (3)

### Configure the installer plugin

Illustration 8: The installer plugin

1. Set "Installation" to
  - Quick Shop with website template or
  - Quick Shop only
2. Select the backend-user, who will be the owner of all generated pages and sysfolders.
3. If you will run quick shop with another URL than the current URL, please configure it.
4. Edit the title of your website.
5. Edit the subjects for mails.
6. Edit the e-mail of the shop owner.

6. Edit the sender address for mails.

Save the flexform / plugin.

Visit the Quick Shop Installer in your frontend.

#### Language

The language of the installation process and the result depends on your current backend language.

## Frontend: Install Quick Shop with one Click

### Install the Quick Shop

#### Quick Shop Installation

##### Abhängigkeiten von Erweiterungen

- ✓ Template Auto-parser (automaketemplate) ist installiert.
- ✓ Quick Shop - Template (base\_quickshop) ist installiert.
- ✓ Browser - the TYPO3-Frontend-Engine (browser) ist installiert.
- ✓ Powermail (powermail) ist installiert.
- ✓ Quick Shop (quick\_shop) ist installiert.
- ✓ Shopping Cart for TYPO3 (wt\_cart) ist installiert.

#### Installation durchführen

- 1 Backend Gruppe erstellen
- 1 Seitenbaum bauen
- 1 Plugins Browser, Wt-Cart und Powermail erstellen.
- 1 Erstelle Seiteninhalte
- 1 TypoScript fuer Browser, Wt-Cart und Powermail erstellen.
- 1 Konfiguriere Powermail
- 1 Erstelle sechs Beispielprodukte
- 1 Erstelle die Produkt-Bilder
- 1 Erstelle Seiteninhalte
- 1 Daten konsolidieren



Illustration 9: The installer page in the frontend

Reload the page in the frontend. You will receive the installer page. Language depends on the language of the backend admin.

#### Dependencies and conditions

The installer will check dependencies and conditions.

If the installer expects trouble, you will get a prompt. Try to solve the problem.

#### Install it!

Install the Organiser:

- Klick [Install it!]

## Report

Die Installation war erfolgreich!

Backend Benutzergruppe "quick shop"

**1**

✓ Quick Shop Installer räumt die Gruppe "quick shop" und 2 neue Rechte an allen Seiten und Verzeichnissen des Unikat Stores ein.

Seiten und Verzeichnisse

**2**

✓ Die Seite "Warenkorb" (uid 1) wurde erstellt.  
✓ Die Seite "Quellenverzeichnis" wurde erstellt.

✓ Die Seite "Übersichtseiten > Shop" (uid 3) wurde erstellt.

✓ Der Seite "Rückentnahmen" (uid 0) wurde erneut erstellt.

TypeScript

**3**

✓ Das TypoScript "page.quickshop.page.02" (uid 1) wurde der Seite "Quick Shop - Einkauf" (uid 2) zugeordnet.  
✓ Das TypoScript "page.warenkorbe.001" (uid 3) wurde der Seite "Warenkorb" (uid 2) zugeordnet.

Plugins

**4**

✓ Das Plugin "Warenkorb\_QuickShop" wurde der Seite "Quick Shop - Einkauf" (uid 2) zugeordnet.  
✓ Das Plugin "Warenkorb" (uid 2) wurde aufgezählt.  
✓ Das Plugin "Powermail für Warenkorb" wurde der Seite "Warenkorb" (uid 2) zugeordnet.

Datensätze

**5**

✓ Der Datensatz "Bezeichnungsadresse" wurde in die Ressource "Powermail-Listegruppen" im Ordner "Warenkorb" (uid 2) eingelegt.  
✓ Der Datensatz "Lieferanweisung" wurde in die Ressource "Powermail-Listegruppen" im Ordner "Warenkorb" (uid 2) eingelegt.  
✓ Datei "tmp\_133301654.jpg" wurde in "typo3temp/tx\_quickshop/tx\_quickshop/tx\_warenkorbe" im Ordner "Warenkorb" (uid 2) eingelegt.  
✓ Datei "tx\_quickshop\_tx\_warenkorbe\_001" wurde in "typo3temp/tx\_quickshop/tx\_warenkorbe" im Ordner "Warenkorb" (uid 2) eingelegt.

Seiteninhalt

**6**

✓ Inhalt "tx\_warenkorbe" zur Seite "Warenkorb" (uid 2) eingelegt.  
✓ Inhalt "tx\_warenkorbe" Allgemeine Geschäftsausstattung zur Seite "Warenkorb" (uid 2) eingelegt.  
✓ Inhalt "tx\_kontakt" zur Seite "Kontakt" (uid 8) eingelegt.  
✓ Inhalt "tx\_warenkorbe" zur Seite "Warenkorb" (uid 2) eingelegt.

Konsolidierung

**7**

✓ Seite "Quick Shop - Einkauf" (uid 1) wurde neu, TS (uid 1) aktualisiert.  
✓ Metadaten erneut übernommen. Leseberechtigung wurde in "tx\_quickshop.list" erneut.  
✓ Element "Fliesen in der Küche" (uid 1) und der Seite "tx\_quickshop.tx\_warenkorbe.001" und der Seite "Warenkorb" (uid 2) aktualisiert.  
✓ Element "tx\_quickshop\_tx\_warenkorbe\_001" (tx\_quickshop.list) und die Seite "Warenkorb" (uid 2) aktualisiert.

Installation beenden!

**8**

TYPO3 Benutz: Bitte schließe das Backend aussteuerer dann es zu speichern. Look den Seitenbaum neu.  
TYPO3 Benutz: Entferne den Quick Shop Installer, wenn du ihn nicht mehr brauchst.

[Installation beenden]

Illustration 10: The installer report

You will receive an installation report. Read it or leave it.

1. The choosen backend group for the backend access management
2. Created pages and folders
3. Created TypoScripts
4. Created plugins
5. Created records
6. Created page content
7. Consolidation steps (some uids are known at the end of the workflow).
8. The next steps.

Reload the page with the button at the bottom. See the result below.

## Finish Installation

There will be the two informations for the backend:

- TYPO3 Backend: Please close the edit area and reload the page tree.
- TYPO3 Backend: Please delete the extension Quick Shop Installer, if you don't need it any longer.

Please do your job now or later.

Finish the installation:

- Click [Reload this page]



# Quick Shop

The frontend – ready to use

The screenshot shows the TYPO3 Quick Shop frontend. At the top, there's a navigation bar with the TYPO3 logo, a search bar, and links for "Quick Shop" and "Quick Shop Installer". Below the header, the main content area has a title "Quick Shop" and a search/filter section with dropdowns for "Select a Category" and "Search Word", and buttons for "Search" and "Reset". A breadcrumb trail shows "All | A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q | R | S | T | U | V | W | X | Y | Z". It also displays "1 to 3 out of 6 records" and a page navigation with arrows. To the right of the search area is a large blue shopping cart icon. The main content area lists three products:

| Product Image | Product Name  | Price   | Notes |
|---------------|---|---|-------|
|               | <b>Secret Images</b><br>Never seen: Images of the TYPO3 Vip         | <b>99.99 EUR</b><br>inkl. 7 % MwSt. excl. <a href="#">shipping</a>  |       |
|               | <b>Pullover</b><br>Pullover with TYPO3 logo and an head on the top. | <b>31.99 EUR</b><br>inkl. 19 % MwSt. excl. <a href="#">shipping</a> |       |
|               | <b>Cup</b><br>Cup with TYPO3 logo                                   | <b>19.99 EUR</b><br>inkl. 19 % MwSt. excl. <a href="#">shipping</a> |       |

On the right side of the content area, there's a sidebar with links: "quick shop", "shopping cart", "shipping", "terms and conditions", and "legal info". At the bottom of the content area, a note says "You can edit the footer here: Libraries > Footer. The header: Libraries > Header."

Illustration 11: Quick Shop – out of the box

This is the result in the frontend.



## The backend - ready to use

This screenshot shows the TYPO3 backend interface for the 'quick shop' extension. The left sidebar lists several pages under the 'quick shop' category, including 'shopping cart', 'shipping', 'terms and conditions', 'legal info', 'librarians', and 'Quick Shop - Products'. The main content area displays the 'Page (6)' configuration for the root page. It includes sections for 'Page title', 'Page content', 'Header', and 'Template'. The 'Page title' section contains the title 'L2craser for Quickshop' and the template 'page\_intro\_1\_002'. The 'Page content' section is currently empty.

Illustration 12: Items on the root page – installed by Quick Shop Installer

This screenshot shows the TYPO3 backend interface for the 'cart' page. The left sidebar lists the 'shopping cart' page under the 'quick shop' category. The main content area displays the 'Page content (7)' configuration for the 'cart' page. It includes sections for 'Header', 'Template', and 'Fields'. The 'Header' section contains the title 'L2craser for Quickshop'. The 'Template' section contains the template 'page\_shop\_cart\_003'. The 'Fields' section lists various fields such as 'title', 'location', 'surname', 'first name', 'street and number', 'zip', 'location', 'e-mail', 'phone', 'fax', 'note', 'key word', 'shipping', 'terms and conditions', and 'Confirm', each with its own set of edit icons.

Illustration 13: Items on the cart page – installed by Quick Shop Installer

This screenshot shows the TYPO3 backend interface for the 'Quick Shop - Products' category. The left sidebar lists the 'Quick Shop - Products' page under the 'quick shop' category. The main content area displays the 'Quick Shop Category (3)' and 'Quick Shop Product (6)' configurations. The 'Category' section lists three categories: 'books', 'devices', and 'sup.'. The 'Product' section lists six products: 'Base cap (.blue)', 'Base cap (.green)', 'Base cap (.red)', 'Duz', 'Flever', and 'Scooter Images', each with its own set of edit icons.

Illustration 14: Items in the product folder – installed by Quick Shop Installer

# Adapt HTML, CSS and TypoScript

You can adapt the HTML code, the CSS and the TypoScript to your needs.

## Quick Shop Template

The Quick Shop Template is an own extension (base\_quickshop). See

- Quick Shop Template  
[http://typo3.org/extensions/repository/view/base\\_quickshop/current/](http://typo3.org/extensions/repository/view/base_quickshop/current/)
- Manual  
[http://typo3.org/extensions/repository/view/base\\_quickshop/current/info/?tx\\_terfe\\_pi1%5BdownloadFile%5D=doc%252Fmanual.pdf&cHash=a8b89cf90f](http://typo3.org/extensions/repository/view/base_quickshop/current/info/?tx_terfe_pi1%5BdownloadFile%5D=doc%252Fmanual.pdf&cHash=a8b89cf90f)

The Manual is a tutorial. If you want adapt the basic HTML, CSS or TypoScript, you should find there every information.





Illustration 15: Adapt your HTML and CSS

Illustration 16: Adapt your TypoScript

# Helpful suggestions

## Forum

If you have helpful suggestions, feel free to publish any question, bug or code snippet on

- <http://typo3-browser-forum.de/>

Quick Shop has its own forum.

Posts are welcome in English and German.



# To-Do List

Nothing to do.

# Further Information

## About the plugin icon

The concept of the icon:




Illustration 17: The logo

- The shopping cart is a common symbol for online shops.
- The colour of the stripe, orange, is one of the TYPO3 colours and the colour of the company, which created this extension – Die Netzmacher GbR.

## Other extensions published by Die Netzmacher

-  Green Cars (Grüne Autos) - Database optimized for ecological cars. It is a case study and demonstrates, how to get a complex database with the Browser in three hours only.  
<http://gruene-autos.org/>
-  Jobmarket is a catalogue with job offers. Views, the a-z-browser, the page-browser, the search, social bookmarks and a lot of other stuff can configured by the Browser plugin with the mouse. Job Market hasn't any PHP code, it should be easy to adapt it to your needs.  
<http://typo3-job-market.de/>
-  logical\_form: A frontend plugin for evaluating forms. I.e you can evaluate mail addresses.  
[http://typo3.org/extensions/repository/view/logical\\_form/current/](http://typo3.org/extensions/repository/view/logical_form/current/)
-  Majordomo: For subscribing to and unsubscribing from a majordomo mailing list.  
<http://typo3.org/extensions/repository/view/majordomo/current/>
-  Organiser provides a lot of features for handle news, events, staff, headquarters, locations, repertoire, workshops and a calendar. Sell your online tickets! Available from April of 2011  
<http://typo3-organiser.de/>
-  PDF Controller: Easy to install. Add to your HTML page the PDF-controller-button. Link from the button to the controller. Adjust the controller by mouseclicks. The PDF Controller supports CSS 3.  
<http://typo3-pdfcontroller.de/>
-  seo\_dynamic\_tag: Search Engine Optimisation. You can generate values dynamically with this extension especially for the <title>-tag, for the <meta>-tag description and the <meta>-tag keywords.  
[http://typo3.org/extensions/repository/view/seo\\_dynamic\\_tag/current/](http://typo3.org/extensions/repository/view/seo_dynamic_tag/current/)
-  TSconfig Pages and Users by extManager (extkey: tsconf): Configure the the eight most commonly used TSconfig properties with the mouse - like page tree uids, activated extended view, activated clipboard, ...  
<http://typo3.org/extensions/repository/view/tsconf/current/>
-  tt\_news select configuration (extkey: ttnews\_selectconf) enables to select tt\_news by any SQL clause. The extension adds an andWhere clause to the SQL query of the tt\_news plugin. I. e. it is possible to display tt\_news items in dependence on the ownership of a fe\_user.  
[http://typo3.org/extensions/repository/view/ttnews\\_selectconf/current/](http://typo3.org/extensions/repository/view/ttnews_selectconf/current/)
-  Wine Catalogue provides a data base for wine with regions, wineries, styles, variety and ageing among others. It is localized. English, German and Spanish ist of the box. Wine based on the extension Browser.  
<http://typo3-wine.de/>



## Manual in PDF

You find this manual as PDF file at

- doc/manual.pdf
- [http://typo3-quick-shop.de/typo3conf/ext/quickshop\\_installer/doc/manual.pdf](http://typo3-quick-shop.de/typo3conf/ext/quickshop_installer/doc/manual.pdf)



Illustration 18: PDF-Manual

## About the Author

### Dirk Wildt



Illustration 19: The Author - a little bit blurred

Dirk Wildt (\* 1963 Hamburg/Germany)

Founder of [Die Netzmacher GbR](#) (Erfurt/Weimar)

Founder of [TYPO3 Usergroup Thuringia](#)

Member of [TYPO3 Usergroup Leipzig](#)

2003: Founding think visually! It is Die Netzmacher since 2009.

2000 - 2002: Financial Controller, G.E.B.B

1999 - 2000: Financial Controller, G|M|Z - Tagesspiegel-Gruppe

1997 - 1999: Spokesman, Senatsverwaltung für Finanzen, Berlin

1989 - 1997: Editor and Financial Controller, taz, die tageszeitung

1982 - 1989: Freelancing Press Photographer

# Change Log

## 2.1.1 Improvement

- \* 00000: Update for Powermail
  - Effect file: class.tx\_quickshopinstaller\_pi1.php
  - \* Powermail static template default and css basic will included
- \* 00000: Missing recipient in powermail form
  - ###MAIL\_DEFAULT\_SENDER### -> ###MAIL\_DEFAULT\_RECIPIENT###
- \* 00000: New value SKU

## 2.1.0 Improvement

- \* 00000: Update for Browser version 3.7.9 (record browser)
  - Effect file: class.tx\_quickshopinstaller\_pi1.php
  - \* createPlugins
  - \* createTypoScript

## 2.0.0 Improvement

- Individual layout for each product

## 1.0.6 Bugfixes

- 12237: Possible conflict with wasted TypoScript code
- 12236: Possible conflict with TypoScript constant

## 1.0.5 Bugfixes

- 11900: Powermail update +++ template with changed properties
  - TypoScript line is removed:  
powermail.template.fieldWrap = EXT:quick\_shop/res/tmpl\_fieldwrap.html

## 1.0.4 New Feature

- 11856: Installing Quick Shop with enabled AJAX

## Bugfixes

- 11858: baseURL without an ending slash
- 11756: Browser plugin/flexform is updated to Browser version 3.6.0

## 1.0.3 Bugfixes

- 9686: Installer uses base\_quickshop in any case
- 9632: Installer PHP Error

## 1.0.2 Improvements

- Powermail: Shop got a sender name in mails
- Powermail: Labels with an empty value will be hidden

## 1.0.1 Initial release

# Illustration Index

|   |    |
|---|----|
| Illustration 1: Install a shop – with one click!.....                                 | 3  |
| Illustration 2: The out-of-the-box Quick Shop after one click.....                    | 3  |
| Illustration 3: Start the installation with one page.....                             | 3  |
| Illustration 4: Backend after the click in the frontend.....                          | 3  |
| Illustration 5: Extension Manager with loaded extensions.....                         | 7  |
| Illustration 6: Example with an empty TYPO3 installation<br>.....                     | 8  |
| Illustration 7: The installer page created by the extension manager.....              | 8  |
| Illustration 8: The installer plugin.....   | 8  |
| Illustration 9: The installer page in the frontend.....                               | 9  |
| Illustration 10: The installer report.....  | 10 |
| Illustration 11: Quick Shop – out of the box.....                                     | 11 |
| Illustration 12: Items on the root page – installed by Quick Shop Installer.....      | 12 |
| Illustration 13: Items on the cart page – installed by Quick Shop Installer.....      | 12 |
| Illustration 14: Items in the product folder – installed by Quick Shop Installer..... | 12 |
| Illustration 15: Adapt your HTML and CSS.....   | 13 |
| Illustration 16: Adapt your TypoScript.....   | 13 |
| Illustration 17: The logo.....  | 16 |
| Illustration 18: PDF-Manual.....  | 17 |
| Illustration 19: The Author - a little bit blurred.....                               | 17 |