# Quick Shop Installer

Quick Shop Installer enables you to install the Quick Shop out of the box. You need one click only for a ready-to-use shop in English or German - with sample products.

Version: 4.0.1, 2013-12-28

Extension Key: quickshop_installer

Language: en

Keywords: forDevelopers, forIntegrators, quick shop, installer, caddy, cart, shopping, wt_cart

Copyright 2010 - 2013, Dirk Wildt, Die Netzmacher, <http://wildt.at.die-netzmacher.de>

Table of Contents

Screenshots

Frontend

Quick Shop Installation

Check extension dependencies

✅ Template Auto-parser (automaketemplate) is loaded.

✅ Quick Shop - Template (base_quickshop) is loaded.

✅ Browser - the TYPO3-Frontend-Engine (browser) is loaded.

✅ Powermail (powermail) is loaded.

✅ Quick Shop (quick_shop) is loaded.

✅ Shopping Cart for TYPO3 (wt_cart) is loaded.

Start the Installation

ℹ️ Create a backend group
ℹ️ Create a page tree
ℹ️ Create the plugins browser, wt_cart and powermail
ℹ️ Create page content
ℹ️ Create TypoScript for the browser, wt_cart and powermail
ℹ️ Create configuration records for powermail
ℹ️ Create six example products
ℹ️ Create product images
ℹ️ Create page content
ℹ️ Consolidating

Start the Installation

[Install it!]

Illustration 1: Install the shop – with one click!

Illustration 2: Quick Shop ready-to-use with one click.

Backend

Illustration 3: One-click-installation in the extension manager.

Illustration 4: Backend after the one-click-installation.

Introduction

What does it do?

- The Quick Shop Installer is an installer only.
- The Quick Shop Installer enables you to install the Quick Shop (quick_shop) ready-to-use.
- The Quick Shop Installer supports English and German: you can install the Quick Shop in English or German.

What do you need?

- A TYPO3 installation only. The installation can be empty.

Audience

- TYPO3 agencies
- TYPO3 integrators
- TYPO3 developers

Quick Installation

1. Install this Extension – Quick Shop Installer

2. Install the installer page with the extension manager.

3. Configure the plugin Quick Shop Installer: activate the installation in the frontend.

4. Load the page in the frontend.

5. Click "Install it!"

6. Click "Reload!"

Principles and preconditions

Principles

No needs for an empty TYPO3 installation

I'm using a new TYPO3 installation for this manual. The new installation is empty of course.

But there isn't any need to take an empty TYPO3 installation. You are welcome to install the Quick Shop with this installer in every TYPO3 installation you want.

Preconditions

TYPO3 from 4.5 to 6.1 is recommended

TYPO3 from 4.5 to 6.1 is recommended. All used extensions are tested in version from 4.5 to 6.1 but not in versions older than 4.5.

You can use the Quick Shop in older or newer TYPO3 versions too. But maybe some details won't be running proper.

Latest extensions

You are needing the latest extensions! This are

- automaketemplate (optional: if you like to use the quick-shop template)
- base_quickshop (optional: if you like to use the quick-shop template)
- browser
- caddy
- cps_tcatree
- quick_shop
- quickshop_installer
- powermail
- t3_tcpdf
- t3_jquery (optional: if you like to use the quick-shop template with proper JavaScript)

Installation

Extension manager

Install the Quick Shop Installer

Install this extension: Quick Shop Installer supported by the extension manager.

Install the installer page out of the box

Illustration 5: Extension Manager with loaded extensions

- If you like to change the language, please change the language (1)

- If you like to add the installer page in the backend, please set the field "Installer page" to "Yes" (2)
  You will get a prompt with some information.

Backend: install page

Enable the installation page in the frontend

Illustration 6: Example with an empty TYPO3 installation

Illustration 7: The installer page created by the extension manager

Please reload your page tree.

The Quick Shop Installer

- will be placed at the bottom of the tree (1)
- with the installer plugin (2) and
- a ready TypoScript template (3)

Configure the installer plugin

Illustration 8: The installer plugin

1. Set "Installation" to
   - Quick Shop with website template or
   - Quick Shop only
1. Select the backend-user, who will be the owner of all generated pages and sysfolders.
2. If you will run quick shop with another URL than the current URL, please configure it.
3. Edit the title of your website.
4. Edit the subjects for mails.

5. Edit the sender address for mails.

Save the flexform / plugin.

Visit the Quick Shop Installer in your frontend.

Language

The language of the installation process and the result depends on your current backend language.

Frontend: Install Quick Shop with one Click

Install the Quick Shop

Illustration 9: The installer page in the frontend

Reload the page in the frontend. You will receive the installer page. Language depends on the language of the backend admin.

Dependencies and conditions

The installer will check dependencies and conditions.

If the installer expects trouble, you will get a prompt. Try to solve the problem.

Install it!

Install the Organiser:

- Klick [Install it!]

Report

Die Installation war erfolgreich!

Backend Benutzergruppe "quick_shop" **1**

✔ Quick Shop Installer räumt der Gruppe "quick_shop" (uid 2) volle Rechte an allen Seiten und Verzeichnissen des Quick Shops ein.

Seiten und Verzeichnisse **2**

✔ Die Seite "Warenkorb" (uid 2) wurde erstellt.

✔ Die Seite "Quick Shop: 1click" (uid 1) wurde erstellt.

✔ Die Seite "Bibliotheken > Kopf" (uid 8) wurde erstellt.

✔ Die Seite "Bibliotheken > Fuß" (uid 9) wurde erstellt.

TypoScript **3**

✔ Das TypoScript "page_quickshop:1click_002" (uid 2) wurde der Seite "Quick Shop: 1 click" (uid 1) zugefuegt.

✔ Das TypoScript "+page_warenkorb_003" (uid 3) wurde der Seite "Warenkorb" (uid 2) zugefuegt.

Plugins **4**

✔ Das Plugin "[Browser fuer Quickshop]" wurde der Seite "Quick Shop: 1 click" (uid 1) zugefuegt.

✔ Das Plugin "Warenkorb" wurde der Seite "Warenkorb" (uid 2) zugefuegt.

✔ Das Plugin "[Powermail fuer Quickshop]" wurde der Seite "Warenkorb" (uid 2) zugefuegt.

Datensaetze **5**

✔ Der Datensatz "Rechnungsadresse" wurde in die Tabelle "Powermail Feldgruppen" im Ordner "Warenkorb" (uid 2) eingefuegt.

✔ Der Datensatz "Lieferadresse" wurde in die Tabelle "Powermail Feldgruppen" im Ordner "Warenkorb" (uid 2) eingefuegt.

✔ Datei "cup_1339616854.jpg" wurde in "uploadsalle "Powermail Feldgruppen" im Ordner "Warenkorb" (uid 2) eingefuegt.

✔ Datei "pullover_1339616854.jpg" wurde in "uploads/tx_quickshop" erstellt im Ordner "Warenkorb" (uid 2) eingefuegt.

Seiteninhalt **6**

✔ Inhalt "Versand" zur Seite "Versand" (uid 3) zugefuegt.

✔ Inhalt "AGB - Allgemeine Geschaeftsbedingungen" zur Seite "AGB" (uid 4) zugefuegt.

✔ Inhalt "[Kopfzeile]" zur Seite "Kopf" (uid 8) zugefuegt.

✔ Inhalt "[Fusszeile]" zur Seite "Fuß" (uid 9) zugefuegt.

Konsolidierung **7**

✔ Seite "Quick Shop: 1 click" (uid 1) (title, media, TSconfig) ist aktualisiert.

✔ Datei "typo3_quickshop_1339616854.jpg" wurde in "uploads/media/" erstellt.

✔ Element "Powermail fuer Quickshop" ("sender" auf der Seite oc_powermail_sendername" auf der Seite "Warenkorb" (uid 2) ist aktualisiert.

✔ Element "+page_warenkorb_003" ("constants") auf der Seite "Warenkorb" (uid 2) ist aktualisiert.

Installation beenden! **8**

ⓘ TYPO3 Backend: Bitte schliesse das Bearbeitungsfenster, ohne es zu speichern. Lade den Seitenbaum neu.

ⓘ TYPO3 Backend: Enferne den Quick Shop Installer, wenn Du ihn nicht mehr brauchst!

┌─ Installation beenden! ─────────────────────────────────────┐
│   Seite neu laden │
└───┘

Illustration 10: The installer report

You will receive an installation report. Read it or leave it.

1. The choosen backend group for the backend access management
2. Created pages and folders
3. Created TypoScripts
4. Created plugins
5. Created records
6. Created page content
7. Consolidation steps (some uids are known at the end of the workflow).
8. The next steps.

Reload the page with the button at the bottom. See the result below.

Finish Installation

There will be the two informations for the backend:

- TYPO3 backend: Please close the edit area and reload the page tree.
- TYPO3 backend: Please delete the extension Quick Shop Installer, if you don't need it any longer.

Please do your job now or later.

Finish the installation:

- Click [Reload this page]

Quick Shop

The frontend – ready-to-use

Illustration 11: Quick Shop – ready-to-use

This is the result in the frontend.

The backend – ready-to-use

Illustration 12: Whole website – installed by the Quick Shop Installer

Illustration 13: Items on the Caddy page – installed by Quick Shop Installer

Illustration 14: Items in the product folder – installed by Quick Shop Installer

Adapt HTML, CSS and TypoScript

You can adapt the HTML code, the CSS and the TypoScript to your needs.

Quick Shop Template

The Quick Shop Template is an own extension (base_quickshop). See

- Quick Shop Template
  http://typo3.org/extensions/repository/view/base_quickshop/

- Manual
  http://typo3-quick-shop.de/typo3conf/ext/base_quickshop/doc/manual.pdf

The Manual is a tutorial. If you want to adapt the basic HTML, CSS or TypoScript, you will find some information.

Helpful suggestions

Forum

If you have helpful suggestions, feel free to publish any question, bug or code snippets on

- Quick Shop forum.
  http://typo3-quick-shop.de/forum/

Posts are welcome in English and German.

Further Informations

Other extensions published by Die Netzmacher

- +AOE Linkhandler Configurator: Configure the AOE linkhandler supported by userinterfaces. Out-of-the-box templates for cal, org, tt_news and tt_products. Don't edit page TSconfig any longer.
  http://typo3.org/extensions/repository/view/linkhandlerconf/

- autositemap: A smart site-map optimised for the footer. It groups menus in columns. Great menus will get two columns. Configuration is based on TypoScript HMENU.
  http://typo3.org/extensions/repository/view/autositemap/

- Browser – TYPO3 without PHP. Develop your TYPO3 extension 8 times faster! You need one line TypoScript for a result list with a search form, a record browser and an index browser. Images are wrapped self-acting. SEO, Search Engine Optimization, is integrated. http://typo3.org/extensions/repository/view/browser/

- Caddy – the TYPO3 shopping cart. You can use it for your own needs. You need a database with products or any other items only. You can install Caddy out of the box with one mouse click – see Quick Shop below.
  http://typo3.org/extensions/repository/view/caddy/

- Flip it! offers lovely and smooth page flip transitions. It enables you to run over pages in PDF documents like in a real magazine. It is based on flash. Flipt it! can convert PDF documents to swf files automatically.
  http://typo3.org/extensions/repository/view/flipit/

- Green Cars (Grüne Autos) - Database optimized for ecological cars. It is a case study and demonstrates, how to get a complex database with the browser (see above) in three hours only.
  http://typo3.org/extensions/repository/view/green_cars/

- Jobmarket is a catalogue with job offers. Views, the a-z-browser, the page-browser, the search, social bookmarks and a lot of other stuff can configured by the Browser plugin with the mouse.
  http://typo3.org/extensions/repository/view/job_market/

- Organiser – TYPO3 for the lobby and the organisers. Handle news, events, staff, headquarters, locations, workshops and a calendar with one extension. Sell online tickets! Install the Organiser with one mouse click!
  http://typo3-organiser.de/

- Quick Shop – the fastest shop in the history of TYPO3. Install it with one mouse click! Quick Shop is based on the browser (see above) and powermail.
  http://typo3-quick-shop.de/

- PDF Controller: Easy to install. Add to your HTML page the PDF-controller-button. Link from the button to the controller. Adjust the controller by mouseclicks. The PDF Controller supports CSS 3.
  http://typo3-pdfcontroller.de/

- Radial Search (German: Umkreissuche) for your TYPO3 database. Your data must have a latitude and a longitude. The Browser – TYPO3 without PHP – has it integrated.
  http://typo3.org/extensions/repository/view/radialsearch/

- Route – Publish your routes with GoogleMaps or OpenStreetMap. Routes have points of interest (POI). You can categorise and filter both: routes and POI. Address data can geocoded automatically.
  http://typo3.org/extensions/repository/view/route/

- seo_dynamic_tag: Search Engine Optimization for the title tag, the canonical tag and the meta tags author, description and keywords. Configuration by a user interface.
  http://typo3.org/extensions/repository/view/seo_dynamic_tag/

- TSconfig Pages and Users by extManager (extkey: tsconf): Configure the the eight most commonly used TSconfig porperties with the mouse - like page tree uids, activated extended view, activated clipboard, ...
  http://typo3.org/extensions/repository/view/tsconf/

- tt_news select configuration (extkey: ttnews_selectconf) enables to select tt_news by any SQL clause. The extension adds an andWhere clause to the SQL query of the tt_news plugin.
  http://typo3.org/extensions/repository/view/ttnews_selectconf/

- Wine Catalogue provides a data base for wine with regions, wineries, styles, variety and ageing among others. It is localized. English, German and Spanish ist of the box. Wine based on the extension browser (see above).
  http://typo3.org/extensions/repository/view/wine/

Manual in PDF

You find this manual as PDF file at

- doc/manual.pdf
- http://typo3-quick-shop.de/typo3conf/ext/
 quickshop_installer/doc/manual.pdf

About the Author

Dirk Wildt

Illustration 15: The
Author - a little bit
blurred

Dirk Wildt (* 1963 Hamburg/Germany)

Founder of Die Netzmacher GbR (Erfurt/Weimar)

Founder of TYPO3 Usergroup Thuringia

Member of TYPO3 Usergroup Leipzig

2003: Founding think visually! It is Die Netzmacher since 2009.

2000 - 2002: Financial Controller, G.E.B.B

1999 - 2000: Financial Controller, G|M|Z - Tagesspiegel-Gruppe

1997 - 1999: Spokesman, Senatsverwaltung für Finanzen, Berlin

1989 - 1997: Editor and Financial Controller, taz, die tageszeitung

1982 - 1989: Freelancing Press Photographer

To-Do List

Nothing to do.

Known Bugs

Please refer to

- http://forge.typo3.org/projects/extension-quickshop_installer/issues

Change Log

4.0.1	**Feature**	
	* #i0013: Alternate URL for extension download	

4.0.0   **Feature**
* #i0012: Dependency t3_tcpdf
* #53358: Fit it into TYPO3 6.x

3.1.2   **Feature**
* #53155: Powermail e-mail to client with note field

3.1.1   **Bugfix**
* #i0011: module page caddy mini

3.1.0   **Bugfix**
* #i0010: siteroot
Features
* #i0009: Consolidation, header slider

3.0.6   **Features**
* #i0008: no_cache = 1 -> //no_cache = 1
Bugfix
* #i0009: page caddy doesn't include static typoscript files

3.0.5   **Features**
* #i0007: * Mini Caddy

3.0.4   **Features**
* #i0006: * jQuery fade in for delivery address
Improvements
* #i0005: * Update for Caddy 2.0.8 and Quick Shop 3.0.5

3.0.3   **Improvements**
* #i0004: Improvements for Quick Shop 3.0.2 - nested categories
* #i0003: Improvements for caddy 3.0.3 - mini caddy among others

3.0.2   **Improvement**
* #i0002: localisation

3.0.1   **Feature**
* #i0001: Power of Revocation

3.0.0   **New Feature**
* #46253: Move from wt_cart to caddy
Improvements
* #46270: Consolidate code

2.1.2   **Bugfix**
* #42526: Empty page, if installer plugin was never saved

2.1.1   **Improvement**
* 00000: Update for Powermail
        Effected file: class.tx_quickshopinstaller_pi1.php
         * Powermail static template default and css basic will included
* 00000: Missing recipient in powermail form
         ###MAIL_DEFAULT_SENDER### -> ###MAIL_DEFAULT_RECIPIENT###
* 00000: New value SKU

2.1.0   **Improvement**
* 00000: Update for Browser version 3.7.9 (record browser)
        Effected file: class.tx_quickshopinstaller_pi1.php
         * createPlugins
         * createTyposcript

2.0.0   **Improvement**
- Individual layout for each product

1.0.6   **Bugfixes**
- 12237: Possible conflict with wasted TypoScript code

- 12236: Possible conflict with TypoScript constant

| 1.0.5 | **Bugfixes** |

- 11900: Powermail update +++ template with changed properties
  TypoScript line is removed:
  powermail.template.fieldWrap = EXT:quick_shop/res/tmpl_fieldwrap.html

| 1.0.4 | **New Feature** |

- 11856: Installing Quick Shop with enabled AJAX

Bugfixes
- 11858: baseURL without an ending slash
- 11756: Browser plugin/flexform is updated to Browser version 3.6.0

| 1.0.3 | **Bugfixes** |

- 9686: Installer uses base_quickshop in any case
- 9632: Installer PHP Error

| 1.0.2 | **Improvements** |

- Powermail: Shop got a sender name in mails
- Powermail: Labels with an empty value will be hidden

| 1.0.1 | **Initial release** |

Illustration Index