

Start TYPO3 Responsive Customer

Control the design of Start TYPO3 Responsive! and the responsive framework Foundation (Zurb) with a user interface. Start TYPO3 Responsive Customer enables you to configure a lot of CSS properties by a mouse click. Copy Start TYPO3 Responsive Customer, rename it and adapt it to your needs.



Version: 2.1.0, 2015-09-23

Extension Key: startcustomer

Language: en

Keywords: start, responsive, foundation, backend, layouts, grid, customer

Copyright 2014-2015, Dirk Wildt - Die Netzmacher, <<http://wildt.at.die-netzmacher.de>>

Table of Contents

Start TYPO3 Responsive Customer	1	Reference	10
Screen Shots	3	Start Customer [1] – Constants	10
Frontend	3	Start Customer [1] – Setup	11
Backend	4	Start Customer [8] +E-Mail	12
Start TYPO3 Responsive! (start) adds 11 forms to the TypoScript user interface of TYPO3 (on the left hand) . . 4		Adapt startcustomer to your needs	13
The extension Start TYPO3 Responsive Customer (startcustomer) adds seven forms more (on the right hand)	4	CSS	13
Introduction	5	HTML	13
What does it do?	5	Make your own Customer Extension	14
What do you need?	5	Workflow	14
Audience	5	Further Information	15
Installation	6	Website	15
User Interface: Constant Editor	7	Manual in PDF	15
START – CUSTOMER - CONFIG	7	Forum	15
START – CUSTOMER – CSS - A	7	Development	15
START – CUSTOMER – CSS - BACKGROUND	8	Professional Support	15
START – CUSTOMER – CSS - BREADCRUMBS	8	Credits	15
START – CUSTOMER – CSS - FOOTER	9	Other extensions published by Die Netzmacher	16
START – CUSTOMER – CSS - ICON-BAR	9	Known Bugs	17
START – CUSTOMER – CSS - TOP-BAR	9	Change Log	18
		Illustration index	19
		Alphabetical Index	20

Screen Shots

Frontend




Illustration 1: Start with the default CSS of Foundation




Illustration 2: Start with the default CSS of startcustomer




Illustration 3: Start with an adapted startcustomer

Links

- <http://start-typo3-responsive.de/>
- <http://die-exen.de/>

Backend



Template tools

Edit constants for template

+ext_start_0624 +ext_start_0624

Category




Illustration 4: User interface with 11 forms



Template tools

Edit constants for template

start TYPO3 responsive_0623 (Start TYPO3 Resp

Category




Illustration 5: Extended user interface

Start TYPO3 Responsive! (start) adds 11 forms to the TypeScript user interface of TYPO3 (on the left hand)
The extension Start TYPO3 Responsive Customer (startcustomer) adds seven forms more (on the right hand)



Template tools

Edit constants for template

+ext_startcustomer_0626 +ext_startcustomer_0626

Category




Illustration 6: One of several forms: colours for the Top-Bar

Introduction

What does it do?

- Start TYPO3 Responsive Customer (startcustomer) extends Start TYPO3 Responsive! (start).
- Start TYPO3 Responsive Customer enables you to configure a lot of CSS properties by a mouse click.
For example:
 - You can controll most of the colours of the responsive framework Foundation (Zurb).
 - You can select a theme with background-images or add an own theme.
- You can move Start TYPO3 Responsive Customer to your own extension:
Copy it, rename it and adapt it to your needs.

What do you need?

- Start TYPO3 Responsive! (start)

Audience

- TYPO3 agencies
- TYPO3 integrators
- TYPO3 developers

Installation

Install this extension.

Include the static templates Start Customer [1] below the Start templates.

Adapt Start properties with the Constant Editor to your needs.

User Interface: Constant Editor

START – CUSTOMER - CONFIG

Prefix: start.customer.config

Property:	Data type:	Description:	Default
lockFilePath	string	lockFilePath: This is used to lock paths to be "inside" this path. Directory must correspond with fileList. See Constant Editor [START - NETZMACHER - CSS - BACKGROUND]. Without any ending slash. TYPO3 default value: fileadmin	typo3conf

START – CUSTOMER – CSS - A

Prefix: start.customer.css

Property:	Data type:	Description:	Default
a	string/colour	a	#FF7700
a.active	string/colour	a.active	#008CBA




Illustration 7: Theme Carousel – image 1




Illustration 8: Theme Carousel – image 2




Illustration 9: Theme Carousel – image 3

Start TYPO3 Responsive Customer provides the two themes carousel and worldwideweb. Each theme has several images, they will displayed randomised. You can extend the extension with your own theme.

Live example with another theme:

- <http://die-netzmacher.de/>

START – CUSTOMER – CSS - BACKGROUND

Prefix: start.customer.css.background

Property:	Data type:	Description:	Default
color	string/colour	background color:	#FF7700
extensions	string	allowed extensions: Comma-separated list of allowed extensions (no spaces between)	jpg,jpeg,png,gif
filelist	string	file path: path to the directory with the background themes. First directory must correspond with config.lockfile. See Constant Editor [START - NETZMACHER - CONFIG]. Without any ending slash. Default: typo3conf/ext/startcustomer/Resources/Public/Css/background/fotos	See description
theme	string	theme <ul style="list-style-type: none"> • no theme • carousel • worldwideweb 	carousel
random	boolean	randomised: BE AWARE: this property can be a performance killer, because caching will be disabled.	FALSE
listNum	integer	number of image: 0: first image. 1: second image. 2: third image. ... last: last image. Hasn't any effect, if background is randomised. See property above.	0
sorting	string	Sorting: Sort by date, ext, mdate (modification date), name, size. Hasn't any effect, if background is randomised. See property above.	name
reverse	string	Reverse: Set to "r" if you want a reversed sorting. Hasn't any effect, if background is randomised. See property above.	

START – CUSTOMER – CSS - BREADCRUMBS

TYPO3 Start Customer

START TYPO3 RESPONSIVE / PAGE 2 / PAGE 2.2

Illustration 10: Breadcrumbs

Prefix: start.customer.css.breadcrumbs

Property:	Data type:	Description:	Default
default	string/colour	default	#FF7700
current	string/colour	current	#333333
unavailable	string/colour	unavailable	#999999
devider	string/colour	devider	#AAAAAA
devider.content	string	devider content	/

START – CUSTOMER – CSS - FOOTER

Prefix: start.customer.css.footer

Property:	Data type:	Description:	Default
background	string/colour	background	#FF7700
color	string/colour	color	#FFFFFF
a	string/colour	a	#FFD6B3
a.active	string/colour	a.active	#FFFFFF

START – CUSTOMER – CSS - ICON-BAR




Illustration 11: Icon-Bar

Prefix: start.customer.css.icon-bar

Property:	Data type:	Description:	Default
background	string/colour	background	#FF7700
background.active	string/colour	background.active	#008CBA

START – CUSTOMER – CSS - TOP-BAR

See screenshot at Screenshots > Backend on page 4 above.

Prefix: start.customer.css.top-bar

Property:	Data type:	Description:	Default
background	string/colour	background	#FF7700
background.active	string/colour	background.active	#008CBA
background.active.hover	string/colour	background.active.hover	#0078a0
separator	string/colour	separator	#FFA04D
a	string/colour	a	#FFFFFF
a.active	string/colour	a.active	#FFFFFF
a.active.hover	string/colour	a.active.hover	#FFFFFF
menu-icon-active	string/colour	menu-icon-active	#FFA04D

Reference

It is recommended to use the TYPOScript user interface – the Constant Editor – for editing TYPOScript.

Start Customer [1] – Constants

TYPOScript template Start Customer [1]. See: Configuration/TYPOScript/Base/

start.config

Prefix: start

Property:	Data type:	Description:
config	array	<pre> start { config { baseURL = http://customer.de/ headerComment = Responsive TYPO3 developed by http://die-netzmacher.de: pageTitleFirst = 1 language = de htmlTag_langKey = de locale_all = de_DE.UTF-8 tx_realurl_enable = 1 } } </pre>

start.foundation

Prefix: start.foundation

Property:	Data type:	Description:
topbar	array	<pre> start { foundation { topbar { name = Start Customer title = Customising Start TYPO3 Responsive Customer } } } </pre>

Start Customer [1] – Setup

TypoScript template Start Customer [1]. See: Configuration/TypoScript/Base/

config

Property:	Data type:	Description:
config	array	<pre>config { lockFilePath = {\$start.customer.config.lockFilePath} }</pre>

Page

Prefix: page.cssInline

Property:	Data type:	Description:
44444	array	<pre>page { cssInline { // Start colours 44444 = TEXT 44444 { value (a { color: {\$start.customer.css.a}; } a:hover, a:focus { color: {\$start.customer.css.a.active}; } ...) } @media only screen and (min-width: 40.063em) { .top-bar { background: {\$start.customer.css.top-bar.background}; } .top-bar.expanded { background: {\$start.customer.css.top-bar.background}; } ... } } }</pre>

Start Customer [8] +E-Mail

TypoScript template Start Customer [8] +E-Mail. See: Configuration/TypoScript/EMail/

Page

Prefix: page

Property:	Data type:	Description:
cssInline	array	<pre> page { cssInline { // customer.css 90 = FILE 90 { file = typo3conf/ext/startcustomer/Resources/Public/Css/EMail/customer.css } } } </pre>




Illustration 12: Customised responsive Newsletter

Adapt startcustomer to your needs

CSS

Own CSS file

Include your CSS file like in the snippet below.

```
page.includeCSS {
    myOwnCSS = fileadmin/myown.css
}
```

HTML

Please refer to the manual of Start TYPO3 Responsive! (start). Look for the section

- Adapt Start to your needs

Make your own Customer Extension

Workflow

Copy the Extension

Copy the extension like

```
typo3conf/ext$ cp -aR startcustomer startclient1
```

Replace "Customer" in file labels

Find all files with the label customer and rename it like in the sample below:

Search and replace with the option "match case"!

```
// Before renaming

typo3conf/ext/startcustomer$ find . -name *customer*
./Resources/Public/Css/EMail/customer.css
./Resources/Public/Css/background/typo3_customer_background.png
./Resources/Public/Css/background/claims/customer_typo3_responsive_04.jpg
./Resources/Public/Css/background/claims/customer_typo3_responsive_01.jpg
./Resources/Public/Css/background/claims/customer_typo3_responsive_02.jpg
./Resources/Public/Css/background/claims/customer_typo3_responsive_03.jpg
./Resources/Private/Extensions/Pdfcontroller/customer.pdf

typo3conf/ext/startcustomer$ find . -name *Customer*
./Configuration/TypoScript/Base/Start/Customer

// After renaming

typo3conf/ext/startcustomer$ find . -name *myclient*
./Resources/Public/Css/EMail/myclient.css
./Resources/Public/Css/background/typo3_myclient_background.png
./Resources/Public/Css/background/claims/myclient_typo3_responsive_04.jpg
./Resources/Public/Css/background/claims/myclient_typo3_responsive_01.jpg
./Resources/Public/Css/background/claims/myclient_typo3_responsive_02.jpg
./Resources/Public/Css/background/claims/myclient_typo3_responsive_03.jpg
./Resources/Private/Extensions/Pdfcontroller/myclient.pdf

typo3conf/ext/startcustomer$ find . -name *Myclient*
./Configuration/TypoScript/Base/Start/Myclient
```

Replace "Customer" in files content

Replace in all files the string

- "customer" with "myclient" and
- "Customer" with "Myclient".

Search and replace with the option "match case"!

¹ Where client is the name of your customer or your theme

Further Information

Website

- <http://start-typo3-responsive.de/>

Manual in PDF

You find this manual and the tutorial in PDF format at

- <http://start-typo3-responsive.de/typo3conf/ext/startcustomer/doc/manual.pdf>

Forum

- <http://forum.start-typo3-responsive.de/>

Posts are welcome in English and German.

Development

Bugtracker

See <https://forge.typo3.org/projects/extension-startcustomer/issues>

SVN Repository

Checkout / Download

Latest version / Specific version

```
your@server:/path/to/typo3conf/ext# \
svn co http://die-netzmacher.de/svn/startcustomer/tags/x.x.x startcustomer1
```

Developer version - not recommended!

```
your@server:/path/to/typo3conf/ext# \
svn co http://die-netzmacher.de/svn/startcustomer/trunk startcustomer
```

Update

```
your@server:/path/to/your/typo3conf/ext/startcustomer# svn update
```

Professional Support

If you need professional support, please contact the Developer:

- Dirk Wildt
<http://wildt.at.die-netzmacher.de/>

E-Mails are welcome in English and German.

Credits

Images are from


















- <https://pixabay.com/>

Thanks for share the images uner the Creative Commons CC0² licence.

¹ x.x.x: See <https://tickets.die-netzmacher.de/projects/startcustomer/repository/show/tags>

² <https://creativecommons.org/publicdomain/zero/1.0/deed.en>

Other extensions published by Die Netzmacher

-  +AOE Linkhandler Configurator: Configure the AOE linkhandler supported by userinterfaces. Out-of-the-box templates for cal, org, tt_news and tt_products. Don't edit page TSconfig any longer.
<http://typo3.org/extensions/repository/view/linkhandlerconf/>
-  autositemap: A smart site-map optimised for the footer. It groups menus in columns. Great menus will get two columns. Configuration is based on TypoScript HMENU.
<http://typo3.org/extensions/repository/view/autositemap/>
-  Browser – TYPO3 without PHP. Develop your TYPO3 extension 8 times faster! You need one line TypoScript for a result list with a search form, a record browser and an index browser. Images are wrapped self-acting. SEO, Search Engine Optimization, is integrated. <http://typo3-browser.de/>
-  Caddy – the TYPO3 shopping cart. You can use it for your own needs. You need a database with products or any other items only. You can install Caddy out of the box with one mouse click – see Quick Shop below.
<http://typo3-caddy.de/>
-  Deal! – TYPO3 Quick Shop interface for the marketplace ebay. Manage all items with TYPO3 and publish it on ebay. Amazon is under construction.
<http://typo3-deal.de/>
-  Duty – collection of helpful scheduler tasks. Here: remove deprecated files from directories.
<http://typo3.org/extensions/repository/view/duty/>
-  Flip it! offers lovely and smooth page flip transitions. It enables you to run over pages in PDF documents like in a real magazine. It is based on flash. Flipt it! can convert PDF documents to swf files automatically.
<http://typo3.org/extensions/repository/view/flipit/>
-  Jobmarket is a catalogue with job offers. Views, the a-z-browser, the page-browser, the search, social bookmarks and a lot of other stuff can configured by the Browser plugin with the mouse.
<http://typo3-job-market.de/>
-  Organiser – TYPO3 for the lobby and the organisers. Handle news, events, staff, headquarters, locations, workshops and a calendar with one extension. Sell online tickets! Install the Organiser with one mouse click!
<http://typo3-organiser.de/>
-  Quick Shop – the fastest shop in the history of TYPO3. Install it with one mouse click! Quick Shop is based on the browser (see above) and powermail.
<http://typo3-quick-shop.de/>
-  PDF Controller: Offer a TYPO3 page for PDF download. Individual layout with background PDF file. TYPO3 sessions are supported. Handling of responsive backend layouts and grid elements possible. PDF engine is TCPDF.
<http://typo3-pdfcontroller.de/>
-  Radial Search (Umkreissuche) – Enable the browsing through your data by geo location. 'Your data must have a latitude and a longitude. Address data can geocoded automatically by the Browser - TYPO3 without PHP.
<http://typo3.org/extensions/repository/view/radialsearch/>
-  Route – Publish your routes with GoogleMaps or OpenStreetMap. Routes have points of interest (POI). You can categorise and filter both: routes and POI. Address data can geocoded automatically.
<http://typo3-route.de/>
-  seo_dynamic_tag: Search Engine Optimization for the title tag, the canonical tag and the meta tags author, description and keywords. Configuration by a user interface.
http://typo3.org/extensions/repository/view/seo_dynamic_tag/
-  Slick - jQuery Carousel: Fully responsive. Scales with its container. Separate settings per breakpoint. Uses CSS3 when available. Swipe enabled. Desktop mouse dragging. Infinite looping. Fully accessible.
<http://typo3-slick.de/>
-  Start is installing and managing a responsive TYPO3. Provides a dozen ready-to-use backend layouts and some grid-layouts. Template is included for a responsive newsletter. Based on the responsive framework Foundation (Zurb). <http://start-typo3-responsive.de/>
-  TSconfig Pages and Users by extManager (extkey: tsconf): Configure the the eight most commonly used TSconfig porperties with the mouse - like page tree uids, activated extended view, activated clipboard, ...
<http://typo3.org/extensions/repository/view/tsconf/>

Known Bugs

Take a look at

- <https://forge.typo3.org/projects/extension-startcustomer/issues>

Change Log

2.1.0 **Initial release**

Illustration index

Illustration 1: Start with the default CSS of Foundation	3
Illustration 2: Start with the default CSS of startcustomer	3
Illustration 3: Start with an adapted startcustomer	3
Illustration 4: User interface with 11 forms	4
Illustration 5: Extended user interface	4
Illustration 6: One of several forms: colours for the Top-Bar	4
Illustration 7: Theme Carousel – image 1	8
Illustration 8: Theme Carousel – image 2	8
Illustration 9: Theme Carousel – image 3	8
Illustration 10: Breadcrumbs	8
Illustration 11: Icon-Bar	9
Illustration 12: Customised responsive Newsletter	12

Alphabetical Index

Background	cssInline 11p.	E-Mail 12
CSS 8	Customising 13	cssInline 12
image 8	E-Mail 12	Footer
randomised 8	file 13	CSS 9
Breadcrumbs	footer	Forum 15
CSS 8	a 9	Icon-Bar
Bugtracker 15, 17	background 9	CSS 9
config 11	Icon-Bar	page 9
baseUrl 10	background 9	cssInline 11
headerComment 10	randomised 8	Real URL
htmlTag_langKey 10	background-image 8	tx_realurl_enable 10
language 10	Top-Bar	startcustomer
locale_all 10	a 9	Customising 13
lockFilePath 7, 11	background 9	Support 15
pageTitleFirst 10	menu-icon-active 9	contact 15
tx_realurl_enable 10	separator 9	Developer 15
CSS	@media 11	Forum 15
a 7	Customising	Top-Bar
a.active 7	CSS 13	CSS 9
background color 8	Development	name 10
breadcrumbs	SVN Repository 15	title 10
colours 8	Documentation	
divider 8	PDF 15	