

TS configuration by the extension manager

Configure a default user TS and a default page TS with the extension manager!



Version: 0.0.4, 2011-01-19

Extension Key: tsconf

Language: en

Keywords: forAdmins, forDevelopers, forBeginners, forAdvanced

Copyright 2011, Dirk Wildt - Die Netzmacher, <<http://wildt.at.die-netzmacher.de>>

This document is published under the Open Content License
available from <http://www.opencontent.org/opl.shtml>

The content of this document is related to TYPO3

- a GNU/GPL CMS/Framework available from www.typo3.org

Table of Contents

TS configuration by the extension manager	1	Install	5
Screen Shot	3	Configure pageTS	5
Introduction	4	Configure userTS	5
What does it do?	4	Helpful suggestions	6
		Change log	7

Screen Shot




Illustration 1: Configure the userTSconf and pageTSconf with the extension manager

Introduction

What does it do?

This extension offers some TS default configurations for pages and users.

You can enable and disable six configurations:

All backend users should

- have an AdminPanel by default
- be able to clean the TYPO3 cache
- will see a page tree with uids.

All pages should display

- a reduced menu in the modul web pages: without the items Quick Edit and Page Information
- forms for pages without the fields alias and content from pid
- forms for content with four headers only and a proper translation

Install

Install this extension.

Configure pageTS

Configure the default page TS with the extension manager.

Configure userTS

Configure the default user TS with the extension manager.

Helpful suggestions

If you have helpful suggestions please send a mail to <http://wildt.at.die-netzmacher.de>

Change log

0.0.4 **Publishing**
0.0.1 **Initial release**