

# TYPO3 v10 LTS Safe and Sound

www.typo3.org Inspiring people to share

## TYPO3 ENABLES PEOPLE TO DELIVER CONTENT-RICH DIGITAL EXPERIENCES ON ANY CHANNEL, ANY DEVICE, IN ANY LANGUAGE.



## START SMALL AND GROW FAST. WELCOME TO ENTERPRISE ANY-SIZE.



# MAKING TYPO3 v10 LTS



## SECURITY AND STABILITY ARE THE TOP TYPO3 PRIORITIES

**BENJAMIN MACK, TYPO3 CORE LEAD** 



## 566 DAYS **265 CONTRIBUTORS 2.706 COMMITS**

https://github.com/TYPO3/TYPO3.CMS/graphs/contributors



G



## 4 COMMITS A DAY 9.837 FILES CHANGED 213.577 LOC\* REMOVED 284.874 LOC\* ADDED

\* Lines of Code



# HIGHLIGHTS OF TYP03 v10 LTS




## DASHBOARD

GET AN OVERVIEW OF IMPORTANT SYSTEM INFORMATION AND STATUSES.







### 愈面

TYPO3-EXT-SA-2020-003: Multiple vulnerabilities in extension "Magalone Flipbook for

It has been discovered that the extension "Magalone Flipbook for TYPO3" (magaloneflipbook) is susceptible to Remote Code Execution, Arbitrary File Upload, Path Traversal and Broken...

TYPO3-EXT-SA-2020-002: Remote Code Execution in extension "PHPUnit" (phpunit) 10-

It has been discovered that the extension "PHPUnit" (phpunit) is susceptible to Remote Code

TYPO3-EXT-SA-2020-001: SQL Injection in extension "phpmyadmin" (phpmyadmin) 10-

It has been discovered that the extension "phpmyadmin" (phpmyadmin) is susceptible to SQL

TYPO3-EXT-SA-2019-023: CSRF in extension "femanager" (femanager) 17-12-19 It has been discovered that the extension "femanager" (femanager) is susceptible to Cross-Site-

TYPO3-EXT-SA-2019-022: Privilege Escalation in extension "femanager direct mail subscription" (femanager\_dmail\_subscribe) 17-12-19 It has been discovered that the extension "femanager direct mail subscription"


(femanager\_dmail\_subscribe) is susceptible to Privilege Escalation.

### More TYPO3 security advisories

Structured Content Initiative - What Happened in March? 17-04-20 Here's an update from the TYPO3 Structured Content Initiative about what happened last mont

People have applied, and have been selected. Welcome

### New Dashboard after **Backend Login**




鲸山

### Customized Dashboard Widgets

	Ex <b>TYPO3</b> 10.4.0		★ ۶ 🗅 🖗 🗉 🃢
	Dashboard	My dashboard System Information +	
C	) Web	~	
	Blog	Number of errors in system log	Type of backend users
G	Site Management	Add widget	
	] File	12 General System Information News Documenta	tion
ú	<sup>7</sup> Admin Tools	10       8         8       Image: Shows the number of errors in system log         4       Shows the number of errors in the sys log of the last month, grouped by date	Type of backend users Shows the amount of normal- and ad users
	3 System	<ul> <li>Failed backend logins</li> <li>Information about the number of failed logins during the last 24 hours.</li> </ul>	



愈 前



## Use predefined widgets or build your own.

### DASHBOARD

- Quick overview of important system information and statuses
- Information summary is displayed in widgets
- A wide range of types and styles are available out of the box
- Customize and extend own widgets
- Configure multiple dashboards and easily switch between them



## HTML-BASED TEMPLATED EMAILS

IMPLEMENT CUSTOMIZED EMAIL TEMPLATES FOR TYPO3 CORE EMAILS.







Hey TYPO3 Administrator

Seems like your favorite TYPO3 installation can send out emails!

This email was sent by TYPO3 from URL: <u>https://typo3.cms.ddev.site/</u> - Please contact your site administrator if you feel you received this email by accident.

<u>TYPO3 CMS</u>. Copyright © 1998-2020 Kasper Skårhøj. Extensions are copyright of their respective owners. Go to <u>https://typo3.org/</u> for details. TYPO3 CMS comes with ABSOLUTELY NO WARRANTY; <u>click for details.</u> This is free software, and you are welcome to redistribute it under certain conditions; <u>click for details.</u> Obstructing the appearance of this notice is prohibited by law.

Customized system notification emails

### **HTML-BASED TEMPLATED EMAILS**

- TYPO3's system emails are template-based HTML emails now
- Using the Fluid templating engine
- Customize system-generated notification emails with individual colors and brand logo



## SAMESITE COOKIES

IMPROVED USER'S PRIVACY WITH SAMESITE COOKIES.





		<b>YPO3</b> 0.4.0		★ 🦸 🗋 💮 🖽 🕼 Dr. Henry Walton Jones Jr.	Q Search
	Dashboard			Configure Installation-Wide Options ×	
Ľ	Web		Set	Modified values are written to LocalConfiguration.php. The optional file AdditionalConfiguration.php is not controlled by the TYPO3's core and may override certain settings. Administrators must maintain AdditionalConfiguration.php manually and should be used with caution.	
	Blog			Filter by: samesite X	
۲	Site Manage	ement	f	▼ Backend [BE]	Configuration Presets Global Configuration
	File		Co	[BE][cookieSameSite] = strict	image processing, debug/live
Ð	Admin Tools		ext	Indicates that the cookie should send proper information where the cookie can be shared (first-party cookies vs. third-party cookies) in TYPO3 Backend.	i mail settings.
J.C.	Maintenance	e		Cookies sent by TYPO3 are only available for the current site, never shared to other third-party packages (strict)	Preset
₽	Settings				
Ð	Upgrade				
₽	Environment	t			
Û	Extensions		En	[FE][cookieSameSite] = lax	
礅	System			Indicates that the cookie should send proper information where the cookie can be shared (first-party cookies vs. third-party cookies) in TYPO3 Frontend.	
				Cookies set by TYPO3 are only available for the current site, third-party integrations are not allowed to read cookies, except for links and simple F 🗸	
				▼ Image Processing [GFX]	
				- Connection [HTTP]	
				- Mail [MΔTL]	
				Write configuration Toggle All	Improved User's Privacy with
					SameSite Cookies

### **IMPROVED USER'S PRIVACY WITH SAMESITE COOKIES**

- Define whether to share certain information (e.g. session cookie) with third-party sites if scripts or iframes are used on a site for example
- Frontend session cookies are set to "SameSite=Lax"
- Backend session, Install Tool session and workspace cookies are set to the more restrictive "SameSite=Strict"
- The SameSite cookies feature has also been implemented in TYPO3 v8 and v9




## SYSTEM EXTENSION "FORM"

EASILY CREATE BEAUTIFUL FORMS WITH THE ENHANCED WIZARD.










€<del>)</del> 🟠

ion	References
ootstrap_package/Resources/Private/Forms/Contact.form.yaml	0
m_definitions/introduction-contact-form.form.yaml	0







ුරි System

<del>()</del> ()

ion	References
ootstrap_package/Resources/Private/Forms/Contact.form.yaml	0
m_definitions/introduction-contact-form.form.yaml	0
m_definitions/simpleContactForm.form.yaml	0






it existing forms					
Form name	Ready				ion
Contact Form	Please check an	d confirm your entered settings			ootstr
Introduction Contact Form					m_de
Simple Contact Form	Start template:	Simple contact form (ext:form example)			m_de
	Form name:	Predefined Form			m_de
	Form storage:	form_definitions (1:/form_definitions/)			
		Finish!			
		i intern			
	Cancel		Previous	Finish!	



<del>단</del> ☆

ion	References
ootstrap_package/Resources/Private/Forms/Contact.form.yaml	0
m_definitions/introduction-contact-form.form.yaml	0
m_definitions/simpleContactForm.form.yaml	0



of 2	«	»	
		U	
			-

### Predefined Form

### Form name

Predefined Form

### Submit label

Submit


### Finishers

Add finisher

> 🕅 Email to receiver (you)

~

⑪





1

~

⑪

### 🗇 Email

### Label

Email

### Description

### Placeholder

Email address

### Default value

### Required field


### Custom error message

Error message which is shown if the validation does not succeed

### Validators

Add validator

> 🕕 Email



Contact Form

⑪

### Step name

Contact Form

### Previous button label

Previous step

### Next button label

Next step

### **IMPROVED SYSTEM EXTENSION FORM**

- Enhanced form creation wizard that supports navigating to previous steps and descriptive labels such as "Start" or "Finish
- Streamlined setup and an optimized configuration structure
- Only one general configuration file "FormSetup.yaml" is used

## navigating to 'Start" or "Finish ation structure p.yaml" is used




## FLUID-BASED FRONTEND LOGIN FORM

FRONTEND LOGIN THAT JUST WORKS.






Ç	EXPLORER	Git Graph 5 Login.html ×
	✓ TYPO3.CMS	typo3 > sysext > felogin > Resources > Private > Templates > Login > 😇 Login.html > 🔗 html
С	🗸 📹 felogin	1 [html xmlns:f="http://typo3.org/ns/TYPO3/CMS/Fluid/ViewHelpers" data-namespace-typo3-f
	> 📫 Classes	
	> 📫 Configuration	3 <f:flashmessages></f:flashmessages>
<b>0</b>	> i Documentation	4 <f:if condition="{cookieWarning}"> 5 </f:if>
	✓	6
>	🗸 🔞 Private	7
	✓	<pre>8 <f:if condition="{messageKey}"></f:if></pre>
	S PasswordRecovery.html	9 ···· <h3></h3>
)	PasswordRecovery.txt	10 ···· <f:render arguments="{key: '{messageKey}_header&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;11 ····&lt;/h3&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;&gt; 📫 Language&lt;/td&gt;&lt;td&gt;12&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;✓&lt;/td&gt;&lt;td&gt;13&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;CookieWarning.html&lt;/td&gt;&lt;td&gt;&lt;math display=" block"="" partial="RenderLabelOrMessage">14    \cdots \langle /p \rangle</f:render>
	🗧 RenderLabelOrMessage.html	<pre>15  16 <f:if condition="{onSubmit}"></f:if></pre>
	ValidationErrors.html	17 (f:then>
	🗸 📹 Templates	<pre>18 </pre>
	🗸 📹 Login	19 ····································
	5 Login.html	20 ····
	5 Logout.html	21 ····
	5 Overview.html	22 ···· <f:else></f:else>
	🗸 📹 PasswordRecovery	<pre>23</pre>
	E Recovery.html	24 <pre>24 <pre>24 <pre>content</pre> <pre>24 <pre>24</pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre></pre>
	5 ShowChangePassword.html	25 ····
	5 FrontendLogin.html	26 ····
	> 😼 Public	27
	> 🔥 Tests	<pre>28 29 <f:if condition="{settings.showForgotPassword}"></f:if></pre>
		<pre>30 &lt;</pre>
	<ul> <li>.gitattributes</li> </ul>	31 <pre>if:render partial="RenderLabelOrMessage" arguments="{key: 'forgot_header'}"/&gt;</pre>
	Composer.json	32 ····
	ext_emconf.php	33
	ext_localconf.php	34
	🗧 ext_tables.sql	35 <f:section name="content"></f:section>
	🦹 LICENSE.txt	36 <fieldset></fieldset>
	> 📫 filelist	37 ····································
	> 📹 filemetadata	38 ····································
	> 📫 fluid	39 ····································
	> GLIEDERUNG	40 <div> 41<label></label></div>
	> ZEITACHSE	41 (label) 42 (f·translate kev="username"/>



tockfisch, 6 months ago Zeile 1, S

Frontend login – fluid-based template



Dr. Henry Wa	lton Jones Jr.	Q Search	
	Successfully	v updated feature toggles	8
× ntial security	~	Configuration Presets Global Configuration	
		mage processing, debug/live nail settings.	
cts is by the TYPO3	Choose Pr	eset	
version			
Save			

Frontend login – feature toggle

### **FLUID-BASED FRONTEND LOGIN FORM**

- Fluid enables the modification of templates more easily
- Send out HTML-based password recovery emails
- Adjust and modify validators to enforce password restrictions



ore easily ails ord restrictions

## EVENT DISPATCHER: MORE PSR-14 EVENTS

DEVELOPER JOY THROUGH STANDARDIZATION



EXPLORER	K Git Graph ** Services.yaml ×	ជា 🔶 -> 🕑 🔲 …
✓ ТҮРОЗ.СМS	typo3 > sysext > frontend > Configuration > 🚧 Services.yaml	
) > 📹 extensionmanager > 📹 felogin	<pre>1 services: Benjamin Franzke, 9 months ago • [FEATURE] Add symfony dependency injection for core and extbase 2  ··_defaults:</pre>	
> iii filelist > iii filemetadata	<pre>3 autowire: true 4 autoconfigure: true</pre>	B'S8600
> 📫 fluid	5 • • • public: • false 6 7 • • • • • • • • • • • • • • • • • • •	
<ul> <li>fluid_styled_content</li> <li>form</li> </ul>	7 - TYPO3\CMS\Frontend\: 8 - resource: '/Classes/*' 9	
<ul> <li>✓</li></ul>	<pre>10 TYP03\CMS\Frontend\Controller\TypoScriptFrontendController: 11 factory: ['TYP03\CMS\Frontend\Controller\TypoScriptFrontendController', getGlobalInstance]</pre>	
✓ ➡ Configuration > ■ TCA	12 shared: false 13 autoconfigure: false	
TSconfig RequestMiddlewares.php	14 - autowire: false 15	
<ul> <li>Services.yaml</li> <li>Resources</li> </ul>	<pre>16 TYP03\CMS\Frontend\ContentObject\ContentObjectRenderer: 17 - public: true 18 - shared: false</pre>	
<ul> <li>Kesources</li> <li>Kesources</li> <li>Tests</li> <li>gitattributes</li> </ul>	19 20 TYPO3\CMS\Frontend\Aspect\FileMetadataOverlayAspect:	
<ul> <li>composer.json</li> <li>ext_emconf.php</li> <li>ext_localconf.php</li> </ul>	21	
<pre>ext_localconi.php @ ext_tables.php </pre>	24 method: 'languageAndWorkspaceOverlay' 25 event: TYP03\CMS\Core\Resource\Event\EnrichFileMetaDataEvent	
<pre>k LICENSE.txt</pre>	26	
> indexed_search > info		
> 🛋 install		
<ul> <li>Iinkvalidator</li> <li>Iowlevel</li> </ul>		
> 📫 opendocs > 📹 recordlist		
> iii recycler > iii redirects		
GLIEDERUNG		D 14 Event
> GLIEDERUNG > ZEITACHSE		SR-14 Event

Listener Configuration

		TYPO3 10.4.0			×	ş	[°] 3	?	
		Dashboard		Event Listeners (PSR-14)					
۵		Web	~	Configuration					
		Blog	~	Event Listeners (PSR-14)					
3		Site Management	~	Enter search phrase					
		File	~	<ul> <li>Use regular expression (phrase is surrounded by slashes automatically)</li> </ul>					
G		Admin Tools	~	Search					
鐐		System	^	<pre>w TYP03\CMS\Core\Database\Event\AlterTableDefinitionStatementsEvent</pre>					
6		Access		<pre> service = TYP03\CMS\Core\Cache\DatabaseSchemaService method = addCachingFrameworkDatabaseSchema</pre>					
2		Backend Users		<pre>* 1     service = TYP03\CMS\Core\Category\CategoryRegistry</pre>					
۲		Scheduler		<pre>method = addCategoryDatabaseSchema </pre>					
		Reports		<pre> service = TYPO3\CMS\IndexedSearch\Service\DatabaseSchemaService method = addMysqlFulltextIndex</pre>					
		Log		<pre>▶ 3</pre> ▶ TYP03\CMS\Core\Resource\Event\AfterFileAddedToIndexEvent					
		DB Check		▶ TYPO3\CMS\Core\Resource\Event\AfterFileRemovedFromIndexEvent					
-	1	Configuration		<ul> <li>… TYP03\CMS\Core\Resource\Event\AfterFileMarkedAsMissingEvent</li> <li>… TYP03\CMS\Core\Resource\Event\AfterFileUpdatedInIndexEvent</li> </ul>					
				<ul> <li>… TYPO3\CMS\Core\Resource\Event\AfterFileProcessingEvent</li> <li>… TYPO3\CMS\Core\Resource\Event\BeforeFileProcessingEvent</li> </ul>					
				TYP03\CMS\Core\Resource\Event\AfterFileMetaDataCreatedEvent					
				▶ … TYPO3\CMS\Core\Resource\Event\AfterFileMetaDataDeletedEvent					
				TYP03\CMS\Core\Resource\Event\EnrichFileMetaDataEvent					
				▶ … TYPO3\CMS\Core\Resource\Event\AfterFileMetaDataUpdatedEvent					
				TYP03\CMS\Core\Resource\Event\AfterResourceStorageInitializationEvent					
				TYP03\CMS\Core\Resource\Event\BeforeResourceStorageInitializationEvent					
				<ul> <li>TYP03\CMS\Core\Resource\Event\AfterFileAddedEvent</li> <li>TYP03\CMS\Core\Resource\Event\AfterFileCopiedEvent</li> </ul>					



公

PSR-14 Event Listeners

```
# EXT:my_extension/Configuration/Services.yaml
```

```
services:
```

Vendor\MyExtension\EventListener\RteConfigEnhancer:

```
tags:
```

- name: event.listener
- identifier: 'ext-myextension/rteConfigEnhancer'
- method: 'beforeGetExternalPlugins'
- event: TYPO3\CMS\RteCKEditor\Form\Element\Event\BeforeGetExternalPluginsEvent
- name: event.listener identifier: 'ext-myexte method: 'beforePrepareC <?php</pre>

event: TYPO3\CMS\RteCKE // EXT:my\_extension/Classes/EventListener/RteConfigEnhancer.php namespace Vendor\MyExtension\EventListener;

> use TYP03\CMS\RteCKEditor\Form\Element\Event\BeforeGetExternalPluginsEvent; use TYP03\CMS\RteCKEditor\Form\Element\Event\BeforePrepareConfigurationForEditorEvent;

### class RteConfigEnhancer

```
public function beforeGetExternalPlugins(BeforeGetExternalPluginsEvent $event): void
{
```

```
$data = $event->getData();
```

```
// @todo make useful decisions on fetched data
```

```
$configuration = $event->getConfiguration();
```

```
$configuration['example_plugin'] = [
```

'resource' => 'EXT:my\_extension/Resources/Public/CKEditor/Plugins/ExamplePlugin/plugin.js'

];

\$event->setConfiguration(\$configuration);

3

public function beforePrepareConfiguration(BeforePrepareConfigurationForEditorEvent \$event): void {

### \$data = \$event->getData();

```
// @todo make useful decisions on fetched data
$configuration = $event->getConfiguration();
$configuration['extraPlugins'][] = 'example_plugin';
$event->setConfiguration($configuration);
```

### **PSR-14: DEVELOPER JOY THROUGH STANDARDIZATION**

- Hooks and the Signal/Slot concept is one of TYPO3's superpowers
- Introducing PSR-14 events standard
- Extend the core and system functionality more efficiently
- Easier for new developers to get up-and-running and familiar with TYPO3




## IMPROVED EXTENSION MANAGER

LINKS TO EXTENSION DOCUMENTATION IN EXTENSION MANAGER.







stable

stable

			All	Syster	n	Local
Version	State	Туре	Actions			
10.4.0	stable	System		<u>*</u>		
10.4.0	stable	System		<u>*</u>		
10.4.0	stable	System		±.		
10.4.0	stable	System		<u>+</u>		
10.4.0	stable	System		<u>+</u>		
10.0.0-dev	stable	Local		<u>+</u>		
11.0.2	stable	Local		<u>+</u>		
10.4.0	stable	System		<u>+</u>		
10.4.0	stable	System		<u>+</u>		
10.4.0	stable	System		<u>+</u>		
10.4.0	stable	System		≛ 53		
10.4.0	stable	System		<u>*</u>		

Links to extension documentation in **Extension** Manager

## DETECT CONFLICTING REDIRECTS

MAKING THE LIVES OF SEO SPECIALISTS A LOT EASIER.







	Image: Type of the second s				★ ۶ 📭 ⑦ 🗏 🤇
	Dashboard				
			Install Tool		Disabled
Ľ	Web	~	Install Tool Password		ОК
	Blog	~	Trusted Hosts Pattern		ОК
() ()	Site Management	~	Configuration		
	Sites		MySQL Database Character Set		OK Your default database uses ut
С	Redirects		Permissions of created directories		ОК
	•		Permissions of created files	∑ benja@typo3: /var/www/html × +	$\sim$
	File	~	Reference Index		
A	Admin Tools	~	Extension Manager	scheduler:run <mark>site</mark> site:list	Start the TYPO3 Schedu Shows the list of site
~	6t		Outdated status of existing, but not loaded extensi		Shows the configuration
鐐	System	^	Outdated status of loaded extensions	a "site:show <identifier>". syslog</identifier>	
6	Access		Security status of existing, but not loaded extensio		Show entries from the s
2	Backend Users		Security status of loaded extensions	upgrade upgrade:list	List available upgrade
	Scheduler		Update status of typo3.org main repository extensi	upgrade:run	Run upgrade wizard. Wit
	Reports		File Abstraction Layer	workspace workspace:autopublish	Publish a workspace wi
	Log		Files flagged as missing	benja@typo3:/var/www/html\$ bin	
	DB Check		Redirects	Redirect (Host: typo3.cms.ddev benja@typo3:/var/www/html\$	.site, Path: /examples) con
łiił	Configuration				1 conflicting redirects These redirects cause a confli
			Conflicting Redirects		<ul> <li>https://typo3.cms.ddev</li> <li>Source Domain: typo3.cms</li> </ul>

Dr. Henry Walton Jones Jr. Q Search								
公								
utf-8. All good.								
- 🗆 X								
duler from the command line.								
tes available to the system. ion of the specified site. Specify the identifier vi								
e sys_log database table of the last 24 hours.								
de wizards. Vithout arguments all available wizards will be run.								
with a publication date. egrity onflicts with https://typo3.cms.ddev.site/examples								

nflict as there are pages that are still accessible with the same URL.


https://typo3.cms.ddev.site/examples Source Domain: typo3.cms.ddev.site Source Path: /examples

Detecting conflicting redirects in the report's module and CLI command



🔮 Dr. H	lenry Walton J	ones Jr.	Q Search			
		Path: /Co	ongratulations/ [	Content	Examples [20]	
					다 갔 ?	
esources	Language	Access	Categories	Notes		
			×			
			@8 <del>()</del>			
			×			

Slug update for page with sub pages



🔮 Dr. H	ienry Walton .	Jones Jr.	Q Search	
	i	Because yo	u renamed a s updated and	I redirects created Slug, the slugs of all sub- redirects were created for
		Revert up	odate	Revert redirects only
esources	Language	Access	Categories	s Notes
			×	
			@ <del>0</del>	
			×	
			^	

Notification on slug updates and generated redirects

		<b>YPO3</b> 0.4.0				★ 🗲 📑 🕐 🔳 矿 Dr. Henry Walton Jones Jr. 🔍 Search			
Ĩ	Dashboard			+					€ €
Ľ	Web	~	·	Redirect Mana	gement				
	Blog	~	,	Source Host Show All	<ul> <li>✓ Source Path</li> <li>Destination (P</li> </ul>	Path or Page ID) Status Code Show All V Send	j		
<ul> <li>•</li> </ul>	Site Manager Sites	ment ^		к « Redirects 1 - 50	D Page 1 / 2 ≫ > → ↔				
C	Redirects			Source Host	Source Path	Destination			
	Neurieus	_		typo3.cms.ddev.site	C /content-examples	/examples (Status Code: 307)	ē /		Ū
	File	~	r	typo3.cms.ddev.site	C /content-examples/and-more	/examples/and-more (Status Code: 307)	3 <i>4</i>		Ū
IJ	Admin Tools	~	,	typo3.cms.ddev.site	C /content-examples/and-more/any-language-any-character	/examples/and-more/any-language-any-character (Status Code: 307)	3 /		団
ŝ	System	~	r	typo3.cms.ddev.site	C /content-examples/and-more/frames	/examples/and-more/frames (Status Code: 307)	3 /		Ш
				typo3.cms.ddev.site	C /content-examples/and-more/images-with-links	/examples/and-more/images-with-links (Status Code: 307)	3 /	O	Ū
				typo3.cms.ddev.site	C /content-examples/form-elements	/examples/form-elements (Status Code: 307)	3 /		Ū
				typo3.cms.ddev.site	C /content-examples/form-elements/forms	/examples/form-elements/forms (Status Code: 307)	3 /		Ū
				typo3.cms.ddev.site	C /content-examples/form-elements/forms/thank-you	/examples/form-elements/forms/thank-you (Status Code: 307)	3 /		Ē
				typo3.cms.ddev.site	C /content-examples/form-elements/login	/examples/form-elements/login (Status Code: 307)	3 /		Ш
				typo3.cms.ddev.site	C /content-examples/form-elements/search	/examples/form-elements/search (Status Code: 307)	3 /		団
				typo3.cms.ddev.site	C /content-examples/interactive	/examples/interactive (Status Code: 307)	3 /		Ш
				typo3.cms.ddev.site	C /content-examples/interactive/accordion	/examples/interactive/accordion (Status Code: 307)	3 /		団
				typo3.cms.ddev.site	C /content-examples/interactive/carousel	/examples/interactive/carousel (Status Code: 307)	erat	ec	
						redirects			

### DETECT CONFLICTING REDIRECTS

- Detect conflicting redirects now
- End users won't end up on dead links
- Automatically updates the relevant slugs for all sub-pages and can create redirects from the old to the new URL
- TYPO3's Link Validator aims to detect broken links throughout the system



## MANY MORE NEW AND EXCITING FEATURES ARE WAITING FOR YOU

TYPO3.ORG/HELP/DOCUMENTATION/WHATS-NEW/





## MAINTENANCE AND SUPPORT FOR A FULL SIX YEARS

FIRST THREE YEARS FREE OF CHARGE BY THE TYPO3 COMMUNITY (1.5 YEARS OF FULL REGULAR MAINTENANCE PLUS ANOTHER 1.5 YEARS OF PRIORITY BUG FIXING WITH SECURITY FIXES AND CRITICAL UPDATES).

THE PAID EXTENDED LONG-TERM SUPPORT (ELTS) WILL BE AVAILABLE UNTIL APRIL 20, 2026.



*cccccccc* .... coccececececececece eee .... .... *coccerceccecceccecce* .... *coccecceccecceccecce* ere concerences concerences conceres and the conceres of the c *conconconconce* ..... .... .... CCCCCCC *cocceccecceccecce ......* .......... *cocceccecce ......* ............ ........... 000000 0000 .... ....



TYP03